```
public class AddTwo {
    public static void main(String[] args) {
        int a = Integer.parseInt(args[0]);
        int b = Integer.parseInt(args[1]);
        System.out.println(a + " + " + b + " = " + (a + b));
    }
}
```

```
public class Coins {
    public static void main(String[] args) {
        int a = Integer.parseInt(args[0]);
        int quarter = a / 25;
        int cent = a % 25;
        System.out.println("Use " + quarter + " quarters and " + cent + " cents");
    }
}
```

```
public class LinearEq {
    public static void main(String[] args){

    double a = Double.parseDouble(args[0]);
    double b = Double.parseDouble(args[1]);
    double c = Double.parseDouble(args[2]);
    double x = (c - b)/a;
    System.out.println(a + " * x + " + b + " = " + c);
    System.out.println("x = " + x);
}
```

```
public class Triangle {
    public static void main(String[] args) {
        int sideA = Integer.parseInt(args[0]);
        int sideB = Integer.parseInt(args[1]);
        int sideC = Integer.parseInt(args[2]);
        boolean result;

    result = ((sideA + sideB) > sideC) && ((sideB + sideC) > sideA) && ((sideC + sideA) > sideB);

        System.out.println(sideA + ", " + sideB + ", " + sideC + ": " + result);
}
```

```
public class GenThree {
       public static void main(String[] args) {
             int a = Integer.parseInt(args[0]);
             int b = Integer.parseInt(args[1]);
             int range = b-a;
             int randomInt1 = (int)(Math.random()*range) + a;
             int randomInt2 = (int)(Math.random()*range) + a;
             int randomInt3 = (int)(Math.random()*range) + a;
             int min1 = Math.min(randomInt1, randomInt2);
             int min2 = Math.min(randomInt3, min1);
             System.out.println(randomInt1);
             System.out.println(randomInt2);
             System.out.println(randomInt3);
             System.out.println("The minimal generated number was " + min2);
      }
}
```