```
/*
 * Adds two given integers and prints the result in a fancy way.
 */
public class AddTwo {
   public static void main(String[] args) {
     int num1 = Integer.parseInt(args[0]);
     int num2 = Integer.parseInt(args[1]);

     System.out.println(num1 + " + " + num2 + " = " + (num1 + num2));
   }
}
```

```
/*
    * Write a program that gets a quantity of cents as a command-line argument.
    * The program prints how to represent this quantity using as many quarters as possible, plus the remainder in cents.
    */
public class Coins {
        public static void main(String[] args){
            int total = Integer.parseInt(args[0]);
            int quarters = total / 25;
            int cents = total - quarters * 25;

            System.out.println("Use " + quarters + " quarters and " + cents + " cents");
        }
}
```

```
/*
 * Solves linear equations of the form a·x + b = c.
 * The program gets a, b, and c as command-line arguments,
 * computes x, and prints the result.
 * Treats the three arguments as well as the computed value as double values
 */
public class LinearEq {
    public static void main(String[] args){
        double a = Double.parseDouble(args[0]);
        double b = Double.parseDouble(args[1]);
        double c = Double.parseDouble(args[2]);

        System.out.println(a + " * x + " + b + " = " + c);
        System.out.println("x = " + (c-b)/a);
    }
}
```

```
/*
 * Three sides can form a triangle if the sum of the lengths of any two sides is greater
than the length of the remaining side.
 * This is known as the Triangle Inequality Theorem.
 * Write a program that tests if three given integers form a triangle.
 */
public class Triangle {
    public static void main(String[] args){
        int a = Integer.parseInt(args[0]);
        int b = Integer.parseInt(args[1]);
        int c = Integer.parseInt(args[2]);

        boolean isTriangle = (a + b > c) && (a + c > b) && (b + c > a);
        System.out.println(a + ", " + b + ", " + c + ": " + isTriangle);
    }
}
```

```
* Generates three random integers, each in a given range [a,b),
* prints them, and then prints the minimal number that was generated.
public class GenThree {
      public static void main(String[] args){
             double min = Double.parseDouble(args[0]);
             double max = Double.parseDouble(args[1]);
             int gen1 = (int) (Math.random() * (max - min) + min);
             int gen2 = (int) (Math.random() * (max - min) + min);
             int gen3 = (int) (Math.random() * (max - min) + min);
             int minGen = Math.min(Math.min(gen1, gen2), gen3);
             System.out.println(gen1);
             System.out.println(gen2);
             System.out.println(gen3);
             System.out.println("The minimal generated number was " + minGen);
      }
}
```