

```
/
* Adds two given integers and prints the result in a fancy way.
*/
public class AddTwo {
    public static void main(String[] args) {
        // Put your code here

        int    var1 = Integer.parseInt(args[0]);int
        var2 = Integer.parseInt(args[1]);
        int sum = var1 + var2;
        System.out.println(var1 + " + " + var2 + " = " + sum);
    }
}
```

/

* Write a program that gets a quantity of cents as a command-line argument.

* The program prints how to represent this quantity using as many quarters as possible, plus the remainder in cents.

*/

```
public class Coins {
```

```
    public static void main(String[] args) {
```

```
        // Put your code here
```

```
        int cents = Integer.parseInt(args[0]);int
```

```
        quarters = cents / 25;
```

```
        int remains = cents % 25;
```

```
        System.out.println("Use " + quarters + " quarters and " +  
        remains + " cents");
```

```
    }
```

```
}
```

```

/
* Solves linear equations of the form  $a \cdot x + b = c$ .
* The program gets a, b, and c as command-line arguments,
* computes x, and prints the result.
* Treats the three arguments as well as the computed value as double values
*/

public class LinearEq {
    // Put your code here

    public static void main(String[] args) {
        double a = Double.parseDouble(args[0]);
        double b = Double.parseDouble(args[1]);
        double c = Double.parseDouble(args[2]);

        double x = (c - b) / a;

        System.out.println(a + " * x + " + b + " = " + c);
        System.out.println("x = " + x);
    }
}

```

```
/
```

```
* Three sides can form a triangle if the sum of the lengths of any two sides is greater than the length of the remaining side.
```

```
* This is known as the Triangle Inequality Theorem.
```

```
* Write a program that tests if three given integers form a triangle.
```

```
*/
```

```
public class Triangle {
```

```
    public static void main(String[] args) {
```

```
        // Put your code here
```

```
        int    var1 = Integer.parseInt(args[0]);int
```

```
        var2 = Integer.parseInt(args[1]);
```

```
        int    var3 = Integer.parseInt(args[2]); boolean
```

```
        isTriangle = var1 + var2 > var3; istriangle =
```

```
        isTriangle && (var2 + var3 > var1);isTriangle =
```

```
        isTriangle && (var1 + var3 > var2);
```

```
        System.out.println(var1 + ", " + var2 + ", " + var3 + ": " +  
        istriangle);
```

```
    }
```

```
}
```

```

/*
 * Generates three random integers, each in a given range [a,b),
 * prints them, and then prints the minimal number that was generated.
 */

import java.util.concurrent.ThreadLocalRandom;

public class GenThree {

    public static void main(String[] args) {

        // Put your code here

        int min = Integer.parseInt(args[0]); int
        max = Integer.parseInt(args[1]); int
        diff = max - min;

        int first = ThreadLocalRandom.current().nextInt(min, max);
        int second = ThreadLocalRandom.current().nextInt(min, max); int
        third = ThreadLocalRandom.current().nextInt(min, max); int
        minnum = Math.min(first, second);
        minnum = Math.min(minnum, third);

        System.out.println(first);
        System.out.println(second);
        System.out.println(third);
        System.out.println("The minimal generated number was " minnum);

    }

}

```