```
public class AddTwo {
    public static void main(String[] asdf) {
        int a = Integer.parseInt(asdf[0]);
        int b = Integer.parseInt(asdf[1]);
        System.out.println(a + " + " + b + " = " + (a+b));
    }
}
```

```
public class Coins {
    public static void main(String[] args) {
        int cents = Integer.parseInt(args[0]);
        int quarters = cents / 25;
        int remainder = cents % 25;
        System.out.println("Use " + quarters + " quarters and " + remainder + " cents");
    }
}
```

```
public class LinearEq {
  public static void main(String[] asdf) {
     double a = Double.parseDouble(asdf[0]);
     double b = Double.parseDouble(asdf[1]);
     double c = Double.parseDouble(asdf[2]);

     double x = (c - b) / a;

     System.out.println(a + " * x + " + b + " = " + c);
     System.out.println("x = " + x);
}
```

```
public class Triangle {
   public static void main(String[] asdf) {
      int a = Integer.parseInt(asdf[0]);
      int b = Integer.parseInt(asdf[1]);
      int c = Integer.parseInt(asdf[2]);

   if (a+b>c && a+c>b && b+c>a) {
        System.out.println(a + ", " + b + ", " + c + ": true");
      } else {
        System.out.println(a + ", " + b + ", " + c + ": false");
      }
}
```

```
public class GenThree {
   public static void main(String[] asdf) {
      int a = Integer.parseInt(asdf[0]);
      int b = Integer.parseInt(asdf[1]);
      int x = (int) (Math.random() * (b - a)) + a;
      int y = (int) (Math.random() * (b - a)) + a;
      int z = (int) (Math.random() * (b - a)) + a;
      System.out.println(x);
      System.out.println(y);
      System.out.println(z);
      System.out.println("The minimal generated number was " +

Math.min(Math.min(x, y), z));
   }
}
```