```
public class AddTwo {
   public static void main(String[] args) throws Exception {
     int x, y;
     x = Integer.parseInt(args[0]);
     y = Integer.parseInt(args[1]);
     System.out.println(x);
     System.out.print(" + ");
     System.out.print(y);
     System.out.print(" = ");
     System.out.print(y+x);
   }
}
```

```
public class Coins {
   public static void main(String[] args) {
     int total, quarters, cents;
     total = Integer.parseInt(args[0]);
     quarters = total / 25;
     cents = total % 25;
     System.out.println("Use " + quarters + " quarters and " + cents + " cents");
   }
}
```

```
public class LinearEq {
  public static void main(String[] args) {
     double a, b, c, x;
     a = Integer.parseInt(args[0]);
     b = Integer.parseInt(args[1]);
     c = Integer.parseInt(args[2]);
     x = (c-b)/a;
     System.out.println(a + " * x + " + b + " = " + c);
     System.out.println("X = " + x);
  }
}
```

```
public class Triangle {
   public static void main(String[] args) {
     int side1 = Integer.parseInt(args[0]);
     int side2 = Integer.parseInt(args[1]);
     int side3 = Integer.parseInt(args[2]);

     boolean isTri = (side1 + side2 > side3) && (side1 + side3 > side2) && (side2 + side3 > side1);
        System.out.println(side1 + ", " + side2 + ", " + side3 + ": " + isTri);
    }
}
```

```
import java.util.concurrent.ThreadLocalRandom;
public class Gen3 {
  public static void main(String[] args) {
    int min = Integer.parseInt(args[0]);
    int max = Integer.parseInt(args[1]);
    int random1 = ThreadLocalRandom.current().nextInt(min, max + 1);
    int random2 = ThreadLocalRandom.current().nextInt(min, max + 1);
    int random3 = ThreadLocalRandom.current().nextInt(min, max + 1);
     System.out.println(random1);
     System.out.println(random2);
     System.out.println(random3);
    int minNumber = Math.min(random1, Math.min(random2, random3));
    System.out.println("The minimal generated number was " + minNumber);
  }
}
```