```
public class AddTwo {
   public static void main(String[] args) {
      int numb1 = Integer.parseInt(args[0]);
      int numb2 = Integer.parseInt(args[1]);
      int sum = numb1 + numb2;
      System.out.println(numb1 + " " + "+" + " " + numb2 + " " + "=" + " " + sum);
   }
}
```

```
public class Coins {
    public static void main(String[] args) {
        int coin = Integer.parseInt(args[0]);
        int result1 = coin/25;
        int result2 = coin%25;
        System.out.println("Use " + result1 + " quarters and " + result2 + " cents");
    }
}
```

```
public class GenThree {
  public static void main(String[] args) {
    int a = Integer.parseInt(args[0]);
    int b = Integer.parseInt(args[1]);
    int diff = Math.max(a,b) - Math.min(a,b);
    int n1 = (int) (diff * Math.random() + Math.min(a, b));
    int n2 = (int) (diff * Math.random() + Math.min(a, b));
    int n3 = (int) (diff * Math.random() + Math.min(a, b));
    System.out.println(n1 + "\n" + n2 + "\n" + n3);
    int min = Math.min(n1, n2);
    System.out.println("The minimal genereated number was " + Math.min(n3, min));
  }
}
```

```
public class LinearEq {
   public static void main(String[] args) {
      Double a = Double.parseDouble(args[0]);
      Double b = Double.parseDouble(args[1]);
      Double c = Double.parseDouble(args[2]);
      Double result = (c - b) / a;
      System.out.println(a + " * x + " + b + " = " + c);

      System.out.print("x = ");
      if (result >= 0) {
            System.out.print(" ");
      }
      System.out.println(result);
    }
}
```

```
public class Triangle {
    public static void main(String[] args) {
        int n1 = Integer.parseInt(args[0]);
        int n2 = Integer.parseInt(args[1]);
        int n3 = Integer.parseInt(args[2]);
        boolean result = false;
        if((n1 + n2 > n3) && (n1 + n3 > n2) && (n2 + n3 > n1)){
            result = true;
        }else{
            result = false;
        }
        System.out.println(n1 + ", " + n2 + ", " + n3 + ": " + result);
      }
}
```