```
public class Divisors {
  public static void main (String[] args) {
    int a = Integer.parseInt(args[0]);
    int i = 1;
    while(i <= a){
        //Check if i is divides of a
        if(a % i == 0){
            System.out.println(i);
        }
        i++;
    }
}</pre>
```

```
public class Reverse {
  public static void main (String[] args){
     String str = args[0];
     String reverseString = "";
     int i = str.length() -1;
     //A loop in which we will run on all str's chars and build a
     reverse String
     while(i \geq 0){
       reverseString = reverseString + str.charAt(i);
       i--;
     }
     System.out.println(reverseString);
     System.out.println("The middle character is " +
     reverseString.charAt(reverseString.length() / 2));
  }
}
```

```
public class InOrder {
   public static void main (String[] args) {
      //Generate the first random number
      int random1 = (int)(Math.random() * 10);
      //Initialize a variable to save the previous random number
      int check = 0;
      //A loop in which we generate random numbers until the privious number
      is grater then the new one
      do{
            System.out.print(random1 + " ");
            check = random1;
            random1 = (int)(Math.random() * 10);
      } while (check <= random1);
    }
}</pre>
```

```
public class Perfect {
  public static void main (String[] args) {
     int N = Integer.parseInt(args[0]);
     int sum = 0;
     //Initialize a String for the output.
     String ans = " is a perfect number since " + N + " = 1";
     //A loop in which we will run on all the numbers from 2 to N
     for(int i = 2; i < N; i++){
       ////Check if i is divides of N
       if(N \% i == 0){
          // Add i to the String output
          ans = ans + " + " + i;
          sum += i;
       }
     }
     // Check if N is perfect
     if((sum + 1) == N){
       System.out.println(N + ans);
     } else {
       System.out.println(N + " is not a perfect number");
     }
  }
}
```

```
public class DamkaBoard {
  public static void main(String[] args) {
     int n = Integer.parseInt(args[0]);
     String stars = "";
     //A loop that build the row
     //and make sure that we donwt have an extra space at the end
     for(int i = 0; i < n-1; i++){
       stars = stars + "* ";
     }
     //without space at the and of the row
     stars = stars + "*";
     //A loop that build the board by build a n rows
     //and make sure that if the row is odd we have extra space at
     the beginning
     for(int j = 0; j < n; j++){
        if(j % 2 != 0){
          System.out.print(" ");
          System.out.println(stars);
        } else{
          System.out.println(stars + " ");
       }
     }
  }
}
```

```
public class OneOfEach {
  public static void main (String[] args) {
     String children = "";
     int sum = 0;
     //A loop in which we genarate children until we have at least
     one of each
     while((children.indexOf('g') == -1) || (children.indexOf('b')
     == -1)){
       if(Math.random() < 0.5){
          children = children + "g ";
       } else {
          children = children + "b ";
       }
     sum++;
     }
     System.out.println(children);
     System.out.println("You made it... and you now have " + sum +
     " children.");
  }
}
```

```
public class OneOfEachStats1 {
  public static void main (String[] args) {
     int T = Integer.parseInt(args[0]);
     String children = "";
     double totalSum = 0;
     int two = 0;
     int three = 0;
     int four = 0;
     String mostCommon = "";
    //A loop in which we generate the test T times.
    for(int i = 0; i < T; i++){
       int sumTemp = 0;
       //A loop in which we genarate children until we have at
       least one of each
       while((children.indexOf('g') == -1) ||
       (children.indexOf('b') == -1)){}
          if(Math.random() < 0.5){
            children = children + "g ";
          } else {
            children = children + "b ";
          }
          sumTemp++;
          totalSum++;
       //Add the result to a track variables and checks what is
       the most common number of children
       if(sumTemp == 2){
          two++;
          if(two > three && two > four){
            mostCommon = "The most common number of children
            is 2.";
          }
       } else if(sumTemp == 3){
          three++:
```

```
if(three > two && three > four){
            mostCommon = "The most common number of children
            is 3.";
          }
       } else if(sumTemp >= 4){
          four++;
          if(four > three && four > two){
            mostCommon = "The most common number of children
            is 4 or more.";
          }
       }
       children = "";
    }
    //Calculate the average
     double average = (totalSum / T);
    //Print the results
     System.out.println("Average: " + average + " children to get
     at least one of each gender.");
     System.out.println("Number of families with 2 children: " +
     two);
     System.out.println("Number of families with 3 children: " +
     three);
     System.out.println("Number of families with 4 or more
     children: " + four);
     System.out.println(mostCommon);
  }
}
```

```
public class OneOfEachStats {
  public static void main (String[] args) {
    // Gets the two command-line arguments
     int T = Integer.parseInt(args[0]);
     int seed = Integer.parseInt(args[1]);
    // Initailizes a random numbers generator with the given seed
     value
     Random generator = new Random(seed);
    //// In the previous version of this program, you used a
     statement like:
    //// double rnd = Math.random();
    //// Where "rnd" is the variable that stores the generated
     random value.
    //// In this version of the program, replace this statement
     with:
    //// double rnd = generator.nextDouble();
    //// This statement will generate a random value in the range
    [0,1),
    //// just like you had in the previous version, except that
     the
    //// randomization will be based on the given seed.
    //// This is the only change that you have to do in the
     program.
     int T = Integer.parseInt(args[0]);
     String children = "";
     double totalSum = 0;
     int two = 0;
     int three = 0;
     int four = 0;
     String mostCommon = "";
    //A loop in which we generate the test T times.
     for(int i = 0; i < T; i++){
```

```
int sumTemp = 0;
//A loop in which we genarate children until we have at
least one of each
while((children.indexOf('g') == -1) ||
(children.indexOf('b') == -1)){}
  if(generator.nextDouble() < 0.5){</pre>
     children = children + "g ";
  } else {
     children = children + "b ";
  }
  sumTemp++;
  totalSum++;
}
//Add the result to a track variables and checks what is
the most common number of children
if(sumTemp == 2){
  two++;
  if(two > three && two > four){
     mostCommon = "The most common number of children
     is 2.";
  }
} else if(sumTemp == 3){
  three++;
  if(three > two && three > four){
     mostCommon = "The most common number of children
     is 3.":
  }
} else if(sumTemp >= 4){
  four++;
  if(four > three && four > two){
     mostCommon = "The most common number of children
    is 4 or more.";
  }
}
```

```
children = "";
     }
     //Calculate the average
     double average = (totalSum / T);
     //Print the results
     System.out.println("Average: " + average + " children to get
     at least one of each gender.");
     System.out.println("Number of families with 2 children: " +
     two);
     System.out.println("Number of families with 3 children: " +
     three);
     System.out.println("Number of families with 4 or more
     children: " + four);
     System.out.println(mostCommon);
  }
}
```