

Divisors

```
public class Divisors{  
    public static void main (String[] args){  
        ///Put your code here  
        int num = Integer.parseInt(args[0]);  
        for(int i = 1; i <= num; i++){  
            if(num % i == 0)  
            {  
                System.out.println(i);  
            }  
        }  
    }  
}
```

Reverse

```
public class Reverse {  
    public static void main (String[] args){  
        String s = args[0];  
        int middle = s.length() / 2;  
        char midChar;  
        if(s.length() % 2 == 0){  
            midChar = s.charAt(middle-1);  
        }  
        else {  
            midChar = s.charAt(middle);  
        }  
        for(int i = s.length() - 1; i >= 0 ; i--){  
            System.out.print(s.charAt(i));  
        }  
        System.out.println();  
        System.out.println("The middle character is " +  
midChar);  
    }  
}
```

InOrder

```
public class InOrder {  
    public static void main (String[] args) {  
        ///// Write your code here  
        int random = (int)(Math.random() * 10);  
        int lastNum = random;  
        System.out.print(random + " ");  
        random = (int)(Math.random() * 10);  
        while(random > lastNum){  
            System.out.print(random + " ");  
            lastNum = random;  
            random = (int)(Math.random() * 10);  
        }  
    }  
}
```

DamkaBoard

```
public class DamkaBoard {  
    public static void main(String[] args) {  
        ///// Put your code here  
        int num = Integer.parseInt(args[0]);  
        for(int row = 1; row <= num; row++){  
            for(int col = 1; col <= num; col++){  
                if(row % 2 == 0){  
                    System.out.print(" *");  
                }  
                else{  
                    System.out.print("* ");  
                }  
            }  
            System.out.println();  
        }  
    }  
}
```

Perfect

```
public class Perfect {  
    public static void main (String[] args) {  
        int num = Integer.parseInt(args[0]);  
        int sum = 1;  
        String s = num + " is a perfect number since " + num  
+ " = 1";  
        for(int i = 2; i < num; i++){  
            if(num % i == 0){  
                sum += i;  
                s += " + " + i;  
            }  
        }  
        if(sum == num) {  
            System.out.println(s);  
        }  
        else {  
            System.out.println(num + " is not a perfect  
number");  
        }  
    }  
}
```

OneOfEachStats

```
public class OneOfEachStats {  
    public static void main (String[] args) {  
        // Gets the two command-line arguments  
        int T = Integer.parseInt(args[0]);  
        int seed = Integer.parseInt(args[1]);  
        // Initailizes a random numbers generator with the  
given seed value  
        Random generator = new Random(seed);  
        int numOf2Children = 0;  
        int numOf3Children = 0;  
        int numOf4Children = 0;  
        int countOfChildren = 0;  
        int countTotal = 0;  
        double rnd = generator.nextDouble();  
        for(int i = 0; i < T; i++){  
            countOfChildren = 0;  
            if(rnd >= 0.5){  
                while(rnd >= 0.5){  
                    countOfChildren++;  
                    countTotal++;  
                    rnd = generator.nextDouble();  
                }  
                countOfChildren++;  
                countTotal++;  
            }  
            else{  
                while(rnd < 0.5){  
                    countOfChildren++;  
                    countTotal++;  
                }  
            }  
        }  
    }  
}
```

```

        rnd = generator.nextDouble();
    }
    countOfChildren++;
    countTotal++;
}
if(countOfChildren == 2){
    numOf2Children++;
}
if(countOfChildren == 3){
    numOf3Children++;
}
if(countOfChildren >=4){
    numOf4Children++;
}
}

System.out.println("Average: " +
(double)(countTotal/T) + " children to get at least one of
each gender.");

System.out.println("Number of families with 2
children: " + numOf2Children);

System.out.println("Number of families with 3
children: " + numOf3Children);

System.out.println("Number of families with 4 or
more children: " + numOf4Children);

if(numOf2Children >= numOf3Children){
    if(numOf2Children >= numOf4Children){
        System.out.println("The most common
number of children is 2");
    }
    else{
        System.out.println("The most common
number of children is 4 or more");
    }
}

```

```
        }
    }
    else{
        if(numOf3Children >= numOf4Children){
            System.out.println("The most common
number of children is 3");
        }
        else{
            System.out.println("The most common
number of children is 4 or more");
        }
    }
}
}
```