Computer Science Homework 04.01:

```
2. Reverse.java
  public class Reverse
  {
     public static void main (String[] args)
     {
        String str = args[0];
        String rev = "";
        for(int i = str.length() - 1; i >= 0; i--)
        {
            rev = rev + str.charAt(i);
        }
        System.out.println(rev);
        System.out.println("The middle character is " + rev.charAt(rev.length() / 2));
     }
}
```

```
3. InOrder.java
  public class InOrder
{
     public static void main (String[] args)
     {
        int sub = 0;
        int num = (int)(Math.random() * 10);
        do
        {
            System.out.print(num + " ");
            sub = num;
            num = (int)(Math.random() * (10));
            } while(num >= sub);
        }
}
```

```
4. DamkaBoard.java
   public class DamkaBoard
   {
        public static void main(String[] args)
              int size = Integer.parseInt(args[0]);
              for(int i = 1; i <= size; i++)</pre>
              {
                    if(i % 2 == 0) System.out.print(" ");
                    for(int j = 1; j <= size; j++)</pre>
                    {
                          if((j == size) && (i % 2 == 0))
                               System.out.print("*");
                          }
                          else
                          {
                               System.out.print("* ");
                          }
                    System.out.println("");
              }
        }
  }
```

```
5. Perfect.java
  public class Perfect
        public static void main (String[] args)
             int check = Integer.parseInt(args[0]);
             String per = "";
              per = check + " is a perfect number since " + check +
  " = 1";
              int sum = 1;
             for(int i = 2; i < check; i++)
              {
                   if ((check % i) == 0)
                         sum += i;
                         per = per + " + " + i;
                   }
              }
             if((check != sum)||(check == 0)) per = check + " is
  not a perfect number";
             System.out.println(per);
        }
  }
```

```
6. OneOfEachStats.java
  import java.util.Random;
  public class OneOfEachStats
  {
        public static void main (String[] args)
        {
              // Gets the two command-line arguments
              int times = Integer.parseInt(args[0]);
              int seed = Integer.parseInt(args[1]);
           Random generator = new Random(seed);
              boolean girl;
              boolean boy;
              double sum = 0;
              double num;
              int count;
              int child2 = 0;
              int child3 = 0;
              int child4 = 0;
              for(int i = 0; i < times; i++)</pre>
                    girl = false;
                    boy = false;
                    count = 0;
                   while((!girl) || (!boy))
                         num = generator.nextDouble();
                         if(num > 0.5)
                         {
                               boy = true;
                               count++;
                         }
                         else
                         {
                               girl = true;
                               count++;
                         }
                    }
                    sum += count;
                    if (count == 2) child2++;
                         else if (count == 3) child3++;
                                     else child4++;
              }
              double avg = (double)(sum)/times;
```

```
String str = "";
           if ((child2 > child3) && (child2 > child4)) str =
"2.";
                      else if ((child3 > child2) && (child3 >
child4)) str = "3.";
                                 else if ((child4 > child2) &&
(child4 > child3)) str = "4 or more.";
                                      else if ((child4 == child2)
&& (child4 != child3)) str = " 2 and 4.";
                                            else if ((child4 ==
child3) && (child4 != child2)) str = " 3 and 4.";
                                                  else if ((child2
== child3) && (child2 != child4)) str = " 2 and 3.";
                                                       else str =
" 2, 3 and 4";
           System.out.println("Average: " + avg + " children to
get at least one of each gender.");
           System.out.println("Number of families with 2
children: " + child2);
           System.out.println("Number of families with 3
children: " + child3);
           System.out.println("Number of families with 4 or more
children:: " + child4);
           System.out.println("The most common number of children
is " + str);
     }
}
```