

## Loan Calc

```
public static double bruteForceSolver(double loan, double rate,
                                     int n, double epsilon) {

    double l = loan;
    double r = rate;
    double e = epsilon;
    double p = l/n;
    boolean b = false;
    while (!b) {
        l = loan;
        l = endBalance(l, r, n, p);
        if (l > e){
            p += e;
        } else if (l < -e) {
            p -= e/2;
        } else {
            b = true;
        }
        iterationCounter++;
    }
    return p;
}

public static double bisectionSolver(double loan, double rate, int
                                     n, double epsilon) {

    iterationCounter = 0;
    double l = loan;
    double r = rate;
    double e = epsilon;
    boolean b = false;
    Double low = (l/n);
    Double high = (l*n);
    double p = (low + high) / 2;
```

```

    double temp = 0;
    while (!b) {
        l = loan;
        l = endBalance(l, r, n, p);
        if (l < (0 - e)) {
            temp = high;
            high = p;
            p = (low + temp) / 2;
        } else if (l > e) {
            temp = low;
            low = p;
            p = (temp + high) / 2;
        } else {
            b = true;
        }
        iterationCounter++;
    }
    return p;
}

```

```

private static double endBalance(double loan, double rate, int n,
                                double payment) {

    double l = loan;
    double r = rate;
    double p = payment;
    for (int i = 0; i < n; i++) {
        l = (l - p) * (1 + r/100);
    }
    return l;
}

```

## Lowercase

```
public class LowerCase {  
    public static void main(String[] args) {  
        String str = args[0];  
        System.out.println(lowerCase(str));  
    }  
  
    public static String lowerCase(String s) {  
        String lower = "";  
        for (int i = 0; i < s.length(); i++) {  
            if (s.charAt(i) <= 91 && s.charAt(i) >= 65) {  
                lower += (char)(s.charAt(i) + 32);  
            } else {  
                lower += s.charAt(i);  
            }  
        }  
        return lower;  
    }  
}
```

## UniqueChars

```
public class UniqueChars {  
    public static void main(String[] args) {  
        String str = args[0];  
        System.out.println(uniqueChars(str));  
    }  
  
    public static String uniqueChars(String s) {  
        String u = "";  
        int cnt = 0;  
        u += s.charAt(0);  
        for (int i = 0; i < s.length(); i++) {  
            cnt = 0;  
            if (s.charAt(i) == 32) {  
                u += (char)(s.charAt(i));  
            } else {  
                for (int j = 0; j < u.length(); j++) {  
                    if ((s.charAt(i)) == u.charAt(j)) {  
                        cnt++;  
                    }  
                }  
                if (cnt == 0) {  
                    u += (char)(s.charAt(i));  
                }  
            }  
        }  
        return u;  
    }  
}
```

## Calendar

```
public class Calendar {
    static int dayOfMonth = 1;
    static int month = 1;
    static int year = 1900;
    static int dayOfWeek = 2;
    static int nDaysInMonth = 31;
    public static void main(String[] args) {
        int choosenY = Integer.parseInt(args[0]);
        while (year < choosenY) {
            advance();
        }
        while (year < (choosenY + 1)) {
            if (dayOfWeek == 1){
                System.out.println (dayOfMonth + "/" + month + "/" +
                                    year + " sunday");
            } else {
                System.out.println (dayOfMonth + "/" + month + "/" +
                                    year);
            }
            advance();
        }
    }

    private static void advance() {
        dayOfMonth++;
        dayOfWeek++;
        if (dayOfMonth > nDaysInMonth(month, year)) {
            month++;
            dayOfMonth = 1;
        }
        if (month > 12) {
            year++;
        }
    }
}
```

```

        month = 1;
    }
    if (dayOfWeek > 7) {
        dayOfWeek = 1;
    }
}

private static boolean isLeapYear(int year) {
    if (year%100 == 0 && year%400 != 0) {
        return false;
    } else if (year%4 == 0) {
        return true;
    }
    return false;
}

private static int nDaysInMonth(int month, int year) {
    int d = 0;
    if (month == 2) {
        if (isLeapYear(year)) {
            d = 29;
        } else {
            d = 28;
        }
    } else if (month == 4 || month == 6 || month == 9 ||
        month == 11) {
        d = 30;
    } else {
        d = 31;
    }
    return d;
}
}

```