



L13B: The Last Lecture

CS1101S: Programming Methodology

Boyd Anderson, Sanka Rasnayaka, Martin Henz

13th November, 2026

Version 1.0 — Built: 2026-11-12 23:57:16 SGT



Outline

Wrapping up

Big Ideas of CS1101S

Python §4 vs Real Python

Areas of Computer Science

Goodbye?

Some loose ends

- Source Academy XP: new threshold of **22,000 XP** for the full 5% (Quests gave less XP this semester); with $Y < 22{,}000$ XP you get $5\% \times Y/22{,}000$

Some loose ends

- Source Academy XP: new threshold of **22,000 XP** for the full 5% (Quests gave less XP this semester); with $Y < 22{,}000$ XP you get $5\% \times Y/22{,}000$
- Mastery Checks: MC1 85%, MC2 36% (Avengers' discretion to entertain your late requests)

Some loose ends


- Source Academy XP: new threshold of **22,000 XP** for the full 5% (Quests gave less XP this semester); with $Y < 22{,}000$ XP you get $5\% \times Y/22{,}000$
- Mastery Checks: MC1 85%, MC2 36% (Avengers' discretion to entertain your late requests)
- Course feedback!


Some loose ends

- Source Academy XP: new threshold of **22,000 XP** for the full 5% (Quests gave less XP this semester); with $Y < 22{,}000$ XP you get $5\% \times Y/22{,}000$
- Mastery Checks: MC1 85%, MC2 36% (Avengers' discretion to entertain your late requests)
- Course feedback! **your link to give CS1101S feedback**

Course feedback response rate still low

Please give us your constructive feedback :)






Avengers needed: AY2027/28



Applications are open: fill this form


Deadline: Wednesday of Exam Week 2, 02/12/2026, 23:59

Please consider joining next year's team!




Source Academy

- Help improve Source Academy: join **CP3108** in Semester 2




Source Academy

- Help improve Source Academy: join **CP3108** in Semester 2
- Offered only to first-year students who have taken CS1101S: work with the Source Academy team on new features and improvements



Source Academy

- Help improve Source Academy: join **CP3108** in Semester 2
- Offered only to first-year students who have taken CS1101S: work with the Source Academy team on new features and improvements
- Project ideas: the CP3108 GitHub project (click the title)



Source Academy

- Help improve Source Academy: join **CP3108** in Semester 2
- Offered only to first-year students who have taken CS1101S: work with the Source Academy team on new features and improvements
- Project ideas: the CP3108 GitHub project (click the title)
- Apply with this form by **tonight**, Friday 13/11/2026, 23:59

Source Academy

- Help improve Source Academy: join **CP3108** in Semester 2
- Offered only to first-year students who have taken CS1101S: work with the Source Academy team on new features and improvements
- Project ideas: the CP3108 GitHub project (click the title)
- Apply with this form by **tonight**, Friday 13/11/2026, 23:59
- Shortlisted applicants are interviewed in Reading Week or Exam Week 1 or 2

Final Assessment

When and where

25-Nov-2026, Wednesday, 9:00 AM – 11:00 AM (Duration: 2 hours), Venue: MPSH1-A/B


Final Assessment

When and where

25-Nov-2026, Wednesday, 9:00 AM – 11:00 AM (Duration: 2 hours), Venue: MPSH1-A/B

Scope of Final Assessment

All core course material: Lectures, Paths, Reflections, Studios, Missions



Outline


Wrapping up

Big Ideas of CS1101S


Python §4 vs Real Python

Areas of Computer Science

Goodbye?




Scope of names




Scope of names

- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages




Scope of names

- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages
- Name occurrences refer to the closest surrounding declaration




Scope of names

- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages
- Name occurrences refer to the closest surrounding declaration
- Lexical scoping affords readable and modular programs because the program text indicates what declarations the names refer to.



Scope of names


- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages
- Name occurrences refer to the closest surrounding declaration
- Lexical scoping affords readable and modular programs because the program text indicates what declarations the names refer to.
- `global` and `nonlocal` prevent local declaration



Scope of names

- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages
- Name occurrences refer to the closest surrounding declaration
- Lexical scoping affords readable and modular programs because the program text indicates what declarations the names refer to.
- `global` and `nonlocal` prevent local declaration

Beyond Python: Naming




Scope of names


- Lexical (static) scoping is the dominant scoping mechanism in modern programming languages
- Name occurrences refer to the closest surrounding declaration
- Lexical scoping affords readable and modular programs because the program text indicates what declarations the names refer to.
- `global` and `nonlocal` prevent local declaration

Beyond Python: Naming

How do you declare names? What is their visibility (scope)?




Functional programming




Functional programming

- Substitution model




Functional programming

- Substitution model
- Functions are “first-class values”




Functional programming

- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter




Functional programming

- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter
- Streams: lazy linked lists



Functional programming


- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter
- Streams: lazy linked lists
- Lazy evaluation: variant of normal-order reduction



Functional programming

- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter
- Streams: lazy linked lists
- Lazy evaluation: variant of normal-order reduction

Beyond CS1101S: Less is more




Functional programming

- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter
- Streams: lazy linked lists
- Lazy evaluation: variant of normal-order reduction

Beyond CS1101S: Less is more

Remain stateless, if possible (for example spreadsheets)




Functional programming


- Substitution model
- Functions are “first-class values”
- Elegant abstractions: map, reduce, filter
- Streams: lazy linked lists
- Lazy evaluation: variant of normal-order reduction

Beyond CS1101S: Less is more

Remain stateless, if possible (for example spreadsheets)
expressive power vs complexity




Iterative and recursive processes




Iterative and recursive processes

- Programs describe computational processes




Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)




Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.



Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.
- Space is consumed by functions, pairs, lists and deferred operations.



Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.
- Space is consumed by functions, pairs, lists and deferred operations.
- Iterative processes do not give rise to deferred operations.


Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.
- Space is consumed by functions, pairs, lists and deferred operations.
- Iterative processes do not give rise to deferred operations.
- CPS guarantees iterative process, but not constant space consumption.

Iterative and recursive processes

- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.
- Space is consumed by functions, pairs, lists and deferred operations.
- Iterative processes do not give rise to deferred operations.
- CPS guarantees iterative process, but not constant space consumption.

Beyond Python




Iterative and recursive processes


- Programs describe computational processes
- Processes require resources (time and space)
- We use "order of growth" notation (O, Θ, Ω) to assess the resource requirements of processes as the given problems grow.
- Space is consumed by functions, pairs, lists and deferred operations.
- Iterative processes do not give rise to deferred operations.
- CPS guarantees iterative process, but not constant space consumption.

Beyond Python

What consumes time and space, and how much?




Environment model for program execution




Environment model for program execution

- The simplest model of excution is the substitution model



Environment model for program execution

- The simplest model of excution is the substitution model
- In the presence of state (assignment), the substitution model ceases to work



Environment model for program execution

- The simplest model of excution is the substitution model
- In the presence of state (assignment), the substitution model ceases to work
- The environment model provides a clear explanation of the execution of programs with lexical scoping and state.

Environment model for program execution

- The simplest model of excution is the substitution model
- In the presence of state (assignment), the substitution model ceases to work
- The environment model provides a clear explanation of the execution of programs with lexical scoping and state.


Beyond Python

Environment model for program execution


- The simplest model of excution is the substitution model
- In the presence of state (assignment), the substitution model ceases to work
- The environment model provides a clear explanation of the execution of programs with lexical scoping and state.

Beyond Python

What is the right mental model to understand what happens when programs in language x run?




Mental models




Mental models

1. Substitution model




Mental models

1. Substitution model
2. Environment model



Mental models


1. Substitution model
2. Environment model
3. Metacircular evaluator in Python



Mental models

1. Substitution model
2. Environment model
3. Metacircular evaluator in Python

Beyond CS1101S: Models are simplification devices




Mental models

1. Substitution model
2. Environment model
3. Metacircular evaluator in Python

Beyond CS1101S: Models are simplification devices

Everything should be made as simple as possible,




Mental models

1. Substitution model
2. Environment model
3. Metacircular evaluator in Python

Beyond CS1101S: Models are simplification devices

Everything should be made as simple as possible, but not simpler. (Albert Einstein)



Mental models


1. Substitution model
2. Environment model
3. Metacircular evaluator in Python

Beyond CS1101S: Models are simplification devices


Everything should be made as simple as possible, but not simpler. (Albert Einstein)

The magic of computer science

We get to invent our own realities, and build mental models to understand these realities.




Data




Data

- Pairs: simplest possible compound data structure




Data

- Pairs: simplest possible compound data structure
- Linked lists: recursive data structure, built from pairs



Data


- Pairs: simplest possible compound data structure
- Linked lists: recursive data structure, built from pairs
- Lists: index/value mapping, indices are numbers from $-$ length to length $-$ 1



Data

- Pairs: simplest possible compound data structure
- Linked lists: recursive data structure, built from pairs
- Lists: index/value mapping, indices are numbers from $-$ length to length $-$ 1

Beyond Python §4




Data


- Pairs: simplest possible compound data structure
- Linked lists: recursive data structure, built from pairs
- Lists: index/value mapping, indices are numbers from $-$ length to length $-$ 1

Beyond Python §4

What data do you have, and what operations to access and change the data?




Memoization



Memoization

- Remembering the result of function calls is a powerful programming technique




Memoization

- Remembering the result of function calls is a powerful programming technique
- Examples vary from catching flies to optimized streams

Memoization

- Remembering the result of function calls is a powerful programming technique
- Examples vary from catching flies to optimized streams

Beyond CS1101S




Memoization


- Remembering the result of function calls is a powerful programming technique
- Examples vary from catching flies to optimized streams

Beyond CS1101S

Bottom-up: dynamic programming, or top-down: tabling, memoization




Types in programs




Types in programs

- Types let us communicate clearly what data is involved in our computational processes




Types in programs

- Types let us communicate clearly what data is involved in our computational processes
- Typed programming languages impose a type discipline on our programs



Types in programs

- Types let us communicate clearly what data is involved in our computational processes
- Typed programming languages impose a type discipline on our programs
- Typed programming languages prevent errors before programs are shipped and run



Types in programs

- Types let us communicate clearly what data is involved in our computational processes
- Typed programming languages impose a type discipline on our programs
- Typed programming languages prevent errors before programs are shipped and run


Beyond Python §4 Typed

Types in programs


- Types let us communicate clearly what data is involved in our computational processes
- Typed programming languages impose a type discipline on our programs
- Typed programming languages prevent errors before programs are shipped and run

Beyond Python §4 Typed

Type inference, dependent types, ...




Programming




Programming

- Communicating computational processes




Programming

- Communicating computational processes
- Five Step Method



Programming

- Communicating computational processes
- Five Step Method: Read, Play, Think, Program, Test



Programming

- Communicating computational processes
- Five Step Method: Read, Play, Think, Program, Test


Beyond Python and CS1101S

Programming

- Communicating computational processes
- Five Step Method: Read, Play, Think, Program, Test

Beyond Python and CS1101S

Programming in-the-large: object-oriented programming, software engineering



Outline


Wrapping up

Big Ideas of CS1101S

Python §4 vs Real Python

Areas of Computer Science

Goodbye?



Python §4 vs Real Python

Python §4 is a *subset* of real Python: what you have learned carries over.

Python §4 vs Real Python

Python §4 is a *subset* of real Python: what you have learned carries over.

```
def sum_even_squares(xs):
    return reduce(lambda x, y: x + y, 0,
        map(lambda x: x * x,
            filter(lambda x: x % 2 == 0, xs)))

print(sum_even_squares(llist(1, 2, 3, 4)))
```



Python §4 vs Real Python

Python §4 is a *subset* of real Python: what you have learned carries over.


```
def sum_even_squares(xs):
    return reduce(lambda x, y: x + y, 0,
        map(lambda x: x * x,
            filter(lambda x: x % 2 == 0, xs)))

print(sum_even_squares(llist(1, 2, 3, 4)))
```

To run your programs outside Source Academy, do:
`pip install sourceacademy-sicp`

```
# Put this at the top of your program


from sicp import *
```



Python §4 vs Real Python: major differences

Python §4 vs Real Python: major differences

- Python allows any value as predicate:
  falsy are `False`, `None`, `0`, `[]`, `''`.



Python §4 vs Real Python: major differences

- Python allows any value as predicate:
  falsy are `False`, `None`, `0`, `[]`, `''`.
- Python does not specify efficient handling of what we called "iterative processes"

Python §4 vs Real Python: major differences

- Python allows any value as predicate:
  falsy are `False`, `None`, `0`, `[]`, `''`.
- Python does not specify efficient handling of what we called "iterative processes"
- General shape of `for` loops uses iterables:


```
for x in <iterable>
    ...
else:
    ...
```

Python §4 vs Real Python: major differences


- Python allows any value as predicate:
  falsy are `False`, `None`, `0`, `[]`, `''`.
- Python does not specify efficient handling of what we called "iterative processes"
- General shape of `for` loops uses iterables:

```
for x in <iterable>
    ...
else:
    ...
```

`else` runs only if the loop finished without hitting break.




Python §4 vs Real Python: small conveniences



Python §4 vs Real Python: small conveniences

- Augmented assignment: `i += x` stands for `i = i + x` (also `-=`, `*=`, `/=`)



Python §4 vs Real Python: small conveniences

- Augmented assignment: `i += x` stands for `i = i + x` (also `-=`, `*=`, `/=`)
- Assignment to several names at once: `a, b = b, a` swaps two values

Python §4 vs Real Python: small conveniences

- Augmented assignment: `i += x` stands for `i = i + x` (also `-=`, `*=`, `/=`)
- Assignment to several names at once: `a, b = b, a` swaps two values
- Keyword parameters with default values:


```
def greet(name="world"):
```

Python §4 vs Real Python: small conveniences


- Augmented assignment: `i += x` stands for `i = i + x` (also `-=`, `*=`, `/=`)
- Assignment to several names at once: `a, b = b, a` swaps two values
- Keyword parameters with default values:

```
def greet(name="world"):
```

- f-strings: `f"value is {x}"` instead of `"value is " + str(x)`




Python §4 vs Real Python: more data structures




Python §4 vs Real Python: more data structures

- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`




Python §4 vs Real Python: more data structures

- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`
- Slices: `xs[1:3]`, and `xs[::-1]` reverses a list




Python §4 vs Real Python: more data structures

- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`
- Slices: `xs[1:3]`, and `xs[::-1]` reverses a list
- Tuples: `(1, "one")`, fixed-size and immutable




Python §4 vs Real Python: more data structures

- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`
- Slices: `xs[1:3]`, and `xs[::-1]` reverses a list
- Tuples: `(1, "one")`, fixed-size and immutable
- Dictionaries: `{"apple": 3, "pear": 5}`, a mapping from keys to values




Python §4 vs Real Python: more data structures

- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`
- Slices: `xs[1:3]`, and `xs[::-1]` reverses a list
- Tuples: `(1, "one")`, fixed-size and immutable
- Dictionaries: `{"apple": 3, "pear": 5}`, a mapping from keys to values
- Sets: `{1, 2, 3}`, with fast membership tests



Python §4 vs Real Python: more data structures


- Lists come with methods: `xs.append(5)`, `xs.pop()`, `xs.sort()`
- Slices: `xs[1:3]`, and `xs[::-1]` reverses a list
- Tuples: `(1, "one")`, fixed-size and immutable
- Dictionaries: `{"apple": 3, "pear": 5}`, a mapping from keys to values
- Sets: `{1, 2, 3}`, with fast membership tests
- Comprehensions: `[x * 2 for x in range(10)]` instead of `map` and `filter`



Python §4 vs Real Python: bigger programs

Python §4 vs Real Python: bigger programs

- Classes and objects (`self`, `__init__`, inheritance): previewed in Lecture L13A




Python §4 vs Real Python: bigger programs

- Classes and objects (`self`, `__init__`, inheritance): previewed in Lecture L13A
- Exceptions: `try`/`except` and `raise`, instead of programs simply stopping with an error


Python §4 vs Real Python: bigger programs

- Classes and objects (`self`, `__init__`, inheritance): previewed in Lecture L13A
- Exceptions: `try`/`except` and `raise`, instead of programs simply stopping with an error
- Generators (`yield`) for lazy sequences, instead of streams built from `pair` and `lambda`




Python §4 vs Real Python: bigger programs

- Classes and objects (`self`, `__init__`, inheritance): previewed in Lecture L13A
- Exceptions: `try`/`except` and `raise`, instead of programs simply stopping with an error
- Generators (`yield`) for lazy sequences, instead of streams built from `pair` and `lambda`
- Modules and packages: `import numpy as np`




Python §4 vs Real Python: bigger programs

- Classes and objects (`self`, `__init__`, inheritance): previewed in Lecture L13A
- Exceptions: `try`/`except` and `raise`, instead of programs simply stopping with an error
- Generators (`yield`) for lazy sequences, instead of streams built from `pair` and `lambda`
- Modules and packages: `import numpy as np`
- Type hints: Python §4 Typed checks them before your program runs; real Python ignores them at run time, and separate tools (such as pyright) check them




Python §4 vs Real Python: where to go from here




Python §4 vs Real Python: where to go from here

- Install Python on your own machine, or try a Jupyter notebook




Python §4 vs Real Python: where to go from here

- Install Python on your own machine, or try a Jupyter notebook
- Work through the official Python tutorial




Python §4 vs Real Python: where to go from here

- Install Python on your own machine, or try a Jupyter notebook
- Work through the official Python tutorial
- Popular libraries: NumPy, pandas, matplotlib, PyTorch



Python §4 vs Real Python: where to go from here

- Install Python on your own machine, or try a Jupyter notebook
- Work through the official Python tutorial
- Popular libraries: NumPy, pandas, matplotlib, PyTorch
- Best of all: find a worthy project idea, and learn what you need to realize it



Outline


Wrapping up

Big Ideas of CS1101S

Python §4 vs Real Python

Areas of Computer Science

Goodbye?



Areas CS1101S touched on

Programming
the whole course

CS2030S Programming Methodology II

Areas CS1101S touched on

Programming
the whole course

CS2030S Programming Methodology II

Algorithms
orders of growth, sorting, memoization

CS2040S Data Structures and Algorithms
CS3230 Design and Analysis of Algorithms
CS3233 Competitive Programming
CS4231 Parallel and Distributed Algorithms

Areas CS1101S touched on

Programming
the whole course

CS2030S Programming Methodology II

Algorithms
orders of growth, sorting, memoization

CS2040S Data Structures and Algorithms
CS3230 Design and Analysis of Algorithms
CS3233 Competitive Programming
CS4231 Parallel and Distributed Algorithms


Programming languages
Python §1–§4, the metacircular evaluator

CS2104 Programming Language Concepts
CS4212 Compiler Design
CS4215 Programming Language Implementation

Areas CS1101S touched on

Software engineering
the Source Academy

CS2103/T Software Engineering
CP3108 Independent Project
CS3216, CS3281/2 Projects
CS4218 Software Testing



Areas CS1101S touched on

Software engineering
the Source Academy

CS2103/T Software Engineering
CP3108 Independent Project
CS3216, CS3281/2 Projects
CS4218 Software Testing

Computer graphics
runes, curves, pix-n-flix

CS3241 Computer Graphics
CS4247 Graphics Rendering Techniques

Areas CS1101S touched on

Robotics
the Sumobot competition

CS4278 Intelligent Robots

Areas CS1101S touched on

Robotics
the Sumobot competition

CS4278 Intelligent Robots

Games

CS3247 Game Development
CS4350 Game Development Project
CS4246 Reinforcement Learning and Sequential Decision

Areas CS1101S did not touch

Computer security

CS2107 Introduction to Information Security
CS3235 Computer Security
CS4236 Cryptography in Practice: Systems and Applicat
CS4238 Computer Security Practice
CS4239 Software Security

Areas CS1101S did not touch

Computer security

CS2107 Introduction to Information Security
CS3235 Computer Security
CS4236 Cryptography in Practice: Systems and Applicat
CS4238 Computer Security Practice
CS4239 Software Security

Computer architecture

CS2100 Computer Organisation
CS4223 Multi-core Architectures

Areas CS1101S did not touch

Computer security	**CS2107** Introduction to Information Security **CS3235** Computer Security **CS4236** Cryptography in Practice: Systems and Applicat **CS4238** Computer Security Practice **CS4239** Software Security
Computer architecture	**CS2100** Computer Organisation **CS4223** Multi-core Architectures
Operating systems	**CS2106** Introduction to Operating Systems **CG2271** Real-Time Operating Systems

Areas CS1101S did not touch

Databases

CS2102 Database Systems
CS3223 Database Systems Implementation
CS4221 Database Applications Design and Tuning
CS4224 Distributed Databases

Areas CS1101S did not touch

Databases

CS2102 Database Systems
CS3223 Database Systems Implementation
CS4221 Database Applications Design and Tuning
CS4224 Distributed Databases

Networks

CS2105 Introduction to Computer Networks
CS3103 Computer Networks Practice
CS4222 Wireless Networking
CS4226 Internet Architecture

Areas CS1101S did not touch

Databases


CS2102 Database Systems
CS3223 Database Systems Implementation
CS4221 Database Applications Design and Tuning
CS4224 Distributed Databases

Networks

CS2105 Introduction to Computer Networks
CS3103 Computer Networks Practice
CS4222 Wireless Networking
CS4226 Internet Architecture

Parallel and distributed computing


CS3210 Parallel Computing
CS3211 Concurrent Programming



Areas CS1101S did not touch

Logic and formal methods

CS3234 Logic for Proofs and Programs
CS4211 Formal Methods for Software Engineering



Areas CS1101S did not touch

Logic and formal methods

CS3234 Logic for Proofs and Programs
CS4211 Formal Methods for Software Engineering

Theory

CS3231 Theory of Computation
CS3236 Introduction to Information Theory

Areas CS1101S did not touch


Logic and formal methods	**CS3234** Logic for Proofs and Programs **CS4211** Formal Methods for Software Engineering
Theory	**CS3231** Theory of Computation **CS3236** Introduction to Information Theory
Human-computer interaction	**CS3249** Conversational User Interface **CS4240** Interaction Design for VR and AR

Areas CS1101S did not touch

Logic and formal methods	**CS3234** Logic for Proofs and Programs **CS4211** Formal Methods for Software Engineering
Theory	**CS3231** Theory of Computation **CS3236** Introduction to Information Theory
Human-computer interaction	**CS3249** Conversational User Interface **CS4240** Interaction Design for VR and AR
Machine learning	**CS2109S** Introduction to AI and Machine Learning **CS3244** Machine Learning

Areas CS1101S did not touch

Logic and formal methods	**CS3234** Logic for Proofs and Programs **CS4211** Formal Methods for Software Engineering
Theory	**CS3231** Theory of Computation **CS3236** Introduction to Information Theory
Human-computer interaction	**CS3249** Conversational User Interface **CS4240** Interaction Design for VR and AR
Machine learning	**CS2109S** Introduction to AI and Machine Learning **CS3244** Machine Learning
Computational biology	**CS2220** Introduction to Computational Biology



Outline

Wrapping up

Big Ideas of CS1101S

Python §4 vs Real Python

Areas of Computer Science

Goodbye?


Goodbye to CS1101S




Goodbye to CS1101S



Time to hang up our pink shirts!



How to do well in the final...



How to do well in the final...

...and in computer science

Keep **I**t **S**imple, **S**tupid (the KISS principle)

How to do well in the final...

...and in computer science

Keep **I**t **S**imple, **S**tupid (the KISS principle)

Perfection is attained not when there is nothing more to add, but when there is nothing more to remove. A. de Saint-Exupéry

How to do well in the final...

...and in computer science

Keep **I**t **S**imple, **S**tupid (the KISS principle)

Perfection is attained not when there is nothing more to add, but when there is nothing more to remove. A. de Saint-Exupéry

Full marks

In the past: your solution is correct and reasonably efficient

How to do well in the final...

...and in computer science

Keep **I**t **S**imple, **S**tupid (the KISS principle)

Perfection is attained not when there is nothing more to add, but when there is nothing more to remove. A. de Saint-Exupéry

Full marks

In the past: your solution is correct and reasonably efficient

From now on: your solution is correct, reasonably efficient

How to do well in the final...

...and in computer science


Keep **I**t **S**imple, **S**tupid (the KISS principle)

Perfection is attained not when there is nothing more to add, but when there is nothing more to remove. A. de Saint-Exupéry

Full marks

In the past: your solution is correct and reasonably efficient


From now on: your solution is correct, reasonably efficient and does a good job at **communicating computational processes**



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*
- Learn how to program



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*
- Learn how to program
- Learn computational thinking



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*
- Learn how to program
- Learn computational thinking
- Get glimpses into the subject areas of computer science



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*
- Learn how to program
- Learn computational thinking
- Get glimpses into the subject areas of computer science
- Get a feeling for how computer science "ticks"



So, what was CS1101S?

We wanted you to:


- Understand
  the *structure and interpretation of computer programs*
- Learn how to program
- Learn computational thinking
- Get glimpses into the subject areas of computer science
- Get a feeling for how computer science "ticks"
- Fall in love



So, what was CS1101S?

We wanted you to:

- Understand
  the *structure and interpretation of computer programs*
- Learn how to program
- Learn computational thinking
- Get glimpses into the subject areas of computer science
- Get a feeling for how computer science "ticks"
- Fall in love with computer science




Thank you to the Source Academy Team

Zhang Yao, Source Academy CTO

Vemulapalli Akshay: Backend

Jain Shrey, Malani Aarav Sajeel: Frontend, Plugins, Modules, Evaluators

and the whole team!



Thank you to our Reflection Tutors and our co-instructors!


Eldric Liew Chun Tze, Enzio Kam Hai Hong, Zhang Yao

Martin Henz, Sanka Rasnayaka

Thank you to our Avengers!


The 2026 team





Check-In time!


Look for Check-In I13B in the Source Academy!



Check-In time!

Look for Check-In I13B in the Source Academy!

Just kidding! There is no check-in today.



Thank you!

We hope you had a great semester and wish you luck on all of your assessments and exams!