System of Linear Equations Solving using Inverses and Determinants Gaussian Elimination Method Gauss-Jordan Reduction Method Homogenous System Some Notes

# Solving Linear Systems

CS 130 - Mathematical Methods in Computer Science

Jan Michael C. Yap

Department of Computer Science University of the Philippines Diliman

November 15, 2012

- System of Linear Equations
- Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- Gauss-Jordan Reduction Method
- 6 Homogenous System
- 6 Some Notes



### **Topics**

- System of Linear Equations
- Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- 4 Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

System of Linear Equations
Solving using Inverses and Determinants
Gaussian Elimination Method
Gauss-Jordan Reduction Method
Homogenous System
Some Notes

## System of Linear Equations

• System of linear equations: Ax = b

System of Linear Equations
Solving using Inverses and Determinants
Gaussian Elimination Method
Gauss-Jordan Reduction Method
Homogenous System
Some Notes

## System of Linear Equations

- System of linear equations: Ax = b
- Assume first that A is invertible

### System of Linear Equations

- System of linear equations: Ax = b
- Assume first that A is invertible

$$2x + y - z = 8$$

$$-3x - y + 2z = -11$$

$$-2x + y + 2z = -3$$

### System of Linear Equations

- System of linear equations: Ax = b
- Assume first that A is invertible

$$2x + y - z = 8$$

$$-3x - y + 2z = -11$$

$$-2x + y + 2z = -3$$

$$\downarrow \downarrow$$

$$\begin{pmatrix} 2 & 1 & -1 \\ -3 & -1 & 2 \\ -2 & 1 & 2 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 8 \\ -11 \\ -3 \end{pmatrix}$$

### **Topics**

- System of Linear Equations
- Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- 4 Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

### **Topics**

- System of Linear Equations
- 2 Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- 4 Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

• 
$$Ax = b \Rightarrow x = A^{-1}b$$

• 
$$Ax = b \Rightarrow x = A^{-1}b$$

$$A = \left(\begin{array}{rrr} 2 & 1 & -1 \\ -3 & -1 & 2 \\ -2 & 1 & 2 \end{array}\right)$$

•  $Ax = b \Rightarrow x = A^{-1}b$ 

$$A = \begin{pmatrix} 2 & 1 & -1 \\ -3 & -1 & 2 \\ -2 & 1 & 2 \end{pmatrix} \Rightarrow A^{-1} = \begin{pmatrix} 4 & 3 & -1 \\ -2 & -2 & 1 \\ 5 & 4 & -1 \end{pmatrix}$$

•  $Ax = b \Rightarrow x = A^{-1}b$ 

$$A = \begin{pmatrix} 2 & 1 & -1 \\ -3 & -1 & 2 \\ -2 & 1 & 2 \end{pmatrix} \Rightarrow A^{-1} = \begin{pmatrix} 4 & 3 & -1 \\ -2 & -2 & 1 \\ 5 & 4 & -1 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 4 & 3 & -1 \\ -2 & -2 & 1 \\ 5 & 4 & -1 \end{pmatrix} \begin{pmatrix} 8 \\ -11 \\ -3 \end{pmatrix}$$

•  $Ax = b \Rightarrow x = A^{-1}b$ 

$$A = \begin{pmatrix} 2 & 1 & -1 \\ -3 & -1 & 2 \\ -2 & 1 & 2 \end{pmatrix} \Rightarrow A^{-1} = \begin{pmatrix} 4 & 3 & -1 \\ -2 & -2 & 1 \\ 5 & 4 & -1 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 4 & 3 & -1 \\ -2 & -2 & 1 \\ 5 & 4 & -1 \end{pmatrix} \begin{pmatrix} 8 \\ -11 \\ -3 \end{pmatrix} = \begin{pmatrix} 2 \\ 3 \\ -1 \end{pmatrix}$$

### **Topics**

- System of Linear Equations
- 2 Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- Gauss-Jordan Reduction Method
- 6 Homogenous System
- 6 Some Notes

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_1 = \left(\begin{array}{ccc} 8 & 1 & -1 \\ -11 & -1 & 2 \\ -3 & 1 & 2 \end{array}\right)$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_1 = \left(\begin{array}{ccc} 8 & 1 & -1 \\ -11 & -1 & 2 \\ -3 & 1 & 2 \end{array}\right)$$

$$det(A_1) = -2, \ x = \frac{det(A_1)}{det(A)} = \frac{-2}{-1} = 2$$



• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_2 = \begin{pmatrix} 2 & 8 & -1 \\ -3 & -11 & 2 \\ 2 & -3 & 2 \end{pmatrix}$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_2 = \begin{pmatrix} 2 & 8 & -1 \\ -3 & -11 & 2 \\ 2 & -3 & 2 \end{pmatrix}$$

$$det(A_2) = -3, \ y = \frac{det(A_2)}{det(A)} = \frac{-3}{-1} = 3$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_3 = \begin{pmatrix} 2 & 1 & 8 \\ -3 & -1 & -11 \\ 2 & 1 & -3 \end{pmatrix}$$

• 
$$x_i = \frac{\det(A_i)}{\det(A)}, i = 1, 2, \cdots, n$$

$$det(A) = -1$$

$$A_3 = \begin{pmatrix} 2 & 1 & 8 \\ -3 & -1 & -11 \\ 2 & 1 & -3 \end{pmatrix}$$

$$det(A_3) = 1, \ y = \frac{det(A_3)}{det(A)} = \frac{1}{-1} = -1$$

### **Topics**

- System of Linear Equations
- 2 Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- 4 Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

System of Linear Equations
Solving using Inverses and Determinants
Gaussian Elimination Method
Gauss-Jordan Reduction Method
Homogenous System
Some Notes

#### Gaussian Elimination Method

• Form the augmented matrix A|b

System of Linear Equations
Solving using Inverses and Determinants
Gaussian Elimination Method
Gauss-Jordan Reduction Method
Homogenous System
Some Notes

#### Gaussian Elimination Method

- Form the augmented matrix A|b
- Transform matrix A in the augmented matrix to an upper triangular matrix

- Form the augmented matrix A|b
- Transform matrix A in the augmented matrix to an upper triangular matrix
- Backward substitution
  - The bottommost row contains the solution for  $x_n$ .
  - Go up one row, substitute the solution for  $x_n$ , and solve for  $x_{n-1}$ .
  - Repeat until  $x_1$  is solved.

• Form the augmented matrix A|b

$$A|b = \begin{pmatrix} 2 & 1 & -1 & 8 \\ -3 & -1 & 2 & -11 \\ -2 & 1 & 2 & -3 \end{pmatrix}$$

$$\left(\begin{array}{ccccc}
2 & 1 & -1 & 8 \\
-3 & -1 & 2 & -11 \\
-2 & 1 & 2 & -3
\end{array}\right)$$

$$\begin{pmatrix} 2 & 1 & -1 & 8 \\ -3 & -1 & 2 & -11 \\ -2 & 1 & 2 & -3 \end{pmatrix} \Rightarrow \begin{pmatrix} 2 & 1 & -1 & 8 \\ 0 & \frac{1}{2} & \frac{1}{2} & 1 \\ -2 & 1 & 2 & -3 \end{pmatrix}$$

$$\left(\begin{array}{ccccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
-2 & 1 & 2 & -3
\end{array}\right)$$

$$\left(\begin{array}{cccc} 2 & 1 & -1 & 8 \\ 0 & \frac{1}{2} & \frac{1}{2} & 1 \\ -2 & 1 & 2 & -3 \end{array}\right) \Rightarrow \left(\begin{array}{cccc} 2 & 1 & -1 & 8 \\ 0 & \frac{1}{2} & \frac{1}{2} & 1 \\ 0 & 2 & 1 & 5 \end{array}\right)$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 2 & 1 & 5
\end{array}\right)$$

$$\left(\begin{array}{cccc} 2 & 1 & -1 & 8 \\ 0 & \frac{1}{2} & \frac{1}{2} & 1 \\ 0 & 2 & 1 & 5 \end{array}\right) \Rightarrow \left(\begin{array}{cccc} 2 & 1 & -1 & 8 \\ 0 & \frac{1}{2} & \frac{1}{2} & 1 \\ 0 & 0 & -1 & 1 \end{array}\right)$$

Backward substitution

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

#### Backward substitution

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1 \Rightarrow \frac{1}{2}y + \frac{1}{2}(-1) = 1$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1 \Rightarrow \frac{1}{2}y + \frac{1}{2}(-1) = 1 \Rightarrow y = 3$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1 \Rightarrow \frac{1}{2}y + \frac{1}{2}(-1) = 1 \Rightarrow y = 3$$

$$2x + y - z = 8$$



$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1 \Rightarrow \frac{1}{2}y + \frac{1}{2}(-1) = 1 \Rightarrow y = 3$$

$$2x + y - z = 8 \Rightarrow 2x + 3 - (-1) = 8$$

$$\left(\begin{array}{cccc}
2 & 1 & -1 & 8 \\
0 & \frac{1}{2} & \frac{1}{2} & 1 \\
0 & 0 & -1 & 1
\end{array}\right)$$

$$-z = 1 \Rightarrow z = -1$$

$$\frac{1}{2}y + \frac{1}{2}z = 1 \Rightarrow \frac{1}{2}y + \frac{1}{2}(-1) = 1 \Rightarrow y = 3$$

$$2x + y - z = 8 \Rightarrow 2x + 3 - (-1) = 8 \Rightarrow x = 2$$

## **Topics**

- System of Linear Equations
- 2 Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

## Gauss-Jordan Reduction Method

• Form the augmented matrix A|b

### Gauss-Jordan Reduction Method

- Form the augmented matrix A|b
- Transform the augmented matrix to reduced row echelon form

### Gauss-Jordan Reduction Method

- Form the augmented matrix A|b
- Transform the augmented matrix to reduced row echelon form
- Backward substitution

• Form the augmented matrix A|b

$$A|b = \begin{pmatrix} 2 & 1 & -1 & 8 \\ -3 & -1 & 2 & -11 \\ -2 & 1 & 2 & 3 \end{pmatrix}$$

Transform the augmented matrix to reduced row echelon form

$$\left(\begin{array}{ccccc}
2 & 1 & -1 & 8 \\
-3 & -1 & 2 & -11 \\
-2 & 1 & 2 & -3
\end{array}\right)$$

Transform the augmented matrix to reduced row echelon form

$$\begin{pmatrix} 2 & 1 & -1 & 8 \\ -3 & -1 & 2 & -11 \\ -2 & 1 & 2 & -3 \end{pmatrix} \Rightarrow \begin{pmatrix} 1 & 0 & 0 & 2 \\ 0 & 1 & 0 & 3 \\ 0 & 0 & 1 & -1 \end{pmatrix}$$

$$\left(\begin{array}{ccc} 1 & 0 & 0 & 2 \\ 0 & 1 & 0 & 3 \\ 0 & 0 & 1 & -1 \end{array}\right) \Rightarrow x = 2, y, 3, z = -1$$

## **Topics**

- System of Linear Equations
- 2 Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- Gauss-Jordan Reduction Method
- 6 Homogenous System
- Some Notes

# Homogenous system

• Ax = 0

## Homogenous system

- Ax = 0
  - It always has a solution, i.e. the trivial solution:

$$x_1 = x_2 = \cdots = x_n = 0$$

## Homogenous system

- Ax = 0
  - It always has a solution, i.e. the trivial solution:

$$x_1 = x_2 = \cdots = x_n = 0$$

 If not all x<sub>i</sub>s have zero as the solution, then the solution is nontrivial.

## Homogenous system

- Ax = 0
  - It always has a solution, i.e. the trivial solution:

$$x_1=x_2=\cdots=x_n=0$$

- If not all  $x_i s$  have zero as the solution, then the solution is nontrivial.
- If matrix A is invertible, then... ???

## **Topics**

- System of Linear Equations
- Solving using Inverses and Determinants
  - Coefficient Matrix Inverse
  - Cramer's Rule
- Gaussian Elimination Method
- 4 Gauss-Jordan Reduction Method
- **5** Homogenous System
- 6 Some Notes

### What if...

• A is noninvertible?

- A is noninvertible?
- A is not square?

- A is noninvertible?
- A is not square?

$$\left(\begin{array}{ccc} 2 & 4 & -2 \\ 3 & 5 & 0 \end{array}\right) \left(\begin{array}{c} x \\ y \\ z \end{array}\right) = \left(\begin{array}{c} 0 \\ 1 \end{array}\right)$$

- A is noninvertible?
- A is not square?

$$\left(\begin{array}{ccc} 2 & 4 & -2 \\ 3 & 5 & 0 \end{array}\right) \left(\begin{array}{c} x \\ y \\ z \end{array}\right) = \left(\begin{array}{c} 0 \\ 1 \end{array}\right)$$

$$\begin{pmatrix} 1 & 0 & 5 & 2 \\ 0 & 1 & 3 & -1 \end{pmatrix}$$

- A is noninvertible?
- A is not square?

$$\left(\begin{array}{ccc} 2 & 4 & -2 \\ 3 & 5 & 0 \end{array}\right) \left(\begin{array}{c} x \\ y \\ z \end{array}\right) = \left(\begin{array}{c} 0 \\ 1 \end{array}\right)$$

$$\left(\begin{array}{cccc}
1 & 0 & 5 & 2 \\
0 & 1 & 3 & -1
\end{array}\right)$$

$$z = t \in \mathbb{R}, y = -1 - 3t, x = 2 - 5t$$



## Do solutions to nonhomogenous systems always exist?

$$\begin{pmatrix} 1 & 2 & 3 & 4 \\ 1 & 3 & 5 & 7 \\ 1 & 0 & 1 & -2 \end{pmatrix} \begin{pmatrix} w \\ x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 5 \\ 1 \\ 6 \end{pmatrix}$$

## Do solutions to nonhomogenous systems always exist?

$$\left(\begin{array}{cccc} 1 & 2 & 3 & 4 \\ 1 & 3 & 5 & 7 \\ 1 & 0 & 1 & -2 \end{array}\right) \left(\begin{array}{c} w \\ x \\ y \\ z \end{array}\right) = \left(\begin{array}{c} 5 \\ 1 \\ 6 \end{array}\right)$$

$$\left(\begin{array}{cccccc}
1 & 2 & 3 & 4 & 5 \\
1 & 3 & 5 & 7 & 1 \\
1 & 0 & 1 & -2 & 6
\end{array}\right)$$

## Do solutions to nonhomogenous systems always exist?

$$\left(\begin{array}{cccc} 1 & 2 & 3 & 4 \\ 1 & 3 & 5 & 7 \\ 1 & 0 & 1 & -2 \end{array}\right) \left(\begin{array}{c} w \\ x \\ y \\ z \end{array}\right) = \left(\begin{array}{c} 5 \\ 1 \\ 6 \end{array}\right)$$

$$\left(\begin{array}{ccccc} 1 & 2 & 3 & 4 & 5 \\ 1 & 3 & 5 & 7 & 1 \\ 1 & 0 & 1 & -2 & 6 \end{array}\right) \Rightarrow \left(\begin{array}{ccccc} 1 & 0 & -1 & 2 & 0 \\ 0 & 1 & 2 & 3 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{array}\right)$$

#### **END OF LESSON 2**