In [14]:
```
import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)
from sklearn.model_selection import train_test_split
from sklearn.svm import SVC
from sklearn.metrics import accuracy_score
from sklearn.neighbors import KNeighborsClassifier

import warnings
warnings.filterwarnings('ignore')
```

In [2]:
```
df = pd.read_csv("./emails.csv")
```

In [3]:
```
df.head()
```

Out[3]:

	Email No.	the	to	ect	and	for	of	a	you	hou	...	connevey	jay	valued	lay	infrastructure	military	all
0	Email 1	0	0	1	0	0	0	2	0	0	...	0	0	0	0	0	0	
1	Email 2	8	13	24	6	6	2	102	1	27	...	0	0	0	0	0	0	
2	Email 3	0	0	1	0	0	0	8	0	0	...	0	0	0	0	0	0	
3	Email 4	0	5	22	0	5	1	51	2	10	...	0	0	0	0	0	0	
4	Email 5	7	6	17	1	5	2	57	0	9	...	0	0	0	0	0	0	

5 rows × 3002 columns

In [4]:
```
df.isnull().sum()
```

Out[4]:
```
Email No.     0
the           0
to            0
ect           0
and           0
             ..
military      0
allowing      0
ff            0
dry           0
Prediction    0
Length: 3002, dtype: int64
```

In [5]:
```
X = df.iloc[:,1:3001]
X
```

Out[5]:

	the	to	ect	and	for	of	a	you	hou	in	...	enhancements	connevey	jay	valued	lay	infrastructu
0	0	0	1	0	0	0	2	0	0	0	...	0	0	0	0	0	
1	8	13	24	6	6	2	102	1	27	18	...	0	0	0	0	0	
2	0	0	1	0	0	0	8	0	0	4	...	0	0	0	0	0	
3	0	5	22	0	5	1	51	2	10	1	...	0	0	0	0	0	
4	7	6	17	1	5	2	57	0	9	3	...	0	0	0	0	0	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
5167	2	2	2	3	0	0	32	0	0	5	...	0	0	0	0	0	
5168	35	27	11	2	6	5	151	4	3	23	...	0	0	0	0	0	
5169	0	0	1	1	0	0	11	0	0	1	...	0	0	0	0	0	
5170	2	7	1	0	2	1	28	2	0	8	...	0	0	0	0	0	
5171	22	24	5	1	6	5	148	8	2	23	...	0	0	0	0	0	

5172 rows × 3000 columns

In [6]:
```
Y = df.iloc[:,-1].values
Y
```

Out[6]:
```
array([0, 0, 0, ..., 1, 1, 0], dtype=int64)
```

In [7]:
```
train_x,test_x,train_y,test_y = train_test_split(X,Y,test_size = 0.25)
```

In [8]:
```
svc = SVC(C=1.0,kernel='rbf',gamma='auto')
# C here is the regularization parameter. Here, L2 penalty is used(default). It is the i
# As C increases, model overfits.
# Kernel here is the radial basis function kernel.
# gamma (only used for rbf kernel) : As gamma increases, model overfits.
svc.fit(train_x,train_y)
y_pred2 = svc.predict(test_x)
print("Accuracy Score for SVC : ", accuracy_score(y_pred2,test_y))
```

```
Accuracy Score for SVC :  0.8994586233565351
```

In [9]:
```
X_train, X_test, y_train, y_test = train_test_split(X, Y, test_size = 0.2, random_state=
```

In [10]:
```
knn = KNeighborsClassifier(n_neighbors=7)
```

In [11]:
```
knn.fit(X_train, y_train)
```

Out[11]:
```
KNeighborsClassifier(n_neighbors=7)
```

In [15]:
```
print(knn.predict(X_test))
```

```
[0 0 1 ... 0 1 0]
```

In [16]:
```
print(knn.score(X_test, y_test))
```

```
0.8685990338164251
```

In [ ]:
```

```