

Logic.CommandType

Class SearchCommandType

java.lang.Object
 Logic.CommandType.SearchCommandType

All Implemented Interfaces:

Logic.CommandType.CommandType

```
public class SearchCommandType
extends java.lang.Object
implements Logic.CommandType.CommandType
```

This is a class that can be instantiated to represent an search command.

Author:

abdulla contractor and amit gamane

Constructor Summary

Constructors

Constructor and Description

SearchCommandType(java.lang.String _taskDescription)

SearchCommandType(java.lang.String _taskDescription, java.lang.String _projectName)

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
java.lang.String	getProjectName ()
java.lang.String	getTaskDescription ()
java.lang.String	getType ()

Methods inherited from class java.lang.Object

equals, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

SearchCommandType

```
public SearchCommandType(java.lang.String _taskDescription)
```

SearchCommandType

```
public SearchCommandType(java.lang.String _taskDescription,
                          java.lang.String _projectName)
```

Method Detail

getType

```
public java.lang.String getType()
```

Specified by:
getType in interface `Logic.CommandType.CommandType`

getTaskDescription

```
public java.lang.String getTaskDescription()
```

getProjectName

```
public java.lang.String getProjectName()
```