

User Acceptance Testing (UAT) Template

Date	28 September 2026
Team ID	SWTID-2026-2313
Project Name	AI BlogNest API
Maximum Marks	4 Marks

Project Overview

Project Name: AI BlogNest API

Project Description: A secure REST backend for blogging that combines JWT-authenticated CRUD blog management with Google Gemini-powered AI content generation and summarization.

Project Version: 1.0.0

Testing Period: 26 September 2026 to 28 September 2026

Testing Scope

- User Registration (POST /api/auth/register)
- User Login (POST /api/auth/login)
- Get Profile (GET /api/auth/profile)
- Create / Read / Update / Delete Blog (POST, GET, PUT, DELETE /api/blogs)
- AI Blog Generation (POST /api/ai/generate-blog)
- AI Content Summarization (POST /api/ai/summarize)

Testing Environment

URL/Location: http://localhost:5000

Credentials: Test account created during registration (e.g. murli@gmail.com)

Test Cases

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	Register with valid details	1. POST /api/auth/register with name, email, password	201 Created, user object returned	201 Created, user object returned	Pass
TC-002	Login with correct credentials	1. POST /api/auth/login with registered email & password	200 OK, JWT token returned	200 OK, JWT token returned	Pass
TC-003	Login with wrong password	1. POST /api/auth/login with incorrect password	401 Unauthorized, "Invalid credentials"	401 Unauthorized, "Invalid credentials"	Pass

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-004	Create a blog while authenticated	1. POST /api/blogs with Bearer token and blog fields	201 Created, blog saved with author reference	201 Created, blog saved with author reference	Pass
TC-005	Create a blog without a token	1. POST /api/blogs with no Authorization header	401 Unauthorized	401 Unauthorized	Pass
TC-006	Fetch all blogs	1. GET /api/blogs	200 OK, array of blogs with populated author	200 OK, array of blogs with populated author	Pass
TC-007	Generate an AI blog from a topic	1. POST /api/ai/generate-blog with { topic, category } and Bearer token	201 Created, AI-generated blog saved and returned	201 Created, AI-generated blog saved and returned	Pass
TC-008	Summarize blog content	1. POST /api/ai/summarize with { content }	200 OK, { summary } returned	200 OK, { summary } returned	Pass
TC-009	Delete a blog not owned by the user	1. DELETE /api/blogs/:id for a blog authored by another user	403 Forbidden	403 Forbidden	Pass

Bug Tracking

Bug ID	Bug Description	Steps to Reproduce	Severity	Status	Additional Feedback
BG-001	deleteBlog controller calls blog.remove(), a method removed in Mongoose 6+	1. Authenticate as the blog's author 2. DELETE /api/blogs/:id	High	Open	Should be replaced with Blog.findByIdAndDelete(req.params.id) or blog.deleteOne()
BG-002	connectDB() passes useUrlParser/useUnifiedTopology, which are no-ops in Mongoose 7+	1. Start the server 2. Observe console output	Low	Open	Harmless, but the options can be removed for clarity

Sign-off

Tester Name: M. Depanjan Singh

Date: 28 September 2026

Signature: M. Depanjan Singh

Notes

- Both positive scenarios (valid input) and negative scenarios (missing token, wrong owner, wrong password) were covered.
- BG-001 should be fixed before production deployment, since it will cause a runtime `TypeError` on every delete request.