Página web: TYDIMECH

Integrantes:

- Rodrigo Carlos
- Christian Salazar
- Sebastián Tregear
- Mercedes Rosales






Motivación:

Queremos crear una página web que sea genial y segura para apostar teniendo en cuenta nuestras preferencias. Por ello al registrarnos debemos llenar un formulario, en el cual te preguntas cosas como tu sexo, edad, que te gustan, etc.

Código:


https://github.com/cs2b01/web-project-grupo-8




```
div class="testbox">
<h1>Comienza apostar ya!</h1>
  <h1 style="..."> En TYDIMECH </h1>
 <div action="/">
   <hr>>
 <hr>
   Username:
        <input type="text" name="username" id="username"/>
     Password:
        <input type="password" name="password" id="password" />
     <div class="gender">
```









Id	Username	Name	Password	
				Save Cancel
1	rodrigo.carlos@utec.edu.pe	rodrigo	123	Edit Delete
2	mercedes.rosales@utec.edu.pe	Mercedes	123	Edit Delete
3	sebastian.tregear@utec.edu.pe	sebastian	123	Edit Delete
4	christian.salazar.a@utec.edu.pe	Christian	123	Edit Delete
5	mercedes.rosales	Mercedes Rosales	1234	Edit Delete
6	Luis@utec.edu.pe	Luis	123	Edit Delete
7	gth	Peter	123	Edit Delete
8	Chanito	Chanito	321	Edit Delete
9	asd	asd	145	Edit Delete

```
<!DOCTYPE html>
       <html xmlns="http://www.w3.org/1999/xhtml">
                                                                                                          6 0 0 0 e e
       <head>
           <title>Chat</title>
           <meta http-equiv="X-UA-Compatible" content="IE=edge" />
           <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
           <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0" />
           <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>
9
       <script>window.jQuery || document.write(decodeURIComponent('%3Cscript src="js/jquery-3.1.0.min.js"%3E%3C/script%3E'))</script>
            com/jslib/17.2.7/css/dx.spa.css" />
            rel="stylesheet" type="text/css" href="https://cdn3.devexpress.com/jslib/17.2.7/css/dx.common.css" />
           <link rel="dx-theme" data-theme="generic.light" href="https://cdn3.devexpress.com/jslib/17.2.7/css/dx.light.css" />
           <script src="https://cdn3.devexpress.com/jslib/17.2.7/js/dx.all.js"></script>
           <script src="https://unpkg.com/devextreme-aspnet-data@1.3.0"></script>
14
15
           <script src="crud users.js"></script>
16
           k rel="stylesheet" type="text/css" href="styles.css" />
       </head>
                                                                                                                                                                Check IntelliJ IDFA Ultimate
                                                                                  *.js files are supported by IntelliJ IDEA Ultimate Edition
18
       <body class="dx-viewport">
           <div class="demo-container">
                                                                                         $ (function() {
               <div id="grid"></div>
                                                                                              var url = "http://127.0.0.1:5000/users";
           </div>
       </body>
                                                                                              $("#grid").dxDataGrid({
                                                                                                   dataSource: DevExpress.data.AspNet.createStore({
                                                                                                       key: "id",
                                                                                                       loadUrl: url ,
                                                                                  9
                                                                                                       insertUrl: url .
                                                                                                       updateUrl: url ,
                                                                                                       deleteUrl: url .
                                                                                 12
                                                                                                       onBeforeSend: function(method, ajaxOptions) {
                                                                                 13
                                                                                                           ajaxOptions.xhrFields = { withCredentials: true };
                                                                                 14
                                                                                 15
                                                                                                   1),
                                                                                 16
                                                                                                   editing: {
                                                                                                       allowUpdating: true,
                                                                                 18
                                                                                                       allowDeleting: true,
                                                                                                       allowAdding: true
                                                                                 20
                                                                                                   1,
                                                                                                   remoteOperations: {
```

sorting: true,

Host publico:

https://dion1234.000webhostapp.com/trabajo/