name of the database : WebSecu_DB

Register a User:

INSERT INTO users (username, full_name, age, hash_password) VALUES ('username', 'full name', age, 'hash_password in Sha3');

Get userid of one user:

SELECT userid FROM users WHERE username = username AND password_hash = SHA3(password);

Add a token (when userid = id) to token table and to diary table (=Authenticate) INSERT INTO token (userid, token, validity) VALUES (id, token, 1); INSERT INTO diary (token) VALUES (token) WHERE userid = id

Expire a token:

UPDATE token SET validity=0 WHERE token = token value AND validity=1

Retrieve User information:

SELECT username, full name, age FROM users WHERE token=token value;

Create a diary (when userid=id):

INSERT INTO diary (userid, title, author, public, text, publish_date) VALUES (id, title, author, boolean_public, text, date in format DATETIME);

Get all public diaries:

SELECT diary_id, title, author, publish_date, public, text FROM diary WHERE public=1;

Get all diary of the user:

SELECT diary_id, title, author, publish_date, public, text FROM diary WHERE token = token_value;

Delete a diary:

DELETE FROM diary WHERE token=token_value AND diary_id = id;

Change Permission:

UPDATE diary SET public = value WHERE diary.token=token_value AND diary.diary_id = id