Security and Privacy Concepts in the Wild

Vitaly Shmatikov

Computer Security

Understanding and improving the behavior of computing technologies in the presence of adversaries



Attackers



Target/victim computing systems



Defenders: designers, developers, engineers, lawyers, etc.

Hackers Steal \$10M in "Wonderfully Done" fraud from Norway's State Investment Fund




by Graham Cluley on May 18, 2020

Norfund, the Norwegian state-owned investment fund for developing countries, has revealed that it has been swindled out of US \$10,000,000 (approximately 100 million Norwegian Krona) intended for an institution in Cambodia.

Garmin reportedly paid millions to resolve its recent ransomware attack

The company is said to have made the payment through a third party.



A game of 'cat and mouse': Hacking attacks on hospitals for patient data increase during coronavirus pandemic

Karen Weintraub USA TODAY

Published 6:01 a.m. ET Jul. 12, 2020 | Updated 3:02 p.m. ET Jul. 13, 2020

Bezos, Musk, Gates, Obama and others target of cryptocurrency hack on Twitter

Jefferson Graham, Emre Kelly and Mike Snider USA TODAY

Published 5:42 p.m. ET Jul. 15, 2020 | Updated 9:07 a.m. ET Jul. 16, 2020

The Twitter accounts of prominent figures from the worlds of tech and money, celebrities, a presidential candidate and a former president were all hacked Wednesday in what was the largest breach in the company's history.

Bogus messages soliciting bitcoin appeared on the Twitter accounts for Tesla CEO Elon Musk, Microsoft co-founder Bill Gates, Amazon CEO and founder Jeff Bezos, Berkshire Hathaway CEO and president Warren Buffett, former President Barack Obama, presumptive Democratic candidate Joe Biden, former New York mayor Michael Bloomberg, Israeli Prime Minister Benjamin Netanyahu and the corporate accounts for Appl COOrdinated Social

Celebrities were a engineering attack including rapper Kanye West and his wife Kim Kardashian and rapper Wiz Khalifa.

Twitter said late Wednesday that it detected what it believes was a "coordinated social engineering attack by people who successfully targeted some of our employees with access to internal systems and tools."

U.S. Warns of Global Bank Heist Campaign by North Korean Hackers [WSJ, August 27 2020]

WASHINGTON—Hackers tied to the North Korean government are trying to rob banks across the globe by draining ATMs and initiating fraudulent money transfers, in an effort by the cash-strapped Pyongyang regime to <u>fund its nuclear weapons program</u>, multiple federal government agencies warned Wednesday.

The campaign includes so-called spearphishing attacks—which use frat spearphishing... and social cor persuade the victim to reveal d social engineering schemes. It has been under were since at least Fabruary and represents a ... means what?

Major Data Breaches

https://en.wikipedia.org/wiki/List_of_data_breaches

Entity +	Year +	Records -	Organization type \$	Method ◆
Clearview AI	2020	3,000,000,000 (Number of photos obtained)	information technology	hacked
Yahoo	2013	3,000,000,000	web	hacked
First American Corporation	2019	885,000,000	financial service company	poor security
Facebook	2019	540,000,000	social network	poor security
Marriott International	2018	500,000,000	hotel	hacked
Yahoo	2014	500,000,000	web	hacked
Friend Finder Networks	2016	412,214,295	web	poor security / hacked
Exactis	2018	340,000,000	data broker	poor security
Truecaller	2019	299,055,000	Telephone directory	unknown
MongoDB	2019	275,000,000	tech	poor security
Facebook	2019	267,000,000	social network	poor security
Microsoft	2019	250,000,000	tech	data exposed by misconfiguration
MongoDB	2019	202,000,000	tech	poor security
Unknown agency (believed to be tied to United States Census Bureau)	2020	200,000,000	financial	accidentally published

Learning Objectives

Understand the system's security goals
Learn to spot security vulnerabilities
Think through how attacks would play out
Understand and deploy countermeasures

Course Personnel

Instructor: Vitaly Shmatikov

Office hours by request

TA: Congzheng Song

Office hours TBA

Graders: Pratyush Sharma, Anam Tahir

Course website: https://cs5435.github.io/

Reading materials, lecture notes

Piazza for discussions and Q&A Canvas for assignments


Prerequisites

Required: working knowledge of C and JavaScript

- Security is a contact sport!
- Homeworks will involve Web security and writing buffer overflow attacks in C
 - You must have detailed understanding of x86 architecture, stack layout, calling conventions, etc.

Recommended: Operating Systems; Compilers; Computer Networks; Cryptography

 Not much overlap with this course, but will help gain deeper understanding of security mechanisms and where they fit in the big picture



NOT THE PRODUCT OF ACCUSE OF A CONTROL OF THE PRODUCT OF THE PRODU

DO NOT TAKE THIS COURSE IF YOU ARE NOT COMFORTABLE PROGRAMMING IN C AND JAVASCRIPT

Course Logistics

Mix of live and recorded lectures, recitations

- Tuesday, Thursday 12n-12:50p, 10-10:50p ET
- Zoom link posted as a Canvas announcement

Four homeworks (60% of the grade)

Midterm (15% of the grade)

Final (15% of the grade)

Both exams are take-home

Attendance and participation (10% of the grade)

Cornell University Code of Academic Integrity will be strictly enforced

Homeworks

Can work with one partner, if you want to Collaboration policy

- No collaboration with people outside team
- Using the web for general information is encouraged
- Googling for answers to questions is not

Need access to virtualization software (e.g., VirtualBox), will help you setup in Homework 1 Cheating such as plagiarizing homework answers or copying code will trigger disciplinary actions

Late Submission Policy

Each assignment is due at 11:59p ET on the due date

You have 3 late days to use any way you want

- You can submit one assignment 3 days late,
 3 assignments 1 day late, etc.
- After you use up your days, you get 0 points for each late assignment
- Partial days are rounded up to the next full day

Course Materials

No textbook

Occasional assigned readings

Will be posted on the course website

Attend two sessions per week

- Either at 12 or 10, your choice
- One live lecture, one recitation... at least for now

Watch recorded lectures

Lectures will cover some material that is <u>not</u> in the notes or readings – and you will be tested on it!

A Few Helpful Books

Ross Anderson's "Security Engineering"

- Focuses on design principles for secure systems
- Wide range of entertaining examples: banking, nuclear command and control, burglar alarms

"The Shellcoder's Handbook"


- Practical how-to manual for hacking attacks
- Not a required text, but you may find it useful for the buffer overflow project

Kevin Mitnick's "The Art of Intrusion"

- Real-world hacking stories
- Good illustration for many concepts in this course

Motivation






"Privacy, Cookies, Security, and Legal"

WELLS FARGO

Banking and Credit Cards Loans and Credit Investing and

Personal > Privacy, Cookies, Security, and Legal

Privacy, Cookies, Security, and Legal



U.S. Privacy Policies and Notices

- Wells Fargo U.S. Consumer Privacy Notice
- California Consumer Privacy Act Notice
- Digital Privacy and Cookies Policy
- Wells Fargo Retail Services Privacy Notice (PDF)
- Wells Fargo Bank, N.A. Dillard's Privacy Notice (PDF)
- Health Information Notice
- Social Security Number Protection Policy

Legal Terms

- ESIGN Consent
- General Terms of Use
- Online Access Agreement

International Privacy Notice

+ **special sets of notices** for Australia, Canada, EU, New Zealand, South Korea

International Non-Employee Privacy Notices

+ special notices for Canada, EU, South Korea

Global Data Access

What Do You Think?

What do you think should be included in "privacy and security" for an e-commerce website?



Desirable Properties

Authenticity

Confidentiality

Integrity

Availability

Accountability and non-repudiation

Access control

Privacy of collected information

. . .

Who Are the Adversaries?

"31337" script kiddies
Abusers / harassers / cyberstalkers
"Hacktivists"
Criminals (often economically motivated)
Nation states


Hacking Commoditized

Metasploit

All-in-one penetration testing tool


作的表面内部的内部的特别的现在分词的现在分词形式的一种数据内部的内部的特别的现在分词形式的

Easy-to-use exploit libraries



Public Amazon S3 buckets, AWS credentials

Source of many recent breaches



About S3: The Story of a Hack

https://slate.com/technology/2020/08/uber-joseph-sullivan-charged-data-breach.html

2014: Uber's source code on GitHub accessed using stolen credentials... in the source code, keys to all Uber's S3 databases

- Mistake #1: hardcoded access credentials
- Solution: rotate keys

2016: Uber's driver database stolen using the same credentials

In the document that Uber used to track the progress of its investigation of the 2016 breach, one team member commented on Nov. 14, "access key has not be rotated [sic] since [it was created in 2013]. None of the people are at the company any longer. Task was to rotate keys within S3 to ensure this could not happen in the future but there are thousands of tasks. Joe was just deposed on this specific topic and what the best or minimum practices that any company should follow in this area."

How to Not Handle a Data Breach

https://slate.com/technology/2020/08/uber-joseph-sullivan-charged-data-breach.html

2016: Uber pays hackers \$100,000 via Bitcoin as a "bug bounty", covers up the hack

2019: hackers plead guilty to trying to extort Uber and LinkedIn in exchange for promise to delete data they stole from S3

August 2020: US Dept of Justice charges Uber's former Chief Security Officer with obstruction of justice

Abusers

"Cyberbullying"
Online stalkers, remote access trojan (RATs)
Intimate partner violence (IPV)

- Widespread: 1 out of 4 women, 1 out of 9 men suffer at some point in lives
- Tech abuse rampant:
 - Account compromise
 - Spyware
 - Social media harassment

– ...



"Hacktivists"



Economically Motivated Criminals

Wana Decrypt0r 2.0 Ooops, your files have been encrypted! English What Happened to My Computer? Your important files are encrypted. Many of your documents, photos, videos, databases and other files are no longer accessible because they have been encrypted. Maybe you are busy looking for a way to recover your files, but do not waste your time. Nobody can recover your files without our decryption service. Payment will be raised on Can I Recover My Files? 5/16/2017 00:47:55 Sure. We guarantee that you can recover all your files safely and easily. But you have not so enough time. Time Left You can decrypt some of your files for free. Try now by clicking < Decrypt>. But if you want to decrypt all your files, you need to pay. 02:23:57:37 You only have 3 days to submit the payment. After that the price will be doubled. Also, if you don't pay in 7 days, you won't be able to recover your files forever. Your file: Ransomworms impacted 5/20/20 millions of victims **NotPetya** USD892 million in damages Destructive ransomworms had a global impact and caused massive financial Spread to 65 countries losses in 2017. About bitcoin WannaCry **Bad Rabbit** How to buy bi Destructive ransomworms took Targeted critical Contact L Spread to 150 countries center stage among notable infrastructure ransomware in 2017 USD8 billion+ in damages

Brief History of WannaCry (2017)

Exploit used for propagation: EternalBlue

 Windows exploit discovered by NSA, stolen and released by "The Shadow Brokers"

Cryptoworm origin unclear

Attributed to North Korea

Infected over 230,000 machines

 Disrupted service at 16 hospitals in the UK, also affected FedEx, Telefonica, Russian Interior Ministry, Honda, ...

Marketplace for Vulnerabilities

Bug bounty programs

Google, Facebook, Microsoft: up to \$20-100K per bug

Vulnerability brokers Gray and black markets

 Over \$1,000,000 for iOS and Android zero-days

Payouts Changelog

Changes as of Sep. 13, 2018:

Bounties for both Desktops/Servers and Mobile exploits were updated with new entries and increased payouts.

Modification	Details		
New Entries Servers/Desktops)	\$100,000 - nginx RCE i.e. remote exploits via HTTP(5) requests or related protocols \$100,000 - Exim RCE i.e. remote exploits via a malicious email or related vectors \$80,000 - cPanel, Webmin, Plesk RCE i.e. remote pre-auth exploits for major control panels \$50,000 - BSD I.PE i.e. privilege escalation for NetBSD, OpenBSD, or FreeBSD \$30,000 - WinRAR, 7-Zip, WinZip, tar RCE i.e. code execution via a malicious archive file		
Increased Payouts (Servers/Desktops)	\$500,000 - Windows RCE (Zero Citcl) e.g. via SMB or RDP packets (previously: \$300,000) \$250,000 - Alpache or MS IIS RCE i.e. remote exploits via HTTP(S) requests (previously: \$150,000) \$250,000 - Chrome RCE + SBX (Windows) including a sandbox escape (previously: \$150,000) \$150,000 - Outlook RCE i.e. remote exploits via a mallicous email (previously: \$100,000) \$150,000 - PHP or OpenSSI. RCE (previously: \$100,000) \$150,000 - MS Exchange Server RCE (previously: \$100,000) \$100,000 - Dovecot, Postfix, Sendmail RCE (previously: \$50,000) \$100,000 - Chrome RCE without a sandbox escape (previously: \$80,000) \$100,000 - Chrome RCE without a sandbox escape (previously: \$80,000) \$100,000 - MS Word/Excel RCE i.e. exploit via a malicious Office document (previously: \$80,000) \$100,000 - MS Word/Excel RCE i.e. emote exploits via a malicious email (previously: \$80,000) \$80,000 - Wordfress (Core RCE i.e. remote reploits via a malicious email (previously: \$80,000) \$80,000 - Wordfress (Core RCE i.e. remote reploits via a malicious email (previously: \$80,000) \$80,000 - Windows or Linux LPE (previously: \$30,000)		
New Entries (Mobiles)	None		
Increased Payouts (Mobiles)	\$200,000 - Chrome RCE + SBX (Android) including a sandbox escape (previously: \$150,000) \$200,000 - Safari + SBX (iOS) including a sandbox escape (previously: \$150,000) \$200,000 - Baseband RCE + LPE (IOS or Android) including a privilege escalation (previously: \$150,000) \$100,000 - Chrome RCE (Android) without a sandbox escape (previously: \$50,000) \$100,000 - Safari RCE (IOS) without a sandbox escape (previously: \$50,000)		
Deleted Entries	- (Desktop) Adobe Flash RCE (previously: \$80,000) - (Mobiles) SS7 Protocol Exploits (previously: \$100,000)		

Source: Zerodium

Marketplace for Stolen Data

[Dell SecureWorks, 2013]

Single credit card number: \$4-15

Single card with magnetic track data: \$12-30

"Fullz": \$25-40

 Full name, address, phone, email addresses (with passwords), date of birth, SSN, bank account and routing numbers, online banking credentials, credit cards with magnetic track data and PINs

Online credentials for a bank account with \$70-150K balance: under \$300

Prices dropped since then, indicating supply glut

Marketplace for Victims

[Trend Micro, "Russian Underground 2.0", 2015]

Pay-per-install on compromised machines

- US: \$40-120 / 1000 downloads, "global mix": \$10-12
- Can be used to send spam, stage denial of service attacks, perform click fraud, host scam websites

Botnets for rent

- DDoS: up to \$100/hour
- Spam: from \$1/10,000 emails

Tools and services





Nation-States



Sabotage of Iranian nuclear program

2016 hack of Democratic National Committee



Russian 'actors' tried to interfere with Britain's general election, U.K. government says

"The Government has concluded that it is almost certain that Russian actors sought to interfere in the 2019 General Election."

Main Themes of the Course

Vulnerabilities of modern systems and networks

 Phishing, denial of service, worms and botnets, attacks on Web applications, attacks on infrastructure

Defensive technologies

- Authentication
- Web and mobile security
- Basic cryptography, application- and transport-layer security protocols
- Protection of software: memory integrity, firewalls, intrusion detection

What This Course is **Not** About

Not a comprehensive course on computer security Not a course on ethical, legal, or economic issues

- No file sharing, DMCA, piracy, free speech issues
- Little about surveillance

Only a cursory overview of cryptography Only some issues in systems security

 Very little about OS access control, secure hardware, security of embedded devices, physical security...

Peek at the Dark Side

的大概不知的证明的表现的数据中央的文化的表现不知识的的数据的数据中央的文化的表现不知识的的数据的数据的数据的数据的数据的数据的数据的数据的数据的数据的数据的数据的



The <u>only</u> reason we will be learning about attack techniques is to build better defenses

Do not even think about using this knowledge to attack anyone





Rules of Thumb

When in doubt ... don't

Find someone to talk to (instructor or TA)

You must have explicit written permission from the system owner before performing any penetration testing

- Homework assignments will generally be on your own system
- We will give explicit permission to hand us exploits to test

Responsible Disclosure

Full disclosure means revealing everything about a vulnerability including an example exploit

Responsible disclosure (generally) refers to ensuring potential victims are aware of vulnerabilities before going public

Correctness versus Security

System correctness: system satisfies specification

For reasonable input, get reasonable output

System security:

system properties preserved in face of attack

For <u>un</u>reasonable input, output not completely disastrous


Main difference: active interference from adversary Modular design may increase vulnerability ...

- Abstraction is difficult to achieve in security: what if the adversary operates below your level of abstraction?
- ... but also increase security (small TCB)

A Security Engineer's Mindset

ON THE PROPERTY OF THE PROPERT

[Bruce Schneier]



Ken Thompson



ACM Turing Award, 1983

http://www.acm.org/classics/sep95



What code can we trust?

Consider "login" or "su" in Unix

- Is Ubuntu binary reliable? RedHat?
- Does it send your password to someone?
- Does it have backdoor for a "special" remote user?

Can't trust the binary, so check source code or write your own, recompile

Does this solve problem?

http://www.acm.org/classics/sep95



Who wrote the compiler?

Compiler looks for source code that looks the login process, inserts backdoor into it

Ok, inspect the source code of the compiler...

Looks good? Recompile the compiler!


Does this solve the problem?

http://www.acm.org/classics/sep95



The compiler is written in C ...

```
compiler(S) {
   if (match(S, "login-pattern")) {
       compile (login-backdoor)
       return
   if (match(S, "compiler-pattern")) {
       compile (compiler-backdoor)
       return
   .... /* compile as usual */
```




http://www.acm.org/classics/sep95




"The moral is obvious. You can't trust code that you did not totally create yourself. (Especially code from companies that employ people like me.)"

Network Stack



Only as secure as the <u>single</u> weakest layer... or interconnection between the layers

Network Defenses



All defense mechanisms must work correctly and securely

Bad News

Security often not a primary consideration

Performance and usability take precedence

Feature-rich systems may be poorly understood Implementations are buggy

- Buffer overflows are the "vulnerability of the decade"
- Cross-site scripting and other Web attacks

Networks are more open and accessible than ever

Increased exposure, easier to cover tracks

Many attacks are not even technical in nature

Phishing, social engineering, etc.

Better News

There are a lot of defense mechanisms

- We'll study some, but by no means all, in this course
 It's important to understand their limitations
 - "If you think cryptography will solve your problem, then you don't understand cryptography... and you don't understand your problem"
 - Many security holes are based on misunderstanding

Security awareness and user "buy-in" help Other important factors: usability and economics

Security Principles

Saltzer and Schroeder.

The protection of information in computer systems.

Proceedings of the IEEE, 1975

- 1) Economy of mechanism
- 2) Fail-safe defaults
- 3) Complete mediation
- 4) Open design
- 5) Separation of privilege
- 6) Least privilege
- 7) Least common mechanism
- 8) Psychological acceptability