

Ella Recruitment Portal

Manual, click-through UI test cases covering the whole pilot system — sign-in and organizations, role requests, candidate intake, resume screening, voice and final interviews, HR decisions, Ella Credits, payments, the live-avatar interview, and the in-portal help bot. Every case here is testable by a signed-in tester using only the portal's own screens — no API credentials, cron secrets, or dev tools required.

DEPLOYMENT

Pilot — ella-recruitment.mclinkgroup.com

TOTAL TEST CASES

95 test cases

PREPARED FOR

McLink Group — pilot go-live sign-off

P0 (LAUNCH-BLOCKING)

44 cases

PRIORITY KEY

● **P0** — blocks go-live ● **P1** — fix before go-live ● **P2** — acceptable as a known issue

MODULES IN THIS PLAN

Sign-in & sessions	6	Final (face-to-face) interview booking	6
Organizations & tenant isolation	9	HR decisions & status history	5
User directory & access roles	8	Ella Credits	10
Role requests (requisitions)	8	Payments (HitPay)	4
Candidate application intake	7	Portal settings & configuration	3
Resume screening & CV analysis	8	Live avatar interview	3
Bulk resume intake	5	In-portal help bot	3
Voice interview (AI phone screening)	8	Notifications	2

Each test case has a Pass / Fail / Blocked box, a tester initials line, and a notes line for the sign-off review. Generated for the McLink pilot deployment. Six cases needing API credentials, a cron/webhook secret, or deploy access (internal automation isolation, stuck-queue recovery, duplicate-webhook handling, client-side price tampering, settings audit, and re-enabling pilot email) are tracked separately for engineering, not in this tester-facing set.

TC-AUTH-01 **P0** **McLink staff sign in with Google**☐ Pass ☐ Fail ☐ Blocked

Given User's email exists as an active row in the McLink Google Sheet User_Directory.

1. Go to the sign-in page and choose "Sign in with Google".
2. Complete the Google consent screen with the staff email.
3. Land on the dashboard.

EXPECTED RESULT

Session cookie is set, the dashboard loads, and the header shows the correct name, access role, and department.

Tested by:

Date:

Notes:

TC-AUTH-02 **P0** **Client-org user signs in with Google**☐ Pass ☐ Fail ☐ Blocked

Given An organization exists in Settings → Organizations, and the user's email was added as an active account under it.

1. Sign in with that Google account.
2. Observe which organization's data loads.

EXPECTED RESULT

Login succeeds and the user lands inside their own organization only — no McLink or other client data is visible anywhere in the UI.

Tested by:

Date:

Notes:

TC-AUTH-03 **P0** **Unlisted email is rejected**☐ Pass ☐ Fail ☐ Blocked

Given The signing-in Google account is not in any active directory or organization.

1. Attempt Google sign-in with an email that was never added as a user anywhere in the portal.

EXPECTED RESULT

Login is refused with a clear "not authorized" message; no session cookie is issued and no dashboard data loads.

Tested by:

Date:

Notes:

TC-AUTH-04 **P1** **Deactivated user cannot sign in**☐ Pass ☐ Fail ☐ Blocked

Given A user account exists but has been toggled inactive in Directory accounts.

1. Attempt to sign in as that user.

EXPECTED RESULT

Login is refused. Reactivating the account and retrying succeeds.

Tested by:

Date:

Notes:

TC-AUTH-05 **P1** **Session expires and re-prompts sign-in**☐ Pass ☐ Fail ☐ Blocked

Given User is signed in.

1. Let the session cookie expire (or clear cookies) and then load any authenticated page.

EXPECTED RESULT

The app redirects to sign-in rather than showing a broken or half-loaded authenticated page.

Tested by:

Date:

Notes:

TC-AUTH-06 **P2** **Sign-out clears the session**☐ Pass ☐ Fail ☐ Blocked

Given User is signed in.

1. Use the sign-out control.
2. Try to reload the dashboard without signing in again.

EXPECTED RESULT

The user is returned to the sign-in screen and cannot view any previously visible data.

Tested by:

Date:

Notes:

Organizations & tenant isolation

Creating client organizations, and proving one org can never see another's data

TC-ORG-01 P0 Platform admin creates a new organization

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a McLink user with "Manage users" permission.

1. Settings → Organizations → Create.
2. Enter a name and a URL-safe slug.
3. Save.

EXPECTED RESULT

The organization appears in the list immediately, with no separate database request or waiting period — it's ready to use as soon as it's created.

Tested by:

Date:

Notes:

TC-ORG-02 P0 New organization starts completely empty

☐ Pass ☐ Fail ☐ Blocked

Given A brand-new organization exists (from ORG-01) with no users yet.

1. Add its first user via "Manage users for" → that organization.
2. Sign in as that new user.
3. Check Roles, Applicants, and Credits.

EXPECTED RESULT

Roles list is empty, Applicants list is empty, and the Ella Credits balance is 0 (or the seeded starter amount) — none of McLink's or any other client's data is visible.

Tested by:

Date:

Notes:

TC-ORG-03 P0 Two client organizations cannot see each other's roles or applicants

☐ Pass ☐ Fail ☐ Blocked

Given Two active organizations each have at least one role and one applicant created independently.

1. Sign in as a user in Organization A.
2. Browse Roles and Applicants.
3. Sign in as a user in Organization B.
4. Browse Roles and Applicants.

EXPECTED RESULT

Each organization sees only its own roles and applicants. Nothing from the other organization ever appears, including in search.

Tested by:

Date:

Notes:

TC-ORG-04 **P0** **A non-admin cannot manage organizations**☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a user without “Manage users” (e.g. HR or Recruiter access role).

1. Open Settings.

EXPECTED RESULT

The Organizations panel is not visible, and a direct API call to create/edit an organization is rejected.

Tested by:

Date:

Notes:

TC-ORG-05 **P1** **Slug validation and uniqueness**☐ Pass ☐ Fail ☐ Blocked

Given Platform admin creating/editing an organization.

1. Attempt to create an org with an existing slug.
2. Attempt a slug with spaces or uppercase letters.
3. Attempt the reserved slug “mclinkgroup”.

EXPECTED RESULT

Each attempt is rejected with a specific, actionable error; no duplicate or malformed organization is created.

Tested by:

Date:

Notes:

TC-ORG-06 **P1** **A provisioned organization's slug is locked**☐ Pass ☐ Fail ☐ Blocked

Given An organization has at least one user or one piece of data in it.

1. Edit that organization and change its slug.

EXPECTED RESULT

The change is rejected — slug can only be set before the organization is otherwise in use.

Tested by:

Date:

Notes:

TC-ORG-07 **P0** **Deactivating an organization blocks its users from signing in**☐ Pass ☐ Fail ☐ Blocked

Given An organization with at least one active user exists.

1. Toggle the organization to inactive in Settings → Organizations.
2. Attempt sign-in as one of its users.

EXPECTED RESULT

Sign-in is refused while the organization is inactive, and existing sessions stop being able to load data for it.

Tested by:

Date:

Notes:

TC-ORG-08 **P0** **McLink's own organization cannot be deactivated or renamed away**

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a platform admin.

1. Attempt to deactivate or change the slug of the default McLink organization.

EXPECTED RESULT

The action is rejected — the McLink organization is protected.

Tested by:

Date:

Notes:

TC-ORG-09 **P1** **A public applicant link only ever resolves within its own organization**

☐ Pass ☐ Fail ☐ Blocked

Given A published role exists in Organization A with a public apply link.

1. Open the public apply link.
2. Submit an application.
3. Confirm in Organization A's Applicants list, then check it does not appear anywhere in another organization.

EXPECTED RESULT

The application is attributed to Organization A only, end to end (application, resume, screening, booking).

Tested by:

Date:

Notes:

User directory & access roles

Adding accounts and enforcing what each access role can see and do

TC-RBAC-01 P0 Admin adds a new user under an organization

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a platform admin, an organization is selected in "Manage users for".

1. Directory accounts → Add account.
2. Fill in email, name, access role, department.
3. Save.

EXPECTED RESULT

The account appears in that organization's directory immediately and can sign in right away.

Tested by:

Date:

Notes:

TC-RBAC-02 P1 Editing an account's email keeps history intact

☐ Pass ☐ Fail ☐ Blocked

Given An existing account is being renamed to a new email (e.g. after a name change).

1. Edit the account and change its email address.
2. Save.
3. Sign in with the new email; attempt sign-in with the old one.

EXPECTED RESULT

The new email works; the old email no longer grants access; the account's role/history in the portal is unaffected.

Tested by:

Date:

Notes:

TC-RBAC-03 P0 HOD sees only their own department

☐ Pass ☐ Fail ☐ Blocked

Given A user with the HOD access role is assigned a department.

1. Sign in as that HOD.
2. Browse Roles and Applicants.

EXPECTED RESULT

Only roles/candidates belonging to their own department are visible; other departments' pipelines are hidden.

Tested by:

Date:

Notes:

TC-RBAC-04 P0 HR can create and review, but not approve

☐ Pass ☐ Fail ☐ Blocked

Given A user with the HR access role.

1. Attempt to create a role request.
2. Attempt to approve a pending role request.

EXPECTED RESULT

Role creation succeeds; the approve action is unavailable/blocked for HR.

Tested by:

Date:

Notes:

TC-RBAC-05 **P0** **Management can approve, reject, or return a role request**☐ Pass ☐ Fail ☐ Blocked

Given A user with the Management access role, and a role request pending approval.

1. Open the pending role request.
2. Approve it.
3. Repeat with Reject and with Return-for-changes on separate requests.

EXPECTED RESULT

All three decisions are available to Management and each transitions the role request to the correct status.

Tested by:

Date:

Notes:

TC-RBAC-06 **P0** **Only Admin/CEO can edit Settings or manage users**☐ Pass ☐ Fail ☐ Blocked

Given A user with an access role other than Admin or CEO.

1. Attempt to open Settings → Portal configuration.
2. Attempt to open Directory accounts.

EXPECTED RESULT

Both are hidden or blocked for that role.

Tested by:

Date:

Notes:

TC-RBAC-07 **P1** **Access role permission overrides are respected**☐ Pass ☐ Fail ☐ Blocked

Given An account's individual permission checkboxes have been changed away from its access role's default.

1. Uncheck "Can approve role" on an otherwise-Management account.
2. Sign in as that user and attempt to approve a role.

EXPECTED RESULT

The per-account override wins — approval is blocked despite the Management role label.

Tested by:

Date:

Notes:

TC-RBAC-08 **P2** **Deactivating an account doesn't delete their history**☐ Pass ☐ Fail ☐ Blocked

Given An account has authored roles or screened applicants in the past.

1. Deactivate the account.
2. Check that past roles/applicants/decisions still show that person as the actor.

EXPECTED RESULT

Historical records are unchanged and still attributed correctly; the account simply can no longer sign in.

Tested by:

Date:

Notes:

Role requests (requisitions)

Creating, reviewing, approving, and publishing a role

TC-ROLE-01

P0

Create a role request from a typed description

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a user who can create roles.
1. Roles → New role request.
2. Enter title, department, and a free-text job description.
3. Save as draft.

EXPECTED RESULT

The draft is saved with the entered fields and appears in the Roles list with a Draft status.

Tested by:

Date:

Notes:

TC-ROLE-02

P1

AI-assisted parsing from a pasted/uploaded job description

☐ Pass ☐ Fail ☐ Blocked

Given On the role creation screen.
1. Paste a job description or upload a JD PDF.
2. Trigger the AI parse.
3. Review the pre-filled fields.

EXPECTED RESULT

Title, responsibilities, and requirements are pre-filled from the description for the user to review/edit before saving — nothing is saved without the user confirming.

Tested by:

Date:

Notes:

TC-ROLE-03

P0

Submit a role for review/approval

☐ Pass ☐ Fail ☐ Blocked

Given A draft role request exists.
1. Open the draft.
2. Submit for review.

EXPECTED RESULT

Status moves from Draft to the review/approval stage and the correct approver(s) can now see it in their queue.

Tested by:

Date:

Notes:

TC-ROLE-04 **P0** **Approve a role and publish it**☐ Pass ☐ Fail ☐ Blocked

Given A role request is pending approval.

1. Sign in as an approver.
2. Approve the role.
3. Publish it.

EXPECTED RESULT

The role becomes Active/Open and a public apply link becomes reachable for candidates.

Tested by:

Date:

Notes:

TC-ROLE-05 **P1** **Reject or return a role request with a reason**☐ Pass ☐ Fail ☐ Blocked

Given A role request is pending approval.

1. Reject (or return-for-changes) with a comment explaining why.

EXPECTED RESULT

The requester sees the status change and the reason; the role does not publish.

Tested by:

Date:

Notes:

TC-ROLE-06 **P1** **Edit an already-published role**☐ Pass ☐ Fail ☐ Blocked

Given An active, published role exists.

1. Edit its target hiring date, requirements, or headcount.
2. Save.

EXPECTED RESULT

Changes are saved and reflected on the public apply page without breaking existing applications already in the pipeline.

Tested by:

Date:

Notes:

TC-ROLE-07 **P1** **Archive a role and its dependents**☐ Pass ☐ Fail ☐ Blocked

Given A role with applicants attached.

1. Archive/close the role.

EXPECTED RESULT

The role is marked closed, no longer accepts new applications, and its history (applicants, screenings) remains viewable, not deleted.

Tested by:

Date:

Notes:

TC-ROLE-08

P2

Role status history is a complete audit trail

☐ Pass ☐ Fail ☐ Blocked

Given A role has moved through several statuses (draft → review → approved → published).

1. Open the role's history/status tab.

EXPECTED RESULT

Every transition is listed with who made it and when, in order.

Tested by:

Date:

Notes:

Candidate application intake

The public apply form and how a submitted application enters the pipeline

TC-INTAKE-01 P0 Candidate applies through the public link

☐ Pass ☐ Fail ☐ Blocked

Given A role is published with a live public apply link.

1. Open the public apply link as an anonymous visitor.
2. Fill in candidate details and attach a resume.
3. Submit.

EXPECTED RESULT

A confirmation is shown to the candidate, and the application appears in that role's pipeline in the portal within a reasonable time.

Tested by:

Date:

Notes:

TC-INTAKE-02 P1 Invalid or missing required fields are caught client-side

☐ Pass ☐ Fail ☐ Blocked

Given On the public apply form.

1. Submit with a missing required field (e.g. no resume, invalid email).
2. Submit with an unsupported resume file type.

EXPECTED RESULT

A clear validation message is shown before submission is accepted; nothing partial is created in the pipeline.

Tested by:

Date:

Notes:

TC-INTAKE-03 P0 Duplicate application by the same candidate is handled sensibly

☐ Pass ☐ Fail ☐ Blocked

Given A candidate has already applied to the same role.

1. Submit a second application to the same role with the same email.

EXPECTED RESULT

The system either updates the existing application or clearly flags the duplicate — it does not silently create two disconnected candidate records for the same person.

Tested by:

Date:

Notes:

TC-INTAKE-04 P1 Applying to a closed or unpublished role fails gracefully

☐ Pass ☐ Fail ☐ Blocked

Given A role has been archived or is still a draft.

1. Attempt to open its public apply link (if guessed/bookmarked) and submit.

EXPECTED RESULT

The candidate sees a clear "position not available" message; no application record is created.

Tested by:

Date:

Notes:

TC-INTAKE-05 **P1** **A returning candidate applying to a different role is linked to their existing profile**☐ Pass ☐ Fail ☐ Blocked

Given A candidate previously applied to Role A within the same organization.

1. Have the same candidate (same email) apply to Role B in the same organization.

EXPECTED RESULT

The candidate is recognized as the same person across both applications, not duplicated as two separate applicant records.

Tested by:

Date:

Notes:

TC-INTAKE-06 **P2** **Resume screening invite link (send-a-link flow) works end to end**☐ Pass ☐ Fail ☐ Blocked

Given A role exists that uses the screening-invitation flow rather than direct upload.

1. Generate/send a screening invitation link to a candidate.
2. Open the link and complete it as the candidate.

EXPECTED RESULT

The invitation is marked used, and the resulting application/screening appears correctly attributed in the pipeline.

Tested by:

Date:

Notes:

TC-INTAKE-07 **P0** **HR can manually add an applicant directly**☐ Pass ☐ Fail ☐ Blocked

Given Signed in as HR/Recruiter on an open role.

1. Applicants → Add applicant → upload a resume manually.

EXPECTED RESULT

The applicant appears in the pipeline exactly as if they had applied publicly, and consumes CV-analysis credit the same way (see CRED-* cases).

Tested by:

Date:

Notes:

Resume screening & CV analysis

Single-applicant screening, credit deduction, and the screening result surfaced to HR

TC-SCR-01 P0 A newly intaken applicant is automatically screened

☐ Pass ☐ Fail ☐ Blocked

Given An application has just been submitted/uploaded and the org has sufficient credits.

1. Submit an application (public or manual).
2. Wait for screening to complete.
3. Open the applicant.

EXPECTED RESULT

A match score, recommendation, strengths/gaps summary, and suggested interview questions are shown; exactly one CV-analysis credit deduction is recorded for this application.

Tested by:

Date:

Notes:

TC-SCR-02 P0 Screening is blocked when the organization has no credits

☐ Pass ☐ Fail ☐ Blocked

Given The organization's Ella Credits balance is 0.

1. Submit a new application that would require CV analysis.

EXPECTED RESULT

The screening step is blocked/deferred with a clear "insufficient credits" outcome, and no credit ledger entry is created for a screening that didn't happen.

Tested by:

Date:

Notes:

TC-SCR-03 P1 Re-screening the same application does not double-charge

☐ Pass ☐ Fail ☐ Blocked

Given An application has already been screened once.

1. Trigger a manual re-screen / retry on the same application (e.g. after a transient failure).

EXPECTED RESULT

Either the existing result is reused or a fresh screening runs, but the credit ledger shows at most one charge for that application's screening identity.

Tested by:

Date:

Notes:

TC-SCR-04 P1 Reusing a screening result across a duplicate application is free

☐ Pass ☐ Fail ☐ Blocked

Given The same resume/person is matched to an existing, already-screened application (e.g. reapplying).

1. Trigger the reuse path (duplicate application reusing a prior result).

EXPECTED RESULT

No new credit is charged for the reused result; the ledger shows the original charge only.

Tested by:

Date:

Notes:

TC-SCR-05 **P0** **HR can view the full screening detail**☐ Pass ☐ Fail ☐ Blocked

Given An applicant has a completed screening result.

1. Open the applicant's detail view.

EXPECTED RESULT

Match score, recommendation, strengths, gaps, and suggested interview questions are all visible and legible.

Tested by:

Date:

Notes:

TC-SCR-06 **P1** **A malformed or unreadable resume fails without charging credits**☐ Pass ☐ Fail ☐ Blocked

Given A resume file is corrupted, password-protected, or an unsupported format.

1. Submit/upload it for screening.

EXPECTED RESULT

The applicant is flagged with a clear extraction-failure state; no CV-analysis credit is deducted for the failed attempt.

Tested by:

Date:

Notes:

TC-SCR-07 **P2** **Google Drive / OneDrive resume import**☐ Pass ☐ Fail ☐ Blocked

Given A folder of resumes is available in the connected Drive/OneDrive account.

1. Use the Drive (or OneDrive) import option to pull resumes into a role's pipeline.

EXPECTED RESULT

Each imported resume becomes an applicant and is screened the same as a direct upload, one credit charge per applicant.

Tested by:

Date:

Notes:

TC-SCR-08 **P0** **Screening results never leak across organizations**☐ Pass ☐ Fail ☐ Blocked

Given Two organizations both use CV analysis with similar/duplicate candidate resumes.

1. Screen similar resumes in two different organizations.
2. Check each organization's applicant list.

EXPECTED RESULT

Each organization only ever sees its own screening results, even if the underlying resume content is very similar.

Tested by:

Date:

Notes:

Bulk resume intake

Uploading many resumes at once against a role's operator-facing batch cap

TC-BULK-01 P0 Bulk upload processes a full batch within the cap

☐ Pass ☐ Fail ☐ Blocked

Given A role is open, and the organization has enough credits for the batch.

1. Resume screening → Bulk upload.
2. Select a batch of resumes at or under the current cap.
3. Submit.

EXPECTED RESULT

Every file in the batch results in an applicant with a screening result, and the queue status reaches "complete" for all of them.

Tested by:

Date:

Notes:

TC-BULK-02 P0 Bulk upload beyond the cap is rejected up front

☐ Pass ☐ Fail ☐ Blocked

Given A batch larger than the operator-facing cap is selected.

1. Attempt to submit the oversized batch.

EXPECTED RESULT

The UI blocks submission (or the server rejects it) with a clear message stating the current cap, before any file is processed or charged.

Tested by:

Date:

Notes:

TC-BULK-03 P0 Insufficient credits blocks the whole batch, not a partial charge

☐ Pass ☐ Fail ☐ Blocked

Given The organization's credit balance is less than the batch would cost.

1. Attempt a bulk upload that would need more credits than available.

EXPECTED RESULT

The batch is refused before any file is processed; no partial deductions occur.

Tested by:

Date:

Notes:

TC-BULK-04 P1 A queue item's status is visible and accurate while processing

☐ Pass ☐ Fail ☐ Blocked

Given A bulk batch is mid-processing.

1. Watch the bulk queue status view during processing.

EXPECTED RESULT

Each file's status (queued / processing / complete / failed) updates and matches what actually happened to that file.

Tested by:

Date:

Notes:

Given A batch includes one corrupted/unsupported file mixed with valid resumes.

1. Submit the mixed batch.

EXPECTED RESULT

Valid resumes are screened and charged normally; the bad file is flagged as failed without being charged and without blocking the others.

Tested by:

Date:

Notes:

Voice interview (AI phone screening)

Booking, dispatch, and outcome-based credit billing for AI voice interviews

TC-VOICE-01 P0 Candidate books a voice interview slot

☐ Pass ☐ Fail ☐ Blocked

Given An applicant has passed initial screening and voice interview slots are open.

1. As the candidate (via their booking link) or as HR, pick an available slot.
2. Confirm the booking.

EXPECTED RESULT

The slot is reserved, cannot be double-booked by another candidate, and the applicant's status reflects "interview scheduled".

Tested by:

Date:

Notes:

TC-VOICE-02 P0 A completed voice interview bills exactly once

☐ Pass ☐ Fail ☐ Blocked

Given A voice interview attempt reaches a terminal "completed" outcome.

1. Let the call complete normally end to end.
2. Check the credit ledger for that application.

EXPECTED RESULT

Exactly one phone-interview credit deduction is recorded for that attempt, even if the result/status callback is retried by the provider.

Tested by:

Date:

Notes:

TC-VOICE-03 P0 A no-answer call bills at the reduced no-answer rate

☐ Pass ☐ Fail ☐ Blocked

Given A dispatched call is not picked up by the candidate.

1. Let the call go unanswered to a terminal no-contact outcome.

EXPECTED RESULT

The ledger shows the no-answer rate (lower than a completed interview), not the full interview cost, and not zero.

Tested by:

Date:

Notes:

TC-VOICE-04 P1 An incomplete (connected-but-unfinished) call bills at the incomplete rate

☐ Pass ☐ Fail ☐ Blocked

Given A call connects but ends before the interview finishes.

1. Simulate/observe a call that connects then drops or ends early.

EXPECTED RESULT

The ledger shows the incomplete-call rate, distinct from both the completed and no-answer rates.

Tested by:

Date:

Notes:

TC-VOICE-05 **P0** **Voice interview is blocked when credits are insufficient**☐ Pass ☐ Fail ☐ Blocked

Given The organization's balance is below the phone-interview cost.

1. Attempt to dispatch/start a voice interview.

EXPECTED RESULT

Dispatch is refused with an insufficient-credits message before any call is placed.

Tested by:

Date:

Notes:

TC-VOICE-06 **P1** **Capacity limits prevent overbooking the same time slot**☐ Pass ☐ Fail ☐ Blocked

Given A time slot already has the maximum number of concurrent interviews booked.

1. Attempt to book one more candidate into the same already-full slot.

EXPECTED RESULT

The booking is refused or the slot is hidden as unavailable; the existing bookings are unaffected.

Tested by:

Date:

Notes:

TC-VOICE-07 **P1** **A cancelled or provider-side failed call is free**☐ Pass ☐ Fail ☐ Blocked

Given A call is cancelled before connecting, or the provider reports a dispatch failure.

1. Trigger a cancellation or simulate a provider failure.

EXPECTED RESULT

No credit is charged for that attempt, and the reason is visible in the attempt's log.

Tested by:

Date:

Notes:

TC-VOICE-08 **P2** **Call transcript/log is retrievable after the interview**☐ Pass ☐ Fail ☐ Blocked

Given A voice interview has completed.

1. Open the applicant's voice interview record.

EXPECTED RESULT

The call log/transcript and outcome are visible to HR for review.

Tested by:

Date:

Notes:

Final (face-to-face) interview booking

Scheduling the human interview stage and calendar coordination

TC-BOOK-01 P0 HR schedules a final interview slot for a candidate

☐ Pass ☐ Fail ☐ Blocked

Given An applicant has passed the voice screening stage.

1. Open the applicant.
2. Offer/select a final interview slot.
3. Confirm.

EXPECTED RESULT

The slot is booked, reflected on the interviewer's calendar (if calendar integration is connected), and the applicant's status updates.

Tested by:

Date:

Notes:

TC-BOOK-02 P1 Candidate reschedules their final interview

☐ Pass ☐ Fail ☐ Blocked

Given A final interview is already booked.

1. Use the reschedule link/flow to move it to a different available slot.

EXPECTED RESULT

The old slot is freed for other candidates and the new slot is reserved; only one active booking exists for this applicant.

Tested by:

Date:

Notes:

TC-BOOK-03 P1 Double-booking the same slot is prevented

☐ Pass ☐ Fail ☐ Blocked

Given A slot has already been reserved by another candidate.

1. Attempt to book the same slot for a second candidate.

EXPECTED RESULT

The second booking attempt is rejected or the slot no longer appears as available.

Tested by:

Date:

Notes:

TC-BOOK-04 P2 Calendar busy-check reflects the interviewer's real availability

☐ Pass ☐ Fail ☐ Blocked

Given The interviewer's calendar has an existing conflicting event.

1. Check available slots for that interviewer around the conflicting time.

EXPECTED RESULT

The conflicting time is not offered as available.

Tested by:

Date:

Notes:

TC-BOOK-05 P1 Cancelling a final interview frees the slot and updates status

☐ Pass ☐ Fail ☐ Blocked

Given A final interview is booked.

1. Cancel the booking from either the HR side or the candidate side.

EXPECTED RESULT

The slot becomes available again and the applicant's status reflects the cancellation.

Tested by:

Date:

Notes:

TC-BOOK-06 P2 Booking respects the candidate's timezone

☐ Pass ☐ Fail ☐ Blocked

Given A candidate is based in a different timezone than the interviewer.

1. View available slots as that candidate.

EXPECTED RESULT

Slot times are displayed correctly converted to the candidate's local time, and the underlying stored time is the correct UTC instant.

Tested by:

Date:

Notes:

HR decisions & status history

Moving a candidate through the pipeline and the audit trail it leaves

TC-HR-01 P0 HR advances a candidate to the next stage

☐ Pass ☐ Fail ☐ Blocked

Given An applicant is sitting at a given pipeline stage.

1. Open the applicant.
2. Move them to the next stage (e.g. screening → interview → offer).

EXPECTED RESULT

The status updates immediately and is reflected in every list/filter view that shows pipeline stage.

Tested by:

Date:

Notes:

TC-HR-02 P0 HR rejects a candidate with a reason

☐ Pass ☐ Fail ☐ Blocked

Given An applicant is active in the pipeline.

1. Reject the candidate and record a reason/note.

EXPECTED RESULT

The candidate is marked rejected, the reason is saved, and they no longer appear in active-pipeline views (but remain in history).

Tested by:

Date:

Notes:

TC-HR-03 P1 Status history is complete and in order

☐ Pass ☐ Fail ☐ Blocked

Given An applicant has moved through several stages.

1. Open the applicant's status history tab.

EXPECTED RESULT

Every transition is listed chronologically with who made it and any note attached.

Tested by:

Date:

Notes:

TC-HR-04 P1 Reopening/reconsidering a rejected candidate works

☐ Pass ☐ Fail ☐ Blocked

Given A candidate was previously rejected.

1. Reactivate them back into an active pipeline stage.

EXPECTED RESULT

The candidate reappears in active views and their history shows both the rejection and the reactivation.

Tested by:

Date:

Notes:

Given Several roles exist in a mix of statuses (draft, approved, published, archived).

1. Open the dashboard.

EXPECTED RESULT

The open-positions count includes only approved/published roles that are actually still accepting candidates.

Tested by:

Date:

Notes:

TC-CRED-01 **P0** Every user in an organization shares one balance☐ Pass ☐ Fail ☐ Blocked**Given** Two different users belong to the same organization.

1. Sign in as User A and note the Ella Credits balance.
2. Sign in as User B in the same organization and note the balance.

EXPECTED RESULT

Both users see the exact same balance — a top-up or spend by one is immediately visible to the other.

Tested by:

Date:

Notes:

TC-CRED-02 **P0** Two organizations' balances never mix☐ Pass ☐ Fail ☐ Blocked**Given** Two separate organizations both hold Ella Credits.

1. Top up Organization A.
2. Check Organization B's balance.

EXPECTED RESULT

Organization B's balance is completely unaffected by Organization A's top-up or spend.

Tested by:

Date:

Notes:

TC-CRED-03 **P0** CV analysis deducts the correct amount☐ Pass ☐ Fail ☐ Blocked**Given** The organization has a known starting balance.

1. Trigger one CV analysis (e.g. via a manual applicant upload).
2. Check the balance and ledger afterward.

EXPECTED RESULT

The balance drops by exactly the configured cv_analysis cost, and one ledger row explains the deduction (event, amount, actor, timestamp).

Tested by:

Date:

Notes:

TC-CRED-04 **P0** A completed voice interview deducts the correct amount☐ Pass ☐ Fail ☐ Blocked**Given** The organization has a known starting balance.

1. Complete one voice interview end to end.
2. Check the balance and ledger.

EXPECTED RESULT

The balance drops by exactly the phone_interview cost, distinct from the no-answer/incomplete rates.

Tested by:

Date:

Notes:

TC-CRED-05 **P0** **An action is blocked, not partially charged, when the balance is insufficient**☐ Pass ☐ Fail ☐ Blocked

Given The balance is deliberately set below the cost of the next action.

1. Attempt a CV analysis or voice interview that would overdraw the balance.

EXPECTED RESULT

The action is refused with a clear insufficient-credits message, and the balance is unchanged — never goes negative.

Tested by:

Date:

Notes:

TC-CRED-06 **P1** **Manual top-up by an authorized user**☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a user who can manage credits (per access role).

1. Credits → add a manual top-up with a note.
2. Confirm.

EXPECTED RESULT

The balance increases by the entered amount and a TopUp ledger row records who added it, when, and why.

Tested by:

Date:

Notes:

TC-CRED-07 **P1** **Volume discount bonus applies above the configured threshold**☐ Pass ☐ Fail ☐ Blocked

Given A top-up amount at or above the configured discount threshold.

1. Top up an amount that crosses the volume-discount threshold.

EXPECTED RESULT

A second ledger row grants the correct bonus percentage on top of the base top-up, and the balance reflects both.

Tested by:

Date:

Notes:

TC-CRED-08 **P1** **Ledger and running totals reconcile**☐ Pass ☐ Fail ☐ Blocked

Given An organization has a mix of top-ups and deductions in its history.

1. Sum every TopUp minus every Deduction in the visible ledger.
2. Compare to the displayed current balance and the toppedUp/consumed totals.

EXPECTED RESULT

The numbers reconcile exactly — no drift between the ledger, the totals, and the balance shown.

Tested by:

Date:

Notes:

TC-CRED-09 **P0** **A newly created organization starts with the correct opening balance**☐ Pass ☐ Fail ☐ Blocked

Given A new organization is created with (or without) a starter-credit amount.

1. Create the organization.
2. Add its first user and check the Ella Credits page.

EXPECTED RESULT

The balance matches exactly what was configured at creation (0 if none was specified) — never inherits another organization's balance.

Tested by:

Date:

Notes:

TC-CRED-10 **P2** **Credit history page paginates/loads cleanly for a long history**☐ Pass ☐ Fail ☐ Blocked

Given An organization with a long history of top-ups and deductions.

1. Open the Ella Credits history view.

EXPECTED RESULT

The most recent entries load first and the page remains responsive; nothing errors out on a long ledger.

Tested by:

Date:

Notes:

TC-PAY-01 P0 Successful purchase grants exactly the purchased pack's credits

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a user who can purchase credits, sandbox HitPay is reachable.

1. Credits → Purchase → choose a pack.
2. Complete payment in the HitPay checkout as "paid".
3. Return to the portal.

EXPECTED RESULT

The organization's balance increases by exactly that pack's credit amount once, and a payment record shows status "paid".

Tested by:

Date:

Notes:

TC-PAY-03 P0 A failed or cancelled payment grants nothing

☐ Pass ☐ Fail ☐ Blocked

Given A checkout is started.

1. Cancel the checkout, or force a failed payment in sandbox.

EXPECTED RESULT

No credits are granted and the payment record shows the correct failed/cancelled status.

Tested by:

Date:

Notes:

TC-PAY-05 P1 Payment status can be reconciled after the fact

☐ Pass ☐ Fail ☐ Blocked

Given A payment is stuck in "pending" because a webhook was missed.

1. Use the payment status/reconcile lookup for that reference.

EXPECTED RESULT

The true status is fetched from the provider and the local record (and credits, if applicable) is corrected.

Tested by:

Date:

Notes:

TC-PAY-06 P2 Purchase history is visible per organization only

☐ Pass ☐ Fail ☐ Blocked

Given Two organizations have both made purchases.

1. View purchase history as a user in Organization A.

EXPECTED RESULT

Only Organization A's purchases are listed — never another organization's.

Tested by:

Date:

Notes:

TC-SET-01 P1 Editing a portal setting takes effect without a deploy

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as Admin/CEO.

1. Settings → change a configurable value (e.g. a discount threshold or department list).
2. Save.
3. Trigger the behavior that setting controls.

EXPECTED RESULT

The new value is used immediately, with no code deploy or restart needed.

Tested by:

Date:

Notes:

TC-SET-03 P2 Department list changes are reflected everywhere departments are chosen

☐ Pass ☐ Fail ☐ Blocked

Given A department is renamed or added in Settings.

1. Create a new role request and check the department picker.
2. Check an existing HOD's filtered view.

EXPECTED RESULT

The department picker and HOD filtering both reflect the updated list.

Tested by:

Date:

Notes:

TC-SET-04 P0 Non-admins cannot reach settings via a direct URL

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a non-admin access role.

1. Navigate directly to the settings URL.

EXPECTED RESULT

Access is blocked server-side, not just hidden in the UI.

Tested by:

Date:

Notes:

TC-AVATAR-01 P0 Candidate starts a live avatar interview from their link

☐ Pass ☐ Fail ☐ Blocked

Given An applicant has an avatar interview stage available.

1. Open the candidate's avatar interview link.
2. Grant camera/mic permission and start.

EXPECTED RESULT

The avatar session initializes and the interview questions relevant to that role are asked.

Tested by:

Date:

Notes:

TC-AVATAR-02 P1 A dropped connection can be resumed or restarted cleanly

☐ Pass ☐ Fail ☐ Blocked

Given An avatar session is interrupted mid-interview (network drop, tab closed).

1. Reopen the interview link.

EXPECTED RESULT

The candidate can resume or cleanly restart without corrupting the applicant's record or double-billing.

Tested by:

Date:

Notes:

TC-AVATAR-03 P1 Completed avatar interview results reach the applicant record

☐ Pass ☐ Fail ☐ Blocked

Given An avatar interview finishes.

1. Open the applicant as HR.

EXPECTED RESULT

The interview outcome/summary is attached to the applicant and visible to HR.

Tested by:

Date:

Notes:

TC-BOT-01 P1 Help bot answers a question about a real portal feature

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as any user, help bot available.

1. Ask the help bot a question like "How do I add a new organization?"

EXPECTED RESULT

The answer is accurate and matches how the feature actually works in this deployment.

Tested by:

Date:

Notes:

TC-BOT-02 P1 Help bot respects the asking user's own access and data

☐ Pass ☐ Fail ☐ Blocked

Given Signed in as a user scoped to one organization.

1. Ask the help bot to check a live value, e.g. "what's our current credit balance?"

EXPECTED RESULT

It answers using that user's own organization's data only, never another organization's.

Tested by:

Date:

Notes:

TC-BOT-03 P2 Help bot declines gracefully outside its scope

☐ Pass ☐ Fail ☐ Blocked

Given Any user.

1. Ask something entirely unrelated to the recruitment portal.

EXPECTED RESULT

It declines or redirects rather than fabricating an answer.

Tested by:

Date:

Notes:

TC-NOTIF-01 **P1** **Outbound pilot email notifications are confirmed off**

☐ Pass ☐ Fail ☐ Blocked

Given Pilot deployment configuration (outbound notifications are currently disabled by design).

1. Trigger an event that would normally send a candidate/HR email (e.g. application received, interview scheduled).
2. Check whether an email actually sends.

EXPECTED RESULT

No outbound email is sent during the pilot, matching the deliberate policy — confirm this is still the intended state before go-live, not a bug.

Tested by:

Date:

Notes:

TC-NOTIF-02 **P1** **In-portal status updates still happen even with email off**

☐ Pass ☐ Fail ☐ Blocked

Given Same as NOTIF-01.

1. Trigger the same event.
2. Check the in-portal status/notification indicator.

EXPECTED RESULT

The status/badge updates in the portal itself regardless of the email policy — only the outbound email is suppressed.

Tested by:

Date:

Notes: