

If there are fewer than 3 people in your group, feel free to merge your group with another group in the room.

Now switch to Pensieve:

- **Everyone:** Go to pensieve.co, log in with your @berkeley.edu email, and **enter your group number** (which was in the email that assigned you to this lab).

Once you're on Pensieve, you don't need to return to this page; Pensieve has all the same content (but more features). If for some reason Pensieve doesn't work, return to this page and continue with the discussion.

Getting Started

Everybody say your name, and then share your favorite restaurant, cafe, or boba shop near campus. (Yes, Kingpin Donuts counts as a restaurant.)

Select Statements

A **SELECT** statement describes an output table based on input rows. To write one: 1. Describe the **input rows** using **FROM** and **WHERE** clauses. 2. Format and order the **output rows** and columns using **SELECT** and **ORDER BY** clauses.

SELECT (*Step 2*) **FROM** (*Step 1*) **WHERE** (*Step 1*) **ORDER BY** (*Step 2*);

The **WHERE** and **ORDER BY** clauses are optional.

Pizza Time

The **pizzas** table contains the names, opening, and closing hours of great pizza places in Berkeley. The **meals** table contains typical meal times (for college students). A pizza place is open for a meal if the meal time is at or within the [open](#) and [close](#) times.

```
CREATE TABLE pizzas AS
  SELECT "Artichoke" AS name, 12 AS open, 15 AS close UNION
  SELECT "La Val's"      , 11      , 22      UNION
  SELECT "Sliver"        , 11      , 20      UNION
  SELECT "Cheeseboard"   , 16      , 23      UNION
  SELECT "Emilia's"      , 13      , 18;

CREATE TABLE meals AS
  SELECT "breakfast" AS meal, 11 AS time UNION
  SELECT "lunch"      , 13      UNION
  SELECT "dinner"     , 19      UNION
  SELECT "snack"      , 22;
```

Q1: Open Early

You'd like to have pizza before 13 o'clock (1pm). Create a **opening** table with the names of all pizza places that [open](#) before 13 o'clock, listed in reverse alphabetical order.

opening table:

| name |
|-----------|
| Sliver |
| La Val's |
| Artichoke |

```
-- Pizza places that open before 1pm in alphabetical order
```

```
SELECT "REPLACE THIS LINE WITH YOUR SOLUTION";
```

To order by **name** in reverse alphabetical order, write `ORDER BY name DESC`.

Q2: Study Session

You're planning to study at a pizza place from the moment it opens until 14 o'clock (2pm). Create a table **study** with two columns, the **name** of each pizza place and the **duration** of the study session you would have if you studied there (the difference between when it opens and 14 o'clock). For pizza places that are not open before 2pm, the **duration** should be zero. Order the rows by decreasing duration.

Hint: Use an expression of the form `MAX(_, 0)` to make sure a result is not below 0.

study table:

| name | duration |
|-------------|----------|
| La Val's | 3 |
| Sliver | 3 |
| Artichoke | 2 |
| Emilia's | 1 |
| Cheeseboard | 0 |

```
-- Pizza places and the duration of a study break that ends at 14 o'clock
```

```
SELECT "REPLACE THIS LINE WITH YOUR SOLUTION";
```

To order by decreasing duration, first name the column with `SELECT ..., ... AS duration ...`, then `ORDER BY duration DESC`.

Q3: Late Night Snack

What's still open for a late night **snack**? Create a **late** table with one column named **status** that has a sentence describing the closing time of each pizza place that closes at or after **snack** time. **Important:** Don't use any numbers

in your SQL query! Instead, use a join to compare each restaurant's closing time to the time of a snack. The rows may appear in any order.

late table:

| status |
|--------------------------|
| Cheeseboard closes at 23 |
| La Val's closes at 22 |

The `||` operator in SQL concatenates two strings together, just like `+` in Python.

```
-- Pizza places that are open for late-night-snack time and when they close

SELECT ____ || " closes at " || ____ AS status
FROM ____
WHERE ____;
```

To compare a pizza place's close time to the time of a snack: - join the `pizzas` and `meals` tables using `FROM pizzas, meals` - use only rows where the `meal` is a `"snack"` - compare the `time` of the snack to the `close` of the pizza place.

Use `name || " closes at " || close` to create the sentences in the resulting table. The `||` operator concatenates values into strings.

Document the Occasion

Please all fill out the [attendance form](#) (one submission per person per week).