

MYPORT FOLIO

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>PersonalPortfoliAngular</title>
  <base href="/">
  <meta name="viewport" content="width=device-width, initial-
scale=1">

  <link
href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200
" rel="stylesheet" />
  <link
href="https://use.fontawesome.com/releases/v5.0.6/css/all.css"
rel="stylesheet">
  <link href="https://maxcdn.bootstrapcdn.com/font-
awesome/latest/css/font-awesome.min.css" rel="stylesheet">
  <link href="assets/css/aos.css" rel="stylesheet">
  <link href="assets/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
  <link rel="icon" type="image/x-icon" href="favicon.ico">
</head>
<body>
  <app-root></app-root>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.j
s"></script>
  <script src="assets/js/core/popper.min.js"></script>
  <script src="assets/js/core/bootstrap.min.js"></script>
  <script src="assets/js/nou-ui-kit.js?v=1.3.0"></script>
  <script src="assets/js/aos.js"></script>
  <script src="assets/js/main.js"></script>
</body>
</html>
```

Create a folder name it as profile

In Profile folder Create sub folder name it as about

Create about.component.html

```
<div class="section" id="about">
  <div class="container">
    <div class="card" data-aos="fade-up" data-aos-offset="10">
```

```

<div class="row">
  <div class="col-lg-6 col-md-12">
    <div class="card-body">
      <div class="h4 mt-0 title">About Me</div>
      <p align="justify">From a young age,
I've always had a sense of motivation and passion driving me forward.
Whether it's exploring unique opportunities, learning additional
skills, or meeting new people, I bring these values to every
experience throughout my life on a personal and professional
level.</p>
      <p align="justify">Lover of innovation
and everything related to generate new knowledge.Face problems with
a smile and solve them as soon as possible. Very calculated about
the time I spend and work I do.</p>
      <p align="justify">To learn more about
me, keep exploring my site or reach out directly.</p>
    </div>
  </div>
  <div class="col-lg-6 col-md-12">
    <div class="card-body">
      <div class="h4 mt-0 title">Basic
Information</div>
      <div class="row">
        <div class="col-sm-4">
          <strong class="text-uppercase">Date
of Birth:</strong>
        </div>
        <div class="col-sm-8">November 17,
1999</div>
      </div>
      <div class="row mt-4">
        <div class="col-sm-4">
          <strong class="text-
uppercase">Email:</strong>
        </div>
        <div class="col-sm-
8">csadhana@gmail.com</div>
      </div>
      <div class="row mt-4">
        <div class="col-sm-4">
          <strong class="text-
uppercase">Mobile No:</strong>
        </div>
        <div class="col-sm-8">6357826849</div>
      </div>
      <div class="row mt-4">
        <div class="col-sm-4">

```

```

                                <strong class="text-
uppercase">Address:</strong>
                                </div>
                                <div class="col-sm-8">Narayanavanam(V&M)
CHittor(Dist)</div>
                                </div>
                                <div class="row mt-4">
                                    <div class="col-sm-4">
                                        <strong class="text-
uppercase">Language:</strong>
                                        </div>
                                        <div class="col-sm-
8">Telugu,hindhi,English</div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

Create about.component.css

Create about.component.spec.ts

```

import { async, ComponentFixture, TestBed } from
 '@angular/core/testing';

import { AboutComponent } from './about.component';

describe('AboutComponent', () => {
  let component: AboutComponent;
  let fixture: ComponentFixture<AboutComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ AboutComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(AboutComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {

```



```

        <input class="form-control"
type="text" name="name" #name placeholder="Name"
        [(ngModel)]="model.name"
#name="ngModel"
        [ngClass]="{ 'is-invalid':
f.submitted && name.invalid }" required />
    </div>
</div>
<div class="row mb-3">
    <div class="col">
        <div class="input-container">
            <input class="form-control"
type="text" name="subject" #subject placeholder="Subject"
            [(ngModel)]="model.subject"
#subject="ngModel"
            [ngClass]="{ 'is-invalid':
f.submitted && subject.invalid }" required />
        </div>
    </div>
</div>
<div class="row mb-3">
    <div class="col">
        <div class="input-group">
            <input class="form-control"
type="text" name="email" #email placeholder="E-mail"
            [(ngModel)]="model.email"
#email="ngModel"
            [ngClass]="{ 'is-invalid':
f.submitted && email.invalid }"
            pattern="^([a-zA-Z0-9_\-\.]+)@([a-
zA-Z0-9_\-\.]+)\.([a-zA-Z]{2,5})$" required />
        </div>
    </div>
</div>
<div class="row mb-3">
    <div class="col">
        <div class="form-group">
            <textarea class="form-control"
name="message" #message placeholder="Your Message"
            [(ngModel)]="model.message"
#message="ngModel"
            [ngClass]="{ 'is-invalid':
f.submitted && message.invalid }" required></textarea>
        </div>
    </div>
</div>
<div class="row">

```



```

    }));

    beforeEach(() => {
        fixture = TestBed.createComponent(ContactComponent);
        component = fixture.componentInstance;
        fixture.detectChanges();
    });

    it('should create', () => {
        expect(component).toBeTruthy();
    });
});

```

Create contact.component.ts

```

import { Component, OnInit } from '@angular/core';
import { HttpClient } from '@angular/common/http';
import { HttpHeaders } from '@angular/common/http';
import { ProfileService } from '../profile.service';
import { SnotifyService } from 'ng-snotify';
import { environment } from '../../environments/environment';

@Component({
    selector: 'app-contact',
    templateUrl: './contact.component.html',
    styleUrls: ['./contact.component.scss']
})
export class ContactComponent implements OnInit {
    model: any = {};

    constructor(
        private http: HttpClient
    ){}

    ngOnInit() {
    }
    onSubmit(name, subject, email, message) {
        const headers = new HttpHeaders({ 'Content-Type':
'application/json' });
        this.http.post('https://formspree.io/f/mwkwpszve',
            { name: name, subject: subject, replyto: email, message:
message },
            { 'headers': headers }).subscribe(
                response => {
                    console.log(response);
                }
            );
    }
}

```

```
}
```

In Profile folder Create sub folder name it as education

Create education.component.html

```
<div class="section" id="education">
  <div class="container cc-education">
    <div class="h4 text-center mb-4 title">Education</div>
    <div class="card">
      <div class="row">
        <div class="col-md-3 bg-primary" data-aos="fade-right" data-aos-offset="50" data-aos-duration="500">
          <div class="card-body cc-education-header">
            <p>2015-2019</p>
            <div class="h5">Bachelor Degree</div>
          </div>
        </div>
        <div class="col-md-9" data-aos="fade-left" data-aos-offset="50" data-aos-duration="500">
          <div class="card-body">
            <div class="h4">Bachelor of
Engineering</div>
            <div class="category">Sidhartha
institute of science and Technology</div>
            <ul>
              <li>Completed B-tech in
Electronics and communication Engineering with <b>65% </b>.</li>
            </ul>
          </div>
        </div>
      </div>
    </div>
    <div class="card">
      <div class="row">
        <div class="col-md-3 bg-primary" data-aos="fade-right" data-aos-offset="50" data-aos-duration="500">
          <div class="card-body cc-education-header">
            <p>2013-2015</p>
            <div class="h5">Secondary education</div>
          </div>
        </div>
        <div class="col-md-9" data-aos="fade-left" data-aos-offset="50" data-aos-duration="500">
          <div class="card-body">
            <div class="h4">Inter </div>
            <div class="category">Sri Sai Jyothi
junior College</div>
            <ul>
```



```

        declarations: [ EducationComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(EducationComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create education.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-education',
  templateUrl: './education.component.html',
  styleUrls: ['./education.component.scss']
})
export class EducationComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as footer

Create footer.component.html

```

<footer class="footer">
  <div class="container text-center">
    <a class="cc-facebook btn btn-link"
href="https://www.facebook.com/MRS.C SADHANA/" target="_blank">
      <i class="fa fa-facebook fa-2x " aria-hidden="true"></i>
    </a>
    <a class="cc-instagram btn btn-link"
href="https://www.instagram.com/mr.c sadhana/" target="_blank">
      <i class="fa fa-instagram fa-2x " aria-
hidden="true"></i>

```

```

        </a>
        <a class="cc-github btn btn-link "
href="https://https://github.com/NidamanuriRahulKumar/"
target="_blank">
            <i class="fa fa-github fa-2x " aria-hidden="true"></i>
        </a>
    </div>
    <div class="text-center text-muted">
        <p>&copy; All rights reserved.</p>
    </div>
</footer>

```

Create footer.component.scss

Create footer.component.spec.ts

```

import { async, ComponentFixture, TestBed } from
'@angular/core/testing';

import { FooterComponent } from './footer.component';

describe('FooterComponent', () => {
    let component: FooterComponent;
    let fixture: ComponentFixture<FooterComponent>;

    beforeEach(async(() => {
        TestBed.configureTestingModule({
            declarations: [ FooterComponent ]
        })
        .compileComponents();
    }));

    beforeEach(() => {
        fixture = TestBed.createComponent(FooterComponent);
        component = fixture.componentInstance;
        fixture.detectChanges();
    });

    it('should create', () => {
        expect(component).toBeTruthy();
    });
});

```

Create footer.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({

```

```

    selector: 'app-footer',
    templateUrl: './footer.component.html',
    styleUrls: ['./footer.component.scss']
  })
  export class FooterComponent implements OnInit {

    constructor() { }

    ngOnInit(): void {
    }

  }

```

In Profile folder Create sub folder name it as header

Create header.component.html

```

<header>
  <div class = "profile-page sidebar-collapse">
    <nav class="navbar navbar-expand-lg fixed-top navbar-
transparent bg-primary" color-on-scroll="400">
      <div class="container">
        <div class="navbar-translate">
          <a class="navbar-brand" href="#" rel="tooltip">MRS.C
SADHANA</a>
          <button class="navbar-toggler navbar-toggler"
type="button" data-toggle="collapse" data-target="#navigation" aria-
controls="navigation" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-bar bar1"></span>
            <span class="navbar-toggler-bar bar2"></span>
            <span class="navbar-toggler-bar bar3"></span>
          </button>
        </div>
        <div class="collapse navbar-collapse justify-content-
end" id="navigation">
          <ul class="navbar-nav">
            <li class="nav-item">
              <a class="nav-link smooth-scroll"
href="#about">About</a>
            </li>
            <li class="nav-item">
              <a class="nav-link smooth-scroll"
href="#skill">Skills</a>
            </li>
            <li class="nav-item">
              <a class="nav-link smooth-scroll"
href="#education">Education</a>
            </li>

```

```

        <li class="nav-item">
          <a class="nav-link smooth-scroll"
href="#reference">Reference</a>
        </li>

        <li class="nav-item">
          <a class="nav-link smooth-scroll"
href="#contact">Contact</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
</div>
</header>

```

Create header.component.scss

Create header.component.spec.ts

```

import { async, ComponentFixture, TestBed } from
 '@angular/core/testing';

import { HeaderComponent } from './header.component';

describe('HeaderComponent', () => {
  let component: HeaderComponent;
  let fixture: ComponentFixture<HeaderComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ HeaderComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(HeaderComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create header.component.ts

```
import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-header',
  templateUrl: './header.component.html',
  styleUrls: ['./header.component.scss']
})
export class HeaderComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}
```

In Profile folder Create sub folder name it as intro

Create intro.component.html

```
<div class="profile-page">
  <div class="wrapper">
    <div class="page-header page-header-small" filter-
color="orange">
      <div class="page-header-image" data-parallax="true"
style="background-image: url('assets/images/introduction.jpg');">
      </div>
      <div class="container">
        <div class="content-center">
          <div class="profile-image">
            <a href="#">
              
            </a>
          </div>
          <div class="h2 title">C SADHANA</div>
          <p class="category text-white">Java Full STack
Developer</p>
          <a class="btn btn-primary smooth-scroll mr-2"
href="#contact" data-aos="zoom-in" data-aos-anchor="data-aos-
anchor">Hire Me</a>
          <a class="btn btn-
primary" href="https://docs.google.com/document/d/1HSVZPYX0c_d6fkFsfn
OAAmb3--
LGD2Lo/edit?usp=sharing&ouid=105500183977979454287&rtpof=true&sd=tru
e" target="_blank" data-aos="zoom-in" data-aos-anchor="data-aos-
anchor">Download CV</a>
```

```

        </div>
    </div>
    <div class="section">
        <div class="container">
            <div class="button-container">
                <a class="btn btn-default btn-round btn-lg btn-
icon" href="https://www.facebook.com/Mr.YuvaKeratom/"
target="_blank" rel="tooltip" title="Follow me on Facebook">
                    <i class="fa fa-facebook"></i>
                </a>
                <a class="btn btn-default btn-round btn-lg btn-
icon" href="https://www.instagram.com/mr.yuvakeratom/"
target="_blank" rel="tooltip" title="Follow me on LinkedIn">
                    <i class="fa fa-linkedin"></i>
                </a>
                <a class="btn btn-default btn-round btn-lg btn-
icon" href="https://github.com/NidamanuriRahulKumar/"
target="_blank" rel="tooltip" title="Follow me on Github">
                    <i class="fa fa-github"></i>
                </a>
            </div>
        </div>
    </div>
</div>
</div>

```

Create intro.component.scss

Create intro.component.spec.ts

```

import { async, ComponentFixture, TestBed } from
 '@angular/core/testing';

import { IntroComponent } from './intro.component';

describe('IntroComponent', () => {
  let component: IntroComponent;
  let fixture: ComponentFixture<IntroComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ IntroComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {

```

```

    fixture = TestBed.createComponent(IntroComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create intro.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-intro',
  templateUrl: './intro.component.html',
  styleUrls: ['./intro.component.scss']
})
export class IntroComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as skills

Create skills.component.html

```

<div class="section" id="skill">
  <div class="container">
    <div class="h4 text-center mb-4 title">Skills</div>
    <div class="card" data-aos="fade-up" data-aos-anchor-
placement="top-bottom">
      <div class="card-body">
        <div class="row">
          <div class="col-md-6">
            <div class="progress-container progress-primary">
              <span class="progress-badge">Java</span>
              <div class="progress">
                <div class="progress-bar progress-bar-primary"
data-aos="progress-full" data-aos-offset="10"
data-aos-duration="2000" role="progressbar"
aria-valuenow="60" aria-valuemin="0" aria-valuemax="100"
style="width: 85%;"></div>
                <span class="progress-value">85%</span>

```



```

        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="progress-container progress-primary">
            <span class="progress-badge">Spring Framework</span>
            <div class="progress">
                <div class="progress-bar progress-bar-primary"
data-aos="progress-full" data-aos-offset="10"
data-aos-duration="2000" role="progressbar"
aria-valuenow="60" aria-valuemin="0" aria-valuemax="100"
style="width: 70%;"></div>
                <span class="progress-value">70%</span>
            </div>
        </div>
    </div>
    <div class="col-md-6">
        <div class="progress-container progress-primary">
            <span class="progress-badge">Angular8</span>
            <div class="progress">
                <div class="progress-bar progress-bar-striped
progress-bar-animated" data-aos="progress-full" data-aos-offset="10"
data-aos-duration="2000" role="progressbar"
aria-valuenow="60" aria-valuemin="0" aria-valuemax="100"
style="width: 60%;"></div>
                <span class="progress-value">60%</span>
            </div>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-6">
        <div class="progress-container progress-primary">
            <span class="progress-badge">RDBMS</span>
            <div class="progress">
                <div class="progress-bar progress-bar-primary"
data-aos="progress-full" data-aos-offset="10"
data-aos-duration="2000" role="progressbar"
aria-valuenow="60" aria-valuemin="0" aria-valuemax="100"
style="width: 75%;"></div>
                <span class="progress-value">75%</span>
            </div>
        </div>
    </div>
    <div class="col-md-6">
        <div class="progress-container progress-primary">
            <span class="progress-badge">HTML, CSS, JS</span>

```

```

        <div class="progress">
          <div class="progress-bar progress-bar-primary"
data-aos="progress-full" data-aos-offset="10"
          data-aos-duration="2000" role="progressbar"
aria-valuenow="60" aria-valuemin="0" aria-valuemax="100"
          style="width: 70%;"></div>
          <span class="progress-value">70%</span>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>

```

Create skills.component.scss

Create skills.component.spec.ts

```

import { async, ComponentFixture, TestBed } from
 '@angular/core/testing';

import { SkillsComponent } from './skills.component';

describe('SkillsComponent', () => {
  let component: SkillsComponent;
  let fixture: ComponentFixture<SkillsComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ SkillsComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(SkillsComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create skills.component.ts

```
import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-skills',
  templateUrl: './skills.component.html',
  styleUrls: ['./skills.component.scss']
})
export class SkillsComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}
```

In Profile create profile.component.html

```
<app-header></app-header>
<div class ="page-content">
  <app-intro></app-intro>
  <app-about></app-about>
  <app-skills></app-skills>
  <app-education></app-education>
  <app-contact></app-contact>
</div>
<app-footer></app-footer>
<ngx-spinner bdColor="rgba(255,255,255,1)" size="medium"
color="#033d5b" type="ball-spin-clockwise"></ngx-spinner>
```

In Profile create profile.component.scss

In Profile create profile.component.spec.ts

```
import { async, ComponentFixture, TestBed } from
 '@angular/core/testing';

import { ProfileComponent } from './profile.component';

describe('ProfileComponent', () => {
  let component: ProfileComponent;
  let fixture: ComponentFixture<ProfileComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ ProfileComponent ]
    })
    .compileComponents();
  }));
```

```

beforeEach(() => {
  fixture = TestBed.createComponent(ProfileComponent);
  component = fixture.componentInstance;
  fixture.detectChanges();
});

it('should create', () => {
  expect(component).toBeTruthy();
});
});

```

In Profile create profile.component.ts

```

import { Component, OnInit } from '@angular/core';
import { NgxSpinnerService } from 'ngx-spinner';

@Component({
  selector: 'app-profile',
  templateUrl: './profile.component.html',
  styleUrls: ['./profile.component.scss']
})
export class ProfileComponent implements OnInit {

  constructor(
    private spinner: NgxSpinnerService
  ) { }
  ngOnInit() {
    this.spinner.show();
    setTimeout(() => {
      this.spinner.hide();
    }, 2000);
  }
}

```

In Profile create profile.module.ts

```

import { NgModule } from '@angular/core';
import { CommonModule } from '@angular/common';
import { SnotifyModule, SnotifyService, ToastDefaults } from 'ng-snotify';
import { ProfileComponent } from './profile.component';
import { HeaderComponent } from './header/header.component';
import { FooterComponent } from './footer/footer.component';
import { IntroComponent } from './intro/intro.component';
import { AboutComponent } from './about/about.component';
import { NgxSpinnerModule } from 'ngx-spinner';

```

```
import { ContactComponent } from './contact/contact.component';
import { EducationComponent } from './education/education.component';
import { SkillsComponent } from './skills/skills.component';
import { FormsModule, ReactiveFormsModule } from '@angular/forms';
```

```
@NgModule({
  imports: [
    CommonModule,
    FormsModule,
    SnotifyModule,
    FormsModule,
    ReactiveFormsModule,
    NgxSpinnerModule
  ],
  declarations: [
    ProfileComponent,
    HeaderComponent,
    FooterComponent,
    AboutComponent,
    IntroComponent,
    ContactComponent,
    EducationComponent,
    SkillsComponent,
  ],
  providers: [
    { provide: 'SnotifyToastConfig', useValue: ToastDefaults},
    SnotifyService,
  ]
})
export class ProfileModule { }
```

In profile Create profile.service.ts

```
import { Injectable } from '@angular/core';
import { Observable } from 'rxjs';
import { HttpClient } from '@angular/common/http';
import { environment } from '../../environments/environment';
```

```
@Injectable({
  providedIn: 'root'
})
export class ProfileService {
  baseUrl = environment.baseUrl;

  constructor(
    private http: HttpClient
  ) { }
```

```
contactus(data: any): Observable<any> {  
    return this.http.post('http://localhost:4200/contact',data);  
}  
}
```

In profile open app.component.html

```
<router-outlet></router-outlet>
```

In profile open app.module.ts

```
import { BrowserModule } from '@angular/platform-browser';  
import { NgModule } from '@angular/core';  
  
import { AppComponent } from './app.component';  
import { RouterModule, Routes, ExtraOptions } from '@angular/router';  
import { ProfileComponent } from './profile/profile.component';  
import { ProfileModule } from './profile/profile.module';  
import { HttpClientModule } from '@angular/common/http';  
import { FormsModule, ReactiveFormsModule } from '@angular/forms';  
  
const routes: Routes = [  
  {  
    path: '',  
    component: ProfileComponent  
  }  
];  
  
const config: ExtraOptions = {  
  useHash: true,  
};  
  
@NgModule({  
  declarations: [  
    AppComponent  
  ],  
  imports: [  
    BrowserModule,  
    FormsModule,  
    ReactiveFormsModule,  
    RouterModule.forRoot(routes, config),  
    ProfileModule,  
    HttpClientModule  
  ],  
  providers: [],  
  bootstrap: [AppComponent]  
})
```

```
export class AppModule { }
```

In profile open app.component.spec.ts

```
import { TestBed, async } from '@angular/core/testing';
import { RouterTestingModule } from '@angular/router/testing';
import { AppComponent } from './app.component';

describe('AppComponent', () => {
  beforeEach(async(() => {
    TestBed.configureTestingModule({
      imports: [
        RouterTestingModule
      ],
      declarations: [
        AppComponent
      ],
    }).compileComponents();
  }));

  it('should create the app', () => {
    const fixture = TestBed.createComponent(AppComponent);
    const app = fixture.componentInstance;
    expect(app).toBeTruthy();
  });

  it(`should have as title 'Personal-Portfolio-Angular'`, () => {
    const fixture = TestBed.createComponent(AppComponent);
    const app = fixture.componentInstance;
    expect(app.title).toEqual('Personal-Portfolio-Angular');
  });

  it('should render title', () => {
    const fixture = TestBed.createComponent(AppComponent);
    fixture.detectChanges();
    const compiled = fixture.nativeElement;
    expect(compiled.querySelector('.content
span').textContent).toContain('Personal-Portfolio-Angular app is
running!');
  });
});
```

Open JS folder create file main.js

```
// Add your javascript here
// Don't forget to add it into respective layouts where this js file
is needed
```

```
$(document).ready(function() {
```

```

AOS.init( {
    // uncomment below for on-scroll animations to played only once
    // once: true
}); // initialize animate on scroll library
});

// Smooth scroll for links with hashes
$('a.smooth-scroll')
.click(function(event) {
    // On-page links
    if (
        location.pathname.replace(/^\//, '') ==
this.pathname.replace(/^\//, '')
        &&
        location.hostname == this.hostname
    ) {
        // Figure out element to scroll to
        var target = $(this.hash);
        target = target.length ? target : $('[name=' + this.hash.slice(1)
+ ']');
        // Does a scroll target exist?
        if (target.length) {
            // Only prevent default if animation is actually gonna happen
            event.preventDefault();
            $('html, body').animate({
                scrollTop: target.offset().top
            }, 1000, function() {
                // Callback after animation
                // Must change focus!
                var $target = $(target);
                $target.focus();
                if ($target.is(":focus")) { // Checking if the target was
focused
                    return false;
                } else {
                    $target.attr('tabindex','-1'); // Adding tabindex for
elements not focusable
                    $target.focus(); // Set focus again
                };
            });
        }
    }
});

```