

SHARP

New Model Of Active Speaker

CBOX-B655UBO



Spesifikasi

■ UMUM

Sumber daya	AC 100-240V ~ 50/60Hz
Konsumsi Min. daya (tanpa sinyal)	7 W
Konsumsi Maks. daya	75 W
Ukuran/kabinet	Panjang : 205 mm Lebar : 190 mm Tinggi : 391 mm

■ AMPLIFIER

Keluaran daya	1 x 35W (RMS)
Terminal masukan	USB & SD/MMC CARD, RCA L/R input, 1-MIC input.

■ Bluetooth

Sistem Bluetooth	Bluetooth versi 5.0
Frekuensi band <i>Bluetooth</i>	2.4 GHz band (2.4000 GHz - 2.4835 GHz)

■ USB

format pendukung : -Audio	MP3
------------------------------	-----


■ FM RADIO

Rentang frekuensi	87.50 MHz - 108.00 MHz
-------------------	------------------------



■ SPEAKER

Sistem speaker	2-way speaker
Speaker: -Woofer -Piezo	15.2 cm (6"), 8Ω, 30W 2.5 cm (1"), 25W
Frekuensi respons	20 Hz - 20 KHz
Masukan Impedans	50 KΩ

Bluetooth[®] 5



Speaker ini sudah dilengkapi dengan Bluetooth versi 5 yang merupakan generasi terbaru, memudahkan kita untuk melakukan koneksi nirkabel lain seperti Smartphone, Tablet dan Laptop.



Fitur unggulan USB/SD/MMC Playback memainkan music MP3 kesayangan anda dengan mudah dan instan dengan hanya menggunakan perangkat USB atau SD/MMC card dan FM Radio untuk mendengarkan siaran radio kesayangan di kota anda.

XBass

Fitur untuk menambah nada rendah (Suara Bass) lebih bertenaga dengan mengatur control / knob Xbass sesuai dengan selera anda.



Speaker ini dilengkapi dengan jack microphone untuk melengkapi kegiatan bersama keluarga anda seperti Karaoke, Seminar atau kegiatan lainnya.

FHSS

Frequency Hopping Spread Spectrum adalah sebuah system yang berfungsi untuk menjaga hubungan (*paired*) nirkabel agar tidak terjadi gangguan sinyal dengan perangkat nirkabel lain yang bisa mengganggu aktifitas sambungan.

SHARP

NEW PRODUCT PREVIEW ACTIVE SPEAKER

CBOX-B655UBO Active Speaker

Specifications

Power source Power Consumption (Max.) Power (No-Signal)	AC 100-240V ~ 50/60Hz 75W 7W
Power Output	1 x 35W (RMS) / 9000W PMPO
Speaker system	2-way speaker system
Drivers - Woofer - Piezo	15.2cm (6"), 8Ω, 30W 2.5cm (1"), 4Ω, 25W
Frequency response	20Hz - 20KHz
Input impedance	50K Ohms
Input sensitivity	600mV
Audio control	X-BASS, BASS, TREBLE, VOLUME
Microphone control	MIC VOLUME
Input microphone	1 Terminal
Connectivity	- BLUETOOTH 5.0, Freq. Band : 2.4 GHz (2.4000 GHz - 2.4835 GHz) - FM RADIO, Freq. Range : 87.50 MHz - 108.00 MHz - USB & SD/MMC (MP3 Playback) - LINE (RCA type L/R)
Dimension (WxDxH) Net weight Gross weight Shipping & Cubication	205 x 190 x 391 mm (per cabinet) Active speaker : 3.05 Kg Passive speaker : 2.70 Kg 6.65 Kg 472 x 257 x 451 mm ; 0.0547 m3
Content on the box	1 unit - Active speaker 1 pcs - RCA stereo cable (L/R type) 1 unit - Passive speaker 1 pcs - Warranty card 1 pcs - Remote control 1 pcs - Instruction manual

SHARP ELECTRONICS INDONESIA



SHARP ELECTRONICS INDONESIA

SHARP

Be Original.

Terima Kasih