100

**Duration**: 2.430 s Start: Oct 06, 4:45:07.442 pm End: Oct 06, 4:45:09.872 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 10 10 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Home page functionality	2.430 s	4	0	4	0	10	0	0	10	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Home page functionality	validation of title
2		verify cart icon
3		Checkout the deals section
4		Login to application

TAG	Scenario				Feature			
Name	T	P	F	S	Т	P	F	S
@sanity	2	0	2	0	1	0	1	0
@functional	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Home page functionality	4	0	4	0	2.430 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home page functionality	validation of title	2	0	0	2	1.248 s
2		verify cart icon	2	0	0	2	0.379 s
3		Checkout the deals section	3	0	0	3	0.381 s
4		Login to application	3	0	0	3	0.378 s

DETAILED SECTION -- 7 -

# **Home page functionality**

FAILED	DURATION - 2.430 s	Scenarios		Steps	
		Total - 4		Total - 10	
/ 4:45:07.442 pm // 4	4:45:09.872 pm /	Pass - 0	4	Pass - 0	10
		Fail - 4		Fail - 0	10
		Skip - 0		Skip - 10	

#### validation of title




#	Step / Hook Details	Status	Duration
	BEFORE - execution.MyAppHooks.launchBrowser()	FAILED	1.227 s
	org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:29)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	Caused by: org.openqa.selenium.WebDriverException: Unsuccessful command executed:  [C:\Users\CSBANG~1\AppData\Local\Temp\selenium-manager133005339669005411924344508369842\selenium-manager.exe,browser,		
	chrome,output, json] error sending request for url (https://chromedriver.storage.googleapis.com/LATEST_RELEASE_117): error trying to connect: dns error: No such host is known. (os error 11001) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows		
	11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:130)		
	at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:251)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:27)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ org. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	$at\ org. testng. in ternal. invokers. Test Method Worker. invoke Test Methods (Test Method Worker. java: 148)$		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User is at landing page	SKIPPED	0.001 s
2	Then Page title should contains "Shopping"	SKIPPED	0.000 s
	AFTER - execution.MyAppHooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at execution.MyAppHooks.tearDown(MyAppHooks.java:67)	FAILED	0.003 s
	AFTER - execution.MyAppHooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at execution.MyAppHooks.quitBrowser(MyAppHooks.java:77)	FAILED	0.001 s

# verify cart icon




#	Step / Hook Details	Status	Duration
	BEFORE - execution.MyAppHooks.launchBrowser()	FAILED	0.372 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: chrome, goog:chromeOptions: {args:		
	[remote-allow-origins=*], extensions: []}}		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:29)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	Caused by: org.openqa.selenium.WebDriverException: Unsuccessful command executed:		
	[C:\Users\CSBANG~1\AppData\Local\Temp\selenium-manager133005339669005411924344508369842\selenium-manager.exe,browser,		
	chrome,output, json] error sending request for url (https://chromedriver.storage.googleapis.com/LATEST_RELEASE_117): error trying to		
	connect: dns error: No such host is known. (os error 11001) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows		
	11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:130)		
	at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:251)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:27)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <a href="mailto:chromeDriver.java:87">chromeDriver.java:87</a> )		
	at org.openqa.selenium.chrome.ChromeDriver. <a href="mailto:chromeDriver.java:82">chromeDriver.java:82</a> )		
	at org.openqa.selenium.chrome.ChromeDriver.		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User is at landing page	SKIPPED	0.001 s
2	Then Cart icon should get displayed	SKIPPED	0.000 s
	AFTER - execution.MyAppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openga.selenium.TakesScreenshot.getScreenshotAs(org.openga.selenium.OutputType)"	]	
	because "ts" is null		
	at execution.MyAppHooks.tearDown(MyAppHooks.java:67)		
	AFTER - execution.MyAppHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openga.selenium.WebDriver.quit()" because "this.driver" is null	1	
	Java.iang.ivuii⊭ointer⊏xception. Cannot invoke org.openqa.seienium.vvebDnver.quit() because this.onver is nuii		

#	Step / Hook Details	Status	Duration
	at execution.MyAppHooks.quitBrowser(MyAppHooks.java:77)		

### **Checkout the deals section**




#	Step / Hook Details	Status	Duration
	BEFORE - execution.MyAppHooks.launchBrowser()	FAILED	0.370 s
	org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:29)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	Caused by: org.openqa.selenium.WebDriverException: Unsuccessful command executed:		
	[C:\Users\CSBANG~1\AppData\Local\Temp\selenium-manager133005339669005411924344508369842\selenium-manager.exe,browser,		
	chrome,output, json] error sending request for url (https://chromedriver.storage.googleapis.com/LATEST_RELEASE_117): error trying to		
	connect: dns error: No such host is known. (os error 11001) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows		
	11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:130)		
	at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:251)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:27)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User is at landing page	SKIPPED	0.000 s
2	When User click on smart phones deal	SKIPPED	0.000 s
3	Then deal sectio should get open	SKIPPED	0.000 s
	AFTER - execution.MyAppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at execution.MyAppHooks.tearDown(MyAppHooks.java:67)		
		FAILED	0.003 s
	AFTER - execution.MyAppHooks.quitBrowser()	FAILED	0.003 5
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at execution.MyAppHooks.quitBrowser(MyAppHooks.java:77)		

# **Login to application**



#	Step / Hook Details	Status	Duration
	BEFORE - execution.MyAppHooks.launchBrowser()	FAILED	0.366 s
	org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}} at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:29) at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82)</init></init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	Caused by: org.openqa.selenium.WebDriverException: Unsuccessful command executed:		
	[C:\Users\CSBANG~1\AppData\Local\Temp\selenium-manager133005339669005411924344508369842\selenium-manager.exe,browser,		
	chrome,output, json] error sending request for url (https://chromedriver.storage.googleapis.com/LATEST_RELEASE_117): error trying to		
	connect: dns error: No such host is known. (os error 11001) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows		
	11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:130)		
	at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:251)		
	at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:27)		
	at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:98)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:87)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:82)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:50)</init>		
	at qa.DriverFactory2.initBrowser(DriverFactory2.java:18)		
	at execution.MyAppHooks.launchBrowser(MyAppHooks.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User is at landing page	SKIPPED	0.000 s
2	When User enters the username as "8176867662"	SKIPPED	0.006 s
3	And User enters the password as "123456"	SKIPPED	0.000 s
	AFTER - execution.MyAppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null		
	at execution.MyAppHooks.tearDown(MyAppHooks.java:67)		
	AFTER - execution.MyAppHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at execution.MyAppHooks.quitBrowser(MyAppHooks.java:77)		
	at excessioning, the residual toward with the residual transfer and tr		