

Neovim Keybindings Summary

This document outlines the keybindings configured in your Neovim setup.

Leader Keys: * <leader> is mapped to Space * <localleader> is mapped to ,

General Neovim & Window Management

Mode	Keybinding	Action	File
Normal	<leader>c	Clear search highlighting	core/keymaps.lua
Normal	<F2>	Toggle code paste mode (:set invpaste paste?)	core/keymaps.lua
Normal	<leader>tk	Change vertical split to horizontal	core/keymaps.lua
Normal	<leader>th	Change horizontal split to vertical	core/keymaps.lua
Normal	<C-h>	Move to the split left	core/keymaps.lua
Normal	<C-j>	Move to the split below	core/keymaps.lua
Normal	<C-k>	Move to the split above	core/keymaps.lua
Normal	<C-l>	Move to the split right	core/keymaps.lua
Normal	<leader>r	Reload Neovim configuration (:so %)	core/keymaps.lua
Normal	<leader>s	Save current file (:w)	core/keymaps.lua
Normal	<leader>q	Close all windows and exit Neovim (:qa!)	core/keymaps.lua
Normal	<leader>w	Close current buffer (:bd!)	core/keymaps.lua
Normal	<leader>t	Go to next tab (:tabnext)	core/keymaps.lua
Normal	<leader>tt	Go to previous tab (:tabprevious)	core/keymaps.lua
Normal	<leader><left>	Go to previous buffer (:bprev)	core/keymaps.lua
Normal	<leader><right>	Go to next buffer (:bnext)	core/keymaps.lua
Normal	<C-t>	Open Terminal (:Term)	core/keymaps.lua
Terminal	kEsc>	Exit Terminal mode (<C-\><C-n>)	core/keymaps.lua

Note: Arrow keys are disabled in Normal mode.

Alpha (Dashboard)

Mode	Keybinding	Action	File
Normal	e	New file	plugins/alpha-nvim.lua
Normal	f	Find file (NvimTree)	plugins/alpha-nvim.lua
Normal	s	Open Settings	plugins/alpha-nvim.lua
Normal	u	Update plugins	plugins/alpha-nvim.lua
Normal	r	Recent files (Telescope)	plugins/alpha-nvim.lua
Normal	q	Quit Neovim	plugins/alpha-nvim.lua

Telescope

Mode	Keybinding	Action	File
Normal	<leader>ff	Find files	core/keymaps.lua
Normal	<leader>fg	Live grep	core/keymaps.lua
Normal	<leader>fb	List buffers	core/keymaps.lua
Normal	<leader>fh	Search help tags	core/keymaps.lua

NvimTree (File Explorer)

Mode	Keybinding	Action	File
Normal	<C-n>	Toggle NvimTree	core/keymaps.lua
Normal	<leader>nf	Refresh NvimTree	core/keymaps.lua
Normal	<leader>nn	Find file in Tree	core/keymaps.lua

Tagbar

Mode	Keybinding	Action	File
Normal	<leader>z	Toggle Tagbar	core/keymaps.lua

Iron (REPL Integration)

Mode	Keybinding	Action	File
Normal	<localleader>rr	Toggle REPL window	plugins/iron.lua
Normal	<localleader>rR	Restart REPL process	plugins/iron.lua
Normal/Visual	<localleader>sc	Send motion/visual selection	plugins/iron.lua
Normal	<localleader>sf	Send entire file	plugins/iron.lua
Normal	<localleader>sl	Send current line	plugins/iron.lua
Normal	<localleader>sp	Send current paragraph	plugins/iron.lua
Normal	<localleader>su	Send from start of line to cursor	plugins/iron.lua
Normal	<localleader>sm	Send marked text	plugins/iron.lua
Normal	<localleader>sb	Send current code block	plugins/iron.lua
Normal	<localleader>sn	Send block and move cursor	plugins/iron.lua
Normal/Visual	<localleader>mc	Mark motion/visual selection	plugins/iron.lua
Normal	<localleader>md	Remove marked text highlight	plugins/iron.lua
Normal	<localleader>s<cr>	Send carriage return to REPL	plugins/iron.lua
Normal	<localleader>s<localleader>	Send interrupt (Ctrl+C)	plugins/iron.lua
Normal	<localleader>sq	Exit REPL process	plugins/iron.lua
Normal	<localleader>cl	Clear REPL screen	plugins/iron.lua
Normal	<localleader>rf	Focus REPL	plugins/iron.lua
Normal	<localleader>rh	Hide REPL	plugins/iron.lua

Vimwiki

Mode	Keybinding	Action	File
Normal	<leader>ww	Open default wiki index file	plugins/vimwiki.lua, core/lazy.lua
Normal	<leader>ws	Select and open wiki index file	plugins/vimwiki.lua, core/lazy.lua
Normal	<leader>wd	Open diary index file	plugins/vimwiki.lua, core/lazy.lua
Normal	<leader>wn	Make a new diary note	plugins/vimwiki.lua, core/lazy.lua
Normal	<leader>wt	Create a new table	core/lazy.lua
Normal	<Leader>w<Leader>t	Open index in new tab	core/lazy.lua

LSP (Language Server Protocol) & Diagnostics

Mode	Keybinding	Action	File
Normal	gD	Go to Declaration	lsp/lspconfig.lua
Normal	gd	Go to Definition	lsp/lspconfig.lua
Normal	K	Show Hover information	lsp/lspconfig.lua
Normal	gi	Go to Implementation	lsp/lspconfig.lua
Normal	<C-k>	Show Signature Help	lsp/lspconfig.lua
Normal	<space>wa	Add Workspace Folder	lsp/lspconfig.lua
Normal	<space>wr	Remove Workspace Folder	lsp/lspconfig.lua
Normal	<space>wl	List Workspace Folders	lsp/lspconfig.lua
Normal	<space>D	Go to Type Definition	lsp/lspconfig.lua
Normal	<space>rn	Rename Symbol	lsp/lspconfig.lua
Normal	<space>ca	Show Code Actions	lsp/lspconfig.lua
Normal	gr	Show References	lsp/lspconfig.lua
Normal	<space>f	Format Code (async)	lsp/lspconfig.lua
Normal	<space>e	Show Line Diagnostics (float)	lsp/lspconfig.lua
Normal	[d	Go to Previous Diagnostic	lsp/lspconfig.lua
Normal]d	Go to Next Diagnostic	lsp/lspconfig.lua
Normal	<space>q	Set Diagnostics Loclist	lsp/lspconfig.lua

Neorg

Mode	Keybinding	Action	File
Normal	<leader>oo	Open Neorg index	core/keymaps.lua
Normal	<leader>op	Open Neorg journal	core/keymaps.lua
Normal	<localleader>nn	Create new Neorg note	core/keymaps.lua
Normal	g0	Show Neorg Table of Contents (TOC)	core/keymaps.lua
Normal	<localleader>tu	Set task to undone	core/keymaps.lua
Normal	<localleader>tp	Set task to pending	core/keymaps.lua
Normal	<localleader>td	Set task to done	core/keymaps.lua
Normal	<localleader>th	Set task to on-hold	core/keymaps.lua
Normal	<localleader>tc	Set task to cancelled	core/keymaps.lua
Normal	<localleader>tr	Set task to recurring	core/keymaps.lua
Normal	<localleader>ti	Set task to important	core/keymaps.lua
Normal	<localleader>ta	Set task to ambiguous	core/keymaps.lua
Normal	<C-Space>	Cycle task status	core/keymaps.lua
Normal	<CR>	Hop to link	core/keymaps.lua
Normal	<M-CR>	Hop to link (vertical split)	core/keymaps.lua
Normal	<M-t>	Hop to link (tab drop)	core/keymaps.lua
Normal	>.	Promote heading	core/keymaps.lua
Normal	<.,	Demote heading	core/keymaps.lua
Normal	>>	Promote heading (nested)	core/keymaps.lua
Normal	<<	Demote heading (nested)	core/keymaps.lua
Normal	<localleader>lt	Toggle list pivot	core/keymaps.lua
Normal	<localleader>li	Invert list pivot	core/keymaps.lua
Normal	<localleader>id	Insert date	core/keymaps.lua
Normal	<localleader>cm	Magnify code block	core/keymaps.lua
Insert	<C-t>	Promote heading	core/keymaps.lua
Insert	<C-d>	Demote heading	core/keymaps.lua
Insert	<M-CR>	Next iteration	core/keymaps.lua
Insert	<M-d>	Insert date	core/keymaps.lua
Visual	>	Promote heading range	core/keymaps.lua

Mode	Keybinding	Action	File
Visual	<	Demote heading range	core/keymaps.lua

Completion (nvim-cmp & luasnip)

Mode	Keybinding	Action	File
Insert	<C-n>	Select next completion item	plugins/nvim-cmp.lua
Insert	<C-p>	Select previous completion item	plugins/nvim-cmp.lua
Insert	<C-g>	Scroll documentation down	plugins/nvim-cmp.lua
Insert	<C-f>	Scroll documentation up	plugins/nvim-cmp.lua
Insert	<C-Space>	Trigger completion	plugins/nvim-cmp.lua
Insert	<C-e>	Close completion menu	plugins/nvim-cmp.lua
Insert	<CR>	Confirm selection (Replace)	plugins/nvim-cmp.lua
Insert	<Tab>	Select next item / Expand or Jump snippet	plugins/nvim-cmp.lua
Insert	<S-Tab>	Select previous item / Jump snippet back	plugins/nvim-cmp.lua