

Overview

Paths

GET /studios/list/

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The initial index from which to return the results.	integer
query	limit <i>optional</i>	Number of results to return per page.	integer

Responses

Code	Description	Links															
200	<i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>count <i>optional</i></td><td></td><td>integer</td></tr><tr><td>next <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>previous <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>results <i>optional</i></td><td></td><td>< > array</td></tr></table>	Name	Description	Schema	count <i>optional</i>		integer	next <i>optional</i>	<i>nullable</i>	string (uri)	previous <i>optional</i>	<i>nullable</i>	string (uri)	results <i>optional</i>		< > array	No Links
Name	Description	Schema															
count <i>optional</i>		integer															
next <i>optional</i>	<i>nullable</i>	string (uri)															
previous <i>optional</i>	<i>nullable</i>	string (uri)															
results <i>optional</i>		< > array															

GET /studios/list/filter/

Filter choices are: address, amenities, classoffering, id, latitude, longitude, name, phone_num, postal_code, studio_images

Responses

Code	Description	Links
200	<i>Content</i> application/json	No Links

GET /studios/{studio_id}/classes/list/

This returns a list of **all** ClassOfferings held by said studio, and sends a paginated list of ClassInstances, sorted in ascending order by the date of the ClassInstance.

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The initial index from which to return the results.	integer
query	limit <i>optional</i>	Number of results to return per page.	integer
path	studio_id <i>required</i>		string

Responses

Code	Description	Links															
200	<i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>count <i>optional</i></td><td></td><td>integer</td></tr><tr><td>next <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>previous <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>results <i>optional</i></td><td></td><td>< > array</td></tr></table>	Name	Description	Schema	count <i>optional</i>		integer	next <i>optional</i>	<i>nullable</i>	string (uri)	previous <i>optional</i>	<i>nullable</i>	string (uri)	results <i>optional</i>		< > array	No Links
Name	Description	Schema															
count <i>optional</i>		integer															
next <i>optional</i>	<i>nullable</i>	string (uri)															
previous <i>optional</i>	<i>nullable</i>	string (uri)															
results <i>optional</i>		< > array															

GET /studios/{studio_id}/

Parameters

Type	Name	Description	Schema
path	studio_id <i>required</i>		string

Responses

Code	Description	Links
200	<i>Content</i> application/json	No Links

GET /studios/{studio_id}/amenities/list/

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The initial index from which to return the results.	integer
query	limit <i>optional</i>	Number of results to return per page.	integer
path	studio_id <i>required</i>		string

Responses

Code	Description	Links															
200	<p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>count <i>optional</i></td><td></td><td>integer</td></tr><tr><td>next <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>previous <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr><tr><td>results <i>optional</i></td><td></td><td>< Amenity > array</td></tr></table>	Name	Description	Schema	count <i>optional</i>		integer	next <i>optional</i>	<i>nullable</i>	string (uri)	previous <i>optional</i>	<i>nullable</i>	string (uri)	results <i>optional</i>		< Amenity > array	No Links
Name	Description	Schema															
count <i>optional</i>		integer															
next <i>optional</i>	<i>nullable</i>	string (uri)															
previous <i>optional</i>	<i>nullable</i>	string (uri)															
results <i>optional</i>		< Amenity > array															

GET /studios/{studio_id}/images/list/

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The initial index from which to return the results.	integer
query	limit <i>optional</i>	Number of results to return per page.	integer
path	studio_id <i>required</i>		string

Responses

Code	Description	Links															
200	<p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>next <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr> <tr> <td>previous <i>optional</i></td><td><i>nullable</i></td><td>string (uri)</td></tr> <tr> <td>results <i>optional</i></td><td></td><td>< StudioImage > array</td></tr> </table>	Name	Description	Schema	count <i>optional</i>		integer	next <i>optional</i>	<i>nullable</i>	string (uri)	previous <i>optional</i>	<i>nullable</i>	string (uri)	results <i>optional</i>		< StudioImage > array	No Links
Name	Description	Schema															
count <i>optional</i>		integer															
next <i>optional</i>	<i>nullable</i>	string (uri)															
previous <i>optional</i>	<i>nullable</i>	string (uri)															
results <i>optional</i>		< StudioImage > array															

GET /studios/{studio_id}/classes/filter/

Filter choices are: capacity, classinstance, coach, description, end_recursion_date, id, keyword, name, studio, studio_id, timeinterval, userenroll

Parameters

Type	Name	Description	Schema
path	studio_id <i>required</i>		string

Responses

Code	Description	Links
200	<p><i>Content</i></p> <p>application/json</p>	No Links

GET /studios/{studio_id}/directions/

Parameters

Type	Name	Description	Schema
path	studio_id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

GET /subscriptions/payment_history/{user_id}/

Parameters

Type	Name	Description	Schema
path	user_id required		string

Responses

Code	Description	Links
200	Content application/json	No Links

POST /accounts/register/

Responses

Code	Description	Links
201	Content application/json	No Links

POST /accounts/login/

Takes a set of user credentials and returns an access and refresh JSON web token pair to prove the authentication of those credentials.

Responses

Code	Description	Links
201	Content application/json	No Links

POST /classes/enroll/single_class/{class_id}/

Parameters

Type	Name	Description	Schema
path	class_id required		string

Responses

Code	Description	Links
201	Content application/json	No Links

POST /classes/enroll/future_classes/{class_id}/

Parameters

Type	Name	Description	Schema
path	class_id required		string

Responses

Code	Description	Links
201	Content application/json	No Links

POST /subscriptions/subscription/

Responses

Code	Description	Links
201	Content application/json	No Links

PUT /accounts/{user_id}/update/

Parameters

Type	Name	Description	Schema
path	user_id required		string

Responses

Code	Description	Links
200	Content application/json	No Links

PATCH /accounts/{user_id}/update/

Parameters

Type	Name	Description	Schema
path	user_id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

PUT /subscriptions/subscription/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

DELETE /subscriptions/subscription/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
204		No Links

PATCH /subscriptions/subscription/{id}/

only allows patch of subscription type

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

PUT /subscriptions/subscription/update/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

PATCH /subscriptions/subscription/update/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

PUT /subscriptions/payment_method/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

PATCH /subscriptions/payment_method/{id}/

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		string

Responses

Code	Description	Links
200	Content application/json	No Links

DELETE /classes/unenroll/single_class/{class_id}/

Parameters

Type	Name	Description	Schema
path	class_id <i>required</i>		string

Responses

Code	Description	Links
204		No Links

DELETE /classes/unenroll/future_classes/{class_id}/

Parameters

Type	Name	Description	Schema
path	class_id <i>required</i>		string

Responses

Code	Description	Links
204		No Links

Components

Schemas

Studio

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 200	string
address <i>required</i>	Maximum Length: 200	string
postal_code <i>required</i>	Maximum Length: 200	string
phone_num <i>required</i>	Maximum Length: 200	string
longitude <i>required</i>	Maximum: 1000 Minimum: -1000 Multiple Of: 0.0000010	string (decimal)
latitude <i>required</i>	Maximum: 1000 Minimum: -1000 Multiple Of: 0.0000010	string (decimal)

Amenity

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 200	string
quantity <i>required</i>		integer

Name	Description	Schema
studio <i>optional</i>	<i>read only</i>	object
<i>Properties</i>		
Name	Description	Schema
name <i>required</i>	Maximum Length: 200	string
address <i>required</i>	Maximum Length: 200	string
postal_code <i>required</i>	Maximum Length: 200	string
phone_number <i>required</i>	Maximum Length: 200	string
longitude <i>required</i>	Maximum: 1000 Minimum: -1000 Multiple Of: 0.0000010	string (decimal)
latitude <i>required</i>	Maximum: 1000 Minimum: -1000 Multiple Of: 0.0000010	string (decimal)

StudioImage

Properties

Name	Description	Schema
image <i>required</i>		string (binary)

TFCUser

Properties

Name	Description	Schema
username <i>required</i>	Maximum Length: 200	string
password <i>required</i>	Maximum Length: 200	string
email <i>optional</i>	<i>nullable</i> Maximum Length: 254	string (email)
first_name <i>optional</i>	<i>nullable</i> Maximum Length: 200	string

Name	Description	Schema
last_name <i>optional</i>	<i>nullable</i> Maximum Length: 200	string
phone_number <i>optional</i>	<i>nullable</i> Maximum Length: 200	string
avatar <i>optional</i>	<i>nullable</i>	string (binary)

TokenObtainPair

Properties

Name	Description	Schema
username <i>required</i>		string
password <i>required</i>	<i>write only</i>	string

Subscription

Properties

Name	Description	Schema									
subscription_type <i>optional</i>	<i>read only</i> <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>price <i>required</i></td><td></td><td>number</td></tr> <tr> <td>period <i>required</i></td><td></td><td>enum (0,1)</td></tr> </table>	Name	Description	Schema	price <i>required</i>		number	period <i>required</i>		enum (0,1)	object
Name	Description	Schema									
price <i>required</i>		number									
period <i>required</i>		enum (0,1)									
payment_method <i>required</i>	<i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>card_number <i>required</i></td><td></td><td>integer</td></tr> <tr> <td>security_code <i>required</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	card_number <i>required</i>		integer	security_code <i>required</i>		integer	object
Name	Description	Schema									
card_number <i>required</i>		integer									
security_code <i>required</i>		integer									
subscription_type_id <i>required</i>	<i>write only</i>	integer									

PaymentMethod

Properties

Name	Description	Schema
card_number <i>required</i>		integer
security_code <i>required</i>		integer