CSC4200 - Homework 1 (Due - 09-07-2020 10PM CST)

Initial Setup

You are allowed to collaborate with other students on this portion. This portion is ungraded.

1) Set up a Google Cloud account by visiting here:

https://cloud.google.com/free/

Make sure you receive the \$300 credit.

2) Sign in, go to console.

https://console.cloud.google.com/

- 3) From Menu on the left, go to "Compute Engine", and click on "VM instances"
- 4) Create an instance. Make sure of the following configurations:
 - Machine type: n1-standard-2
 - Boot disk Ubuntu 18.04 LTS
 - Disk size 10 GB

- 5) Create another VM of same specification.
- 6) Note the external IP and Internal IP.
- 7) Configure the firewall.
 - Search for "vpc firewall rules" on the console.
 - Click on it.
 - Delete all the existing rules
 - Click on "Create Firewall Rule"
- 8) Use the following config:
 - Name: allowall
 - Direction: Ingress
 - Action on match: allow
 - Targets: "All instances in the network"
 - Source filter: IP ranges
 - Source IP ranges: 0.0.0.0/0
 - Protocols and ports: Allow all
 - Click on "Create"

- a) If using Linux
 - i) Generate a pair of public/private keys

On Linux, you will run the following command and follow the prompt. For the purpose of this class, a passphrase is unnecessary and can be left blank.

\$ ssh-keygen -t rsa

- ii) Deploy the key onto google cloud:
 - (1) Search for "ssh keys" on the console.
 - (2) Copy and paste the content of the "id_rsa.pub" file into the text field. The location of this file was selected when creating the key earlier.
 - (3) Save
- iii) SSH into your machines from a terminal, type

\$ ssh <your instance's public IP>

- b) If using Windows
 - i) Download and install Putty
 - (1) Download the 32 bit or 64 bit installer depending on your Operating System with the default settings.

https://www.chiark.greenend.org.uk/~sgtatham/putty/latest.html

(2) Find and open "puttygen"

Hit the generate button while keeping default settings.

- (3) Change the "Key comment" to your TNtech username, you will use this as your username in future steps.
- (4) Save the private key but do not close the keygen window yet.

- (5) Deploy the public key onto google cloud:
 - (a) Search for "ssh keys" on the Google console.
 - (b) Copy and paste the content of the "public key" windows from the KeyGen program into the text field
 - (c) Save
 - (d) Close the KeyGen window
- (6) Find and open "putty"
 - (a) In the Category menu on the left, navigate to Connection > SSH > Auth
 - (b) In the Private key file for authentication field, browse to the location of the private key saved in the previous step.
 - (c) In the **Category** menu on the left, navigate back to **Session**
 - (d) In the Host Name spot insert the external IP of one of the instances.
 - (e) In the Saved Sessions box, name the server and hit save.
 - (i) Repeat this for all servers to allow easier ssh access in the future.
- (7) When asked for the username, use your TNtech username you entered when creating the SSH key.

INDIVIDUAL HOMEWORK (Do not collaborate)

Please submit a PDF with your work. You might find the "man" command to be very useful.

SSH into two instances and perform the following tests:

- 1. Run **ping** between two instances and record the outputs for **both** internal and external interfaces. (5pts)
- 2. Submit the output as a screenshot and a table that briefly explains each field of the output. (20pts)
- 3. Install traceroute (sudo apt update && sudo apt install traceroute).
- 4. Run **traceroute** to tntech.edu, record the output (5 pts)
- 5. Submit the output as a screenshot and a table that briefly explains each field (20 pts)
- 6. Run **ifconfig** and record the output. (5pts)
- 7. Submit the output as a screenshot and the following information for an interface that is **not** "**lo**": IP address, Ethernet Address, netmask, and MTU (20pts)
- 8. Run **ip route show** and submit the output as a screenshot (5 pts)
- 9. Explain the first line of the output (20 pts)