Jarvis Server API

Documentation:

Base URL: https://detectionservices.herokuapp.com/

/register gcm user

https://detectionservices.herokuapp.com/register_gcm_user?token=[token_string]

Purpose

To register gcm user

HTTP Request Type

GET

Field	Value
token	String

Response JSON Example

https://detectionservices.herokuapp.com/register_gcm_user?token=dkdiwoeilw

$/update_gcm_user$

https://detectionservices.herokuapp.com/update_gcm_user?token=[token_string]

Purpose

To register gcm user token

HTTP Request Type

GET

Field	Value
old_token	String
new_token	String

Response JSON Example

https://detectionservices.herokuapp.com/update_gcm_user?old_token=dkdiwoeilw&new_token=dkjowueklwjje

/register_device

https://detectionservices.herokuapp.com/register_device?serial_no=[serial_no]&token=[token]&type=[type]

Purpose

Register sensor device with user token, serial no and type

Glossary

Token: The GCM token for that user

HTTP Request Type

GET

Field	Value
serial_no	String
token	String
type	String

Example HTTP Request

https://detectionservices.herokuapp.com/register_device?serial_no=dksioeiuw&token=skouewk&type=water

/devices

https://detectionservices.herokuapp.com/devices

Purpose

To show the list of sensor devices per user or all sensor devices

Glossary

Token: The GCM token for that user

HTTP Request Type

GET

Field	Value
token	String

Example HTTP Request

https://detectionservices.herokuapp.com/devices?token=dkwoeiwokew

All devices:

https://detectionservices.herokuapp.com/devices

/detection

https://detectionservices.herokuapp.com/detection?notification=[notification]&serial_no=[serial_no]

Purpose

Submit a new detection

HTTP Request Type

GET

Field	Value
serial_no	String
notification	String

Example Request

https://detectionservices.herokuapp.com/detection?notification=water leak &serial_no=dkwoeiwlke