Create Quiz Test Requirements Input Space Partitions

```
1. Input variables:
       5 input boxes: Name, lenght (in minutes, open date, due date, number of submissions(NOS))
       2 buttons: Create questions, cancel
2. Definition of charasteristics of input variables:
       char 1: name is empty or not
       char 2: lenght and NOS are numbers or not
       char 3: lenght and NOD compare to 0
       char 4: open and due area dates
       char 5: form button is clicked
3. Partitions:
       char 1: [empty, not empty]
       char 2: [number, not number]
       char 3: [neg, 0, pos]
       char 4: [date, not date]
       char 5: [create questions, cancel]
4. Completeness and disjointness:
       It is complete but not disjoint
5. Values:
       char 1: ["", "a"]
       char 2: [1,a]
       char 3: [-1, 0, 1]
       char 4: [11/14/2018 00:00, 12]
       char 5: [create questions, cancel]
6. Test requirements that satisfies Base Choice coverage:
       Base tr:
               tr 1: ["a", 1, 1, 11/14/2018 00:00, create questions]
       Base coverage:
               tr 2: ["a", 1, 1, 11/14/2018 00:00, cancel]
               tr 3: ["a", 1, 1, 12, create questions]
               tr 4: ["a", 1, 0, 11/14/2018 00:00, create questions]
               tr 5: ["a", 1, -1, 11/14/2018 00:00, create questions]
               tr 6: ["a", a, 1, 11/14/2018 00:00, create questions]
               tr 7: ["", 1, 1, 11/14/2018 00:00, create questions]
       Infeasible tests:
               tr 4
               tr 5
               tr 6
       Fix infeasible test:
               tr 4: ["a", 0, 0, 11/14/2018 00:00, create questions]
               tr 5: ["a", -1, -1, 11/14/2018 00:00, create questions]
               tr 6: ["a", a, a, 11/14/2018 00:00, create questions]
7. Test set:
       tc 1: a, 1, 11/14/2018 00:00, 11/14/2018 00:00, 1, create questions (base)
```

Expected output: next page (create questions)

- tc 2: a, 1, 11/14/2018 00:00, 11/14/2018 00:00, 1, cancel Expected output: stay on current page (create quiz)
- tc 3: a, 1, 12, 12, 1, create questions (base)

 Expected output: error message ("enter valid date")
- tc 4: a, 0, 11/14/2018 00:00, 11/14/2018 00:00, 0, create questions (base) Expected output: unknown, perhaps invalid input message
- tc 5: a, -1, 11/14/2018 00:00, 11/14/2018 00:00, -1, create questions (base) Expected output: error message ("enter valid number")
- tc 6: a, a, 11/14/2018 00:00, 11/14/2018 00:00, a, create questions (base) Expected output: error message ("enter valid number")
- tc 7: "", a, 11/14/2018 00:00, 11/14/2018 00:00, a, create questions (base) Expected output: error message ("enter valid number")

8. Additional tests

An additional test was created to make sure that the correct page shows up with the given url.


Test Results:


The base case and test case 2 pass. In other words if the input is valid then the page displays expected behavior.

Conversely, test cases 3, 4, 5, 6, and 7 fail because the page does not meet the requirements for invalid input (see fig. CQ1). In other words, if the input is invalid the page doesn't display expected behavior. Developers must be notified to update page behavior to pass tests.

To ensure tests are working properly, tests were changed temporally to accept actual output as expected result. After this change all tests passed (see fig. CQ2), so test harness is working properly, and problems lie on the page's code.

Fig. CQ1: Some tests failing because page doesn't meet requirements





Automated Tests on Selenium

```
import org.junit.Before:
import static org.junit.Assert.assertEquals;
import static org.junit.Assert.*;
import org.junit.After;
import org.junit.Test;
import org.openga.selenium.By;
import org.openga.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openga.selenium.firefox.FirefoxDriver;
import org.openga.selenium.chrome.ChromeDriver;
import org.openga.selenium.interactions.Actions;
import org.openga.selenium.support.ui.WebDriverWait;
import java.util.List;
public class CreateQuiz Test
    private WebDriver driver;
    private String url; // = "http://pegasus.cs.virginia.edu/quiztool/createQuiz/3/";
    @Before
    public void setUp()
        driver = new ChromeDriver();  // create an instance of the web browser and open
        System.setProperty("webdriver.chrome.driver", "/usr/bin/chromedriver");
        driver.get(url);
        driver.findElement(By.name("username")).sendKeys("professorM");
        driver.findElement(By.name("password")).sendKeys("swtesting1");
        WebElement element =
driver.findElement(By.xpath("(/html/body/div/div/form/div/button[@type='submit'])[1]"));
        element.click():
        url = "http://pegasus.cs.virginia.edu/guiztool/createQuiz/1/";
        driver.get(url);
    @After
    public void teardown()
        driver.quit();
    @Test
    public void test openURL()
        assertTrue(driver.getPageSource().contains("Create a Quiz")); // check if we are
on the right page
    @Test
```

```
public void test Base()
         driver.findElement(By.name("quiz_name")).clear();
         driver.findElement(By.name("quiz_name")).sendKeys("a");
         driver.findElement(By.name("duration")).clear();
         driver.findElement(By.name("duration")).sendKeys("1");
         driver.findElement(By.name("open date")).clear();
         driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
driver.findElement(By.name("due_date")).clear();
         driver.findElement(By.name("due_date")).sendKeys("11/14/2018 00:00");
         driver.findElement(By.cssSelector("body")).click();
to deselect the datepicker
         driver.findElement(By.name("number of allowed submissions")).clear();
         driver.findElement(By.name("number of allowed submissions")).sendKeys("1");
         driver.findElement(By.cssSelector("body")).click(); // Click on the background
to deselect the input field
// Submit
         WebElement element =
driver.findElement(By.xpath("(/html/body/div[1]/div/div[2]/form/div/button[@type='submit'])
         element.click();
         assertTrue(driver.getPageSource().contains("Question text"));
    @Test
    public void test case2()
         driver.findElement(By.name("quiz name")).clear();
         driver.findElement(By.name("quiz name")).sendKeys("a");
         driver.findElement(By.name("duration")).clear();
         driver.findElement(By.name("duration")).sendKeys("1");
         driver.findElement(By.name("open_date")).clear();
         driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
         driver.findElement(By.name("due_date")).clear();
         driver.findElement(By.name("due_date")).sendKeys("11/14/2018 00:00");
         driver.findElement(By.cssSelector("body")).click();
         driver.findElement(By.name("number of allowed submissions")).clear();
         driver.findElement(By.name("number_of_allowed_submissions")).sendKeys("1");
         driver.findElement(By.cssSelector("body")).click();
         driver.findElement(By.linkText("Cancel")).click();
         //try { Thread.sleep(1000); } catch (InterruptedException e) { }// TODO Auto
         assertTrue(driver.getPageSource().contains("CS 4501"));
    @Test
    public void test case3()
         driver.findElement(By.name("quiz_name")).clear();
         driver.findElement(By.name("quiz_name")).sendKeys("a");
         driver.findElement(By.name("duration")).clear();
         driver.findElement(By.name("duration")).sendKeys("1");
         driver.findElement(By.name("open_date")).clear();
         driver.findElement(By.name("open_date")).sendKeys("12");
         driver.findElement(By.name("due date")).clear();
         driver.findElement(By.name("due date")).sendKeys("12");
```

```
driver.findElement(By.cssSelector("body")).click();
                                                                 // Click on the background
        driver.findElement(By.name("number of allowed submissions")).clear();
        driver.findElement(By.name("number_of_allowed_submissions")).sendKeys("1");
        driver.findElement(By.cssSelector("body")).click();
                                                               // Click on the background
        try { Thread.sleep(1000); } catch (InterruptedException e) { }// TODO Auto
        WebElement element =
driver.findElement(By.xpath("(/html/body/div[1]/div/div[2]/form/div/button[@type='submit'])
        element.click();
        // Page should give error message "Invalid date"
        assertTrue(driver.getPageSource().contains("Invalid date"));
        // But instead breaks down
        //assertTrue(driver.getPageSource().contains("TypeError"));
    @Test
    public void test_case4()
        driver.findElement(By.name("quiz name")).clear();
        driver.findElement(By.name("quiz name")).sendKeys("a");
        driver.findElement(By.name("duration")).clear();
        driver.findElement(By.name("duration")).sendKeys("1");
        driver.findElement(By.name("open_date")).clear();
        driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
        driver.findElement(By.name("due_date")).clear();
        driver.findElement(By.name("due date")).sendKeys("11/14/2018 00:00");
        driver.findElement(By.cssSelector("body")).click();
to deselect the datepicker
        driver.findElement(By.name("number of allowed submissions")).clear();
        driver.findElement(By.name("number of allowed submissions")).sendKeys("0");
        driver.findElement(By.cssSelector("body")).click(); // Click on the background
        try { Thread.sleep(1000); } catch (InterruptedException e) { }// TODO Auto
        WebElement element =
driver.findElement(By.xpath("(/html/body/div[1]/div/div[2]/form/div/button[@type='submit'])
        element.click();
        assertTrue(driver.getPageSource().contains("Invalid duration"));
    @Test
    public void test case5()
        driver.findElement(By.name("quiz_name")).clear();
        driver.findElement(By.name("quiz name")).sendKeys("a");
        driver.findElement(By.name("duration")).clear();
        driver.findElement(By.name("duration")).sendKeys("1");
        driver.findElement(By.name("open date")).clear();
        driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
driver.findElement(By.name("due_date")).clear();
        driver.findElement(By.name("due date")).sendKeys("11/14/2018 00:00");
```

```
driver.findElement(By.cssSelector("body")).click();
                                                                // Click on the background
        driver.findElement(By.name("number of allowed submissions")).clear();
        driver.findElement(By.name("number_of_allowed_submissions")).sendKeys("-1");
        driver.findElement(By.cssSelector("body")).click(); // Click on the background
to deselect the input field
        try { Thread.sleep(1000); } catch (InterruptedException e) { }// TODO Auto
        WebElement element =
driver.findElement(By.xpath("(/html/body/div[1]/div/div[2]/form/div/button[@type='submit'])
        element.click();
        assertTrue(driver.getPageSource().contains("Invalid duration"));
        //assertTrue(driver.getPageSource().contains("Question text"));
    @Test // (expected = NullPointerException.class)
    public void test case6()
        driver.findElement(By.name("quiz name")).clear();
        driver.findElement(By.name("quiz name")).sendKeys("a");
        driver.findElement(By.name("duration")).clear();
        driver.findElement(By.name("duration")).sendKeys("1");
        driver.findElement(By.name("open_date")).clear();
        driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
        driver.findElement(By.name("due_date")).clear();
        driver.findElement(By.name("due date")).sendKeys("11/14/2018 00:00");
        driver.findElement(By.cssSelector("body")).click(); // Click on the background
to deselect the datepicker
        driver.findElement(By.name("number of allowed submissions")).clear();
        driver.findElement(By.name("number of allowed submissions")).sendKeys("a");
        driver.findElement(By.cssSelector("body")).click(); // Click on the background
        try { Thread.sleep(1000); } catch (InterruptedException e) { }// TODO Auto
        WebElement element =
driver.findElement(By.xpath("(/html/body/div[1]/div/div[2]/form/div/button[@type='submit'])
        element.click();
        assertTrue(driver.getPageSource().contains("Invalid duration"));
behavior
    @Test // (expected = NullPointerException.class)
    public void test case7()
        driver.findElement(By.name("quiz name")).clear();
        driver.findElement(By.name("quiz name")).sendKeys("");
        driver.findElement(By.name("duration")).clear();
        driver.findElement(By.name("duration")).sendKeys("1");
        driver.findElement(By.name("open date")).clear();
        driver.findElement(By.name("open_date")).sendKeys("11/14/2018 00:00");
        driver.findElement(By.name("due date")).clear();
```