




BA power to detect a 2x increase in mean CUE
Ram BKTR with 3 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 4 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 5 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BLTR with 3 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BLTR with 4 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BLTR with 5 years measured before restoration takes place
 $\alpha = 0.05$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 3 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 4 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 5 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
Ram BLTR with 3 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
Ram BLTR with 4 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
 Ram BLTR with 5 years measured before restoration takes place
 $\alpha = 0.10$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 3 years measured before restoration takes place
 $\alpha = 0.15$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 4 years measured before restoration takes place
 $\alpha = 0.15$




BA power to detect a 2x increase in mean CUE
Ram BKTR with 5 years measured before restoration takes place
 $\alpha = 0.15$



BA power to detect a 2x increase in mean CUE
Ram BLTR with 3 years measured before restoration takes place
 $\alpha = 0.15$



BA power to detect a 2x increase in mean CUE
 Ram BLTR with 4 years measured before restoration takes place
 $\alpha = 0.15$



BA power to detect a 2x increase in mean CUE
 Ram BLTR with 5 years measured before restoration takes place
 $\alpha = 0.15$

