LITERATURE CITED

- Anganuzzi, A. A. and S. T. Buckland. 1993. Post-stratification as a bias reduction technique. Journal of Wildlife Management 57:827-834.
- Australian National Parks and Wildlife Service. 1979. Aerial surveys of fauna populations.

 Australian National Parks and Wildlife Service Special Publication No. 1, Canberra.

 126 pp.
- Banfield, A. W. F., D. R. Flook, J. P. Kelsall and A. G. Loughrey. 1955. An aerial survey technique for northern big game. Transactions of the North American Wildlife Conference 20:519-530.
- Bart, J. and W. Notz. 1994. Analysis of data. pp. 23-74 in T. A. Bookhout (ed.), Research and Management Techniques for Wildlife and Habitats. The Wildlife Society, Bethesda, MD.
- Bartholow, J. 1990. POP-II system documentation. Fossil Creek Software, Fort Collins, CO. 51 pp.
- Batschelet, E. 1981. Circular statistics in biology. Academic Press, New York. 371 pp.
- Beasom, S. L., J. C. Hood and J. R. Cain. 1981. The effect of strip width on helicopter censusing of deer. Journal of Range Management 34:36-37.
- Bonham, C. D. 1989. Measurements for terrestrial vegetation. John Wiley and Sons, New York. 338 pp.
- Buckland, S. T. 1994. The principles and practice of large-scale wildlife surveys. Transactions of the North American Wildlife and Natural Resources Conference 59:149-158.
- Buckland, S. T., D. R. Anderson, K. P. Burnham and J. L. Laake. 1993. Distance sampling: estimating abundance of biological populations. Chapman and Hall, New York. 446 pp.
- Burnham, K. P. and D. R. Anderson. 1992. Data-based selection of an appropriate biological model: the key to modern data analysis. pp. 16-30 in D. R. McCullough and R. H. Barrett (eds.), Wildlife 2001: Populations. Elsevier Applied Science, New York.
- Burnham, K.P., D. R. Anderson and J. L. Laake. 1980. Estimation of density from line transect sampling of biological populations. Wildlife Monograph 72:1-202 pp.

- Caughley, G. 1974. Bias in aerial survey. Journal of Wildlife Management 38:921-933.
- Caughley, G. 1977a. Sampling in aerial survey. Journal of Wildlife Management 41:605-615.
- Caughley, G. 1977b. The analysis of vertebrate populations. Wiley and Sons, New York. 234 pp.
- Caughley, G. and J. Goddard. 1972. Improving the estimates from inaccurate censuses. Journal of Wildlife Management 36:135-140.
- Caughley, G. R. Sinclair and D. Scott-Kemmis. 1976. Experiments in aerial survey. Journal of Wildlife Management 40:290-300.
- Christiansen, T. 1992. Uinta-Cedar Mountain antelope. pp. 23-53 in District IV Annual Big Game Herd Unit Reports. Wyoming Game and Fish Dept., Cheyenne.
- Cochran, W. G. 1977. Sampling techniques., 2nd ed. Wiley and Sons, New York. 428 pp.
- Conroy, M. J. 1993. The use of models in natural resource management: prediction, not prescription. Transactions of the North American Wildlife and Natural Resources Conference 58:509-519.
- Conroy, M. J. and D. R. Smith. 1994. Designing large-scale surveys of wildlife abundance and diversity using statistical sampling principles. Transactions of the North American Wildlife and Natural Resources Conference 59:159-169.
- Cook, R. D. and J. O. Jacobsen. 1979. A design for estimating visibility bias in aerial surveys. Biometrics 34:735-742.
- Cook, R. D. and F. B. Martin. 1974. A model for quadrat sampling with "visibility bias." Journal of the American Statistical Association 69:345-349.
- Cressie, N. 1991. Statistics for spatial data. Wiley and Sons, New York. 900 pp.
- Crowe, D. M. 1983. Comprehensive planning for wildlife resources. Wyoming Game and Fish Department, Cheyenne. 143 pp.
- Drummer, T. D. 1991. SIZETRAN: analysis of size-biased line transect data. Wildlife Society Bulletin 19:117-118.
- Drummer, T. D. and L L. McDonald. 1987. Size bias in line transect sampling. Biometrics 43:13-21.
- Firchow, K. M., M. R. Vaughan and W. R. Mytton. 1990. Comparison of aerial survey techniques for pronghorns. Wildlife Society Bulletin 18:18-23.

- Gasaway, W. C., S. D. DuBois, D. J. Reed, and S. J. Harbo. 1986. Estimating moose population parameters from aerial surveys. Biological Papers of the University of Alaska 22:1-108.
- Gates, C. E. 1979. Line transects and related issues. pp. 71-154 in R. M. Cormack, G. P. Patil, and D. S. Robson (eds.), Sampling Biological Populations. International Coop. Publ. House, Fairland, MD.
- Gates, C. E. 1980. LINETRAN, a general computer program for analyzing line transect data. Journal of Wildlife Management 44:658-661.
- Gates, C. E., W. Evans, D. R. Gober, F.S. Guthery and W.E. Grant. 1983. Line transect estimation of animal densities from large data sets. pp. 37-50 in S. C. Beasom and S. F. Roberson (eds.), Game Harvest Management. Caesar Kleberg Wildlife Research Institute, Kingsville, TX
- Graham, A. and R. bell. 1969. Factors influencing the countability of animals. East African Agricultural and Forestry Journal 34(special issue):38-43.
- Guenzel, R. J. 1986. Pronghorn ecology in southcentral Wyoming. M.S. Thesis, University of Wyoming, Laramie. 347 pp.
- Guenzel, R. J. 1994. Adapting new techniques to population management: Wyoming's pronghorn experience. Transactions of the North American Wildlife and Natural Resources Conference 59:189-200.
- Hintze, J. L. 1991. NCSS-power analysis and sample size, version 1.0. reference manual. Number Cruncher Statistical software, Kaysville, UT. 248 pp.
- Johnson, B. and F. Lindzey. 1990. Guidelines for estimating pronghorn numbers using line transects. Wyoming Game and Fish Dept., Cheyenne. 30 pp.
- Johnson, B. K., F. G. Lindzey, and R. J. Guenzel. 1991. Use of aerial line transect surveys to estimate pronghorn populations in Wyoming. Wildlife Society Bulletin 19:315-321.
- Jolly, J. M. and R. M. Watson. 1979. Aerial sample survey methods in the quantitative assessment of ecological resources. pp. 203-216 in R. M. Cormack, G. P. Patil and D. S. Robson (eds.), Sampling Biological Populations. International Co-operative Publishing House, Fairfield, MD.
- Killaby, M., D. Dobson and C. Dunn. 1992. Pronghorn antelope in Saskatchewan: status and management strategies. Wildlife technical Report No. 2, Saskatchewan Natural Resources, Wildlife Branch, Regina. 137 pp.
- Krebs, C. J. 1989. Ecological methodology. Harper & Row, Publishers, New York. 654 pp.

- Laake, J. L., K. P. Burnham, and D. R. Anderson. 1979. User's manual for program TRANSECT. Utah State Univ. Press, Logan, UT. 26 pp.
- Laake, J. L., S. T. Buckland, D. R. Anderson, and K. P. Burnham. 1994. DISTANCE user's guide, version. 2.1. Colorado Cooperative Fish and Wildlife Research Unit, Colorado State University, Fort Collins. 72 pp.
- Laake, J. L., S. T. Buckland, D. R. Anderson, and K. P. Burnham. 1996. DISTANCE user's guide version 2.2. Colorado Cooperative Fish and Wildlife Research Unit, Colorado State Univ., Fort Collins. 82 pp.
- Laake, J. L., J. Calambokidis, S. D. Osmek, and D. J. Rugh. 1997. Probability of detecting harbor porpoise from aerial surveys: estimating g(0). Journal of Wildlife Management 61:63-75.
- Lipsey, M. K. 1990. Design sensitivity: statistical power for experimental research. Sage Publications, Thousand Oaks. 205 pp.
- Marsh, H. and D. F. Sinclair. 1989. Correcting for visibility bias in strip transect aerial surveys of aquatic fauna. Journal of Wildlife Management 53:1017-1024.
- Norton-Griffiths, M. 1978. Counting animals. African Wildlife Leadership Foundation Handbook No. 1, Nairobi, Kenya. 139 pp.
- Odland, J. Spatial autocorrelation. Scientific Geography Series, Volume 9. Sage Publications, Newbury Park, CA. 85 pp.
- Olson, K. 1995. Hawk Springs Pronghorn Antelope. pp. 15-33 in Laramie Region Annual Big Game Hers Unit Reports, Wyoming Game and Fish Dept., Cheyenne
- Otis, D. L. 1994. Introductory comments. Transactions of the North American Wildlife and Natural Resources Conference 59:147-148.
- Pojar, T. M. 1979. Population modeling in Colorado. pp. 3-6 in T. M. Pojar and D. Strickland (eds.), A Workshop on the Status and Application of Big Game Population Modeling. Colorado Division of Wildlife, Fort Collins.
- Pojar, T. M. 1981. A management perspective of population modeling. pp. 241-261 in C. W. Fowler and T. D. Smith (eds.), Dynamics of Large Mammal Populations. Wiley and Sons, New York.
- Pojar, T. M., D. C. Bowden, and R. B. Gill. 1995. Aerial counting experiments to estimate pronghorn density and herd structure. Journal of Wildlife management 59:117-128.

- Quang, P. X. and E. F. Becker. 1996. Line transect sampling under varying conditions with application to aerial surveys. Ecology 77:1297-1302.
- Ratti, J. T. and E. O. Garton. 1994. Research and experimental design. pp. 1-23 in T. A. Bookhout (ed.), Research and Management Techniques for Wildlife and Habitats. The Wildlife Society, Bethesda, MD.
- Routledge, R. D. 1981. The unreliability of population estimates from repeated, incomplete aerial surveys. Journal of Wildlife Management 45:997-1000.
- Routledge, R. D. and D. A. Fyfe. 1992. TRANSAN: line transect estimates based on shape restrictions. Wildlife Society Bulletin 20:455-456.
- Samuel, M. D. and E. O. Garton. 1994. Horvitz-Thompson survey sample methods for estimating large-scale animal abundance. Transactions of the North American Wildlife and Natural Resources Conference 59:170-179.
- Samuel, M. D., E. O. Garton, M. W. Schlegel, and R. G. Carson. 1987. Visibility bias during aerial surveys of elk in northcentral Idaho. Journal of Wildlife Management 51:622-630.
- Seber, G. A. F. 1982. The estimation of animal abundance and related parameters, 2nd. ed. MacMillan Publishing Co., Inc., New York. 654 pp.
- Strickland, D. 1979. ONEPOP implementation and use in Wyoming. pp. 7-10 in T. M. Pojar and D. Strickland (eds.), A Workshop on the Status and Application of Big Game Population Modeling. Colorado Division of Wildlife, Fort Collins.
- Swank, W. G., R. M. Watson, G. H. Freeman, and T. Jones (eds.). 1969. Proceedings of the workshop on the use of light aircraft in wildlife management in East Africa. East African Agricultural and Forestry Journal 34 (special issue):1-111.
- Thompson, I. D. 1979. A method for correcting population and sex and age estimates from aerial transect surveys for moose. Transactions of the North American Moose Conference 15:148-168.
- Thompson, S. K. 1992. Sampling. Wiley and Sons, New York. 343 pp.
- Thompson, S. K. and G. A. F. Seber. 1996. Adaptive sampling. Wiley and Sons, New York. 265 pp.
- Unsworth, J. W., F. A. Leban, D. J. Leptich, E. O. Garton, and P. Zager. 1994. Aerial survey: user's manual, second edition. Idaho Department of Fish and Game, Boise. 84 pp.

- van Hensbergen, H. J., M. P. S. Berry, and J. Juritz. 1996. Helicopter-based line-transect estimates of some Southern African game populations. South African Journal of Wildlife Research 26:81-87.
- White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. Capture-recapture and removal methods for sampling closed populations. Los Alamos National Laboratory, Los Alamos, NM. Report LA-8757-NERP.
- White, G. C., R. M. Bartmann, L. H. Carpenter and R. A. Garrott. 1989. Evaluation of aerial line transects for estimating mule deer densities. Journal of Wildlife Management 53:625-635.
- Wilson, D. E., F. R. Cole, J. D. Nichols, R. Rudran and M. S. Foster (eds.). 1996. Measuring and monitoring biological diversity: standard methods for mammals. Smithsonian Institution Press, Washington D.C. 409 pp.
- Woolley, T. P. 1995. Precision in pronghorn composition surveys in Wyoming. M.S. Thesis, University of Wyoming, Laramie. 74 pp.
- Wyoming Game and Fish Department. 1982. Handbook of biological techniques. Wyoming Game and Fish Department, Cheyenne. 442 pp.
- Zar, J. H. 1984. Biostatistical analysis, 2nd ed. Prentice-Hall, Inc., Englewood Cliffs, NJ. 718 pp.