

Website Audit Report

<https://burchcontracting.com/>

13 April 2026 · 23:10

Scores

CATEGORY	SCORE
On-Page Score	88 / 100
Performance (Lighthouse)	98 / 100
Accessibility (Lighthouse)	91 / 100
SEO (Lighthouse)	92 / 100
Best Practices (Lighthouse)	100 / 100

Key Metrics

METRIC	VALUE
Internal Links	83
External Links	10
Images	8
Scripts	77
Word Count	741
Text/HTML Ratio	0.03

Audit Category Summary

CATEGORY	SCORE	FAIL	WARN	PASS	TOTAL
Core SEO	97	0	1	17	18
Content	71	2	2	9	13
Performance	81	0	5	12	17
Links	96	0	1	14	15
Images	95	0	2	12	14
Security	86	1	2	11	14
Accessibility	93	0	2	10	12
Structured Data	90	0	1	4	5
Social	75	1	3	5	9
E-E-A-T	69	0	9	5	14
URL Structure	100	0	0	13	13
Mobile	100	0	0	5	5
HTML Validation	100	0	0	9	9
Redirects	100	0	0	5	5
AI/GEO Readiness	73	0	2	3	5
Internationalization	100	0	0	4	4

Detailed Audit Results

Core SEO — 97/100 (18 checks)

CHECK	RESULT
WARN No Snippet Blocking	Page blocks search snippets via nosnippet or max-snippet:0
PASS Title Tag Present	Title tag found: "Upstate SC Garage, Room Addition & Porch Contractor Burch"
PASS Title Tag Length	Title length is 59 characters (good)
PASS Meta Description Present	Meta description found (121 chars)
PASS Meta Description Length	Meta description is 121 characters (good)
PASS Canonical URL Present	Canonical URL found: https://burchcontracting.com
PASS Canonical URL Valid	Canonical URL is valid: https://burchcontracting.com
PASS Viewport Meta Tag	Viewport meta tag found
PASS Favicon Present	Favicon found
PASS H1 Tag Present	H1 found: "Garage Builders, Additions, and Porches, Decks & ADUs"
PASS Single H1 Tag	Page has exactly one H1 tag
PASS Robots Meta Directives	No restrictive robots directives found
PASS Canonical Header Validation	Canonical specified via single source
PASS Conflicting Canonical URLs	At most one canonical source found
PASS Canonical Not Pointing to Homepage	This is the homepage
PASS Canonical Protocol Match	Canonical protocol matches page protocol
PASS Canonical Loop Detection	Canonical is self-referencing
PASS Canonical and Noindex Conflict	Page does not have noindex directive

Content — 71/100 (13 checks)

CHECK	RESULT
FAIL Keyword Stuffing Check	Keyword stuffing detected: 5 words above 2% density
FAIL Text-to-HTML Ratio	Text-to-HTML ratio is very low: 3.6% (minimum 10% recommended)
WARN Content Reading Level	Content reads at a grade 18.8 level — may be difficult for a general audience (grade 12 or below recommended)
WARN Heading Hierarchy	Heading levels are skipped: h2 → h4 (skipped h3)
PASS Content Word Count	Content has 857 words
PASS Heading Length	All headings have appropriate length
PASS Title vs H1 Duplication	Title and H1 are different
PASS Title Pixel Width	Title pixel width is ~371.5px (within 580px limit)
PASS Meta Description Pixel Width	Meta description pixel width is ~740px (within 920px limit)
PASS Broken HTML Structure	No severe HTML structure issues detected
PASS Meta Tags in Body	All <meta> tags are correctly placed in <head>
PASS Content MIME Type	Content-type is text/html
PASS Article Link Density	Article link density is 10.2%

Detailed Audit Results

Performance — 81/100 (17 checks)

CHECK	RESULT
WARN Render-Blocking Resources	2 render-blocking script(s) in <head>
WARN No Lazy Loading Above Fold	2 of first 3 images are lazy-loaded
WARN LCP Optimization Hints	LCP candidate image not preloaded
WARN Page Weight	HTML is 217KB (recommended: <100KB)
WARN Inline JS Size	118KB inline JS (recommended: <50KB)
PASS DOM Size	DOM has 782 elements
PASS Preconnect Hints	Preconnect hints are in place
PASS Font Loading Optimization	Font loading is optimized
PASS CSS File Size	1 CSS file(s), 0KB inline
PASS Text Compression	Compression enabled: br
PASS Cache Policy	Caching headers present
PASS Response Time	Response time is 98ms
PASS Brotli Compression	Brotli compression enabled
PASS Minify Inline CSS	Inline CSS appears minified
PASS Minify Inline JS	Inline JavaScript appears minified
PASS Video Instead of GIF	No GIF images detected
PASS HTTP/2+ Support	HTTP/3 supported via alt-svc header

Links — 96/100 (15 checks)

CHECK	RESULT
WARN Descriptive Anchor Text	2 link(s) have empty, too-short, or non-descriptive anchor text
PASS Fragment Link Targets	All fragment links point to existing elements
PASS Invalid Links	No invalid links found
PASS Excessive Link Count	Page has 87 links
PASS No Localhost Links	No localhost or development server references found
PASS No Local File Links	No local file path references found
PASS No onclick Navigation	No onclick-based navigation detected
PASS Clean Link HREFs	All link href values are clean
PASS No HTTPS Downgrade	All links use HTTPS (no protocol downgrade)
PASS External Link Count	Page has 4 external link(s)
PASS Internal Links Present	Page has 81 internal link(s)
PASS Appropriate Nofollow Usage	Nofollow usage appears appropriate
PASS Valid Phone & Email Links	All 6 tel:/mailto: link(s) have valid format
PASS URL Depth	Page depth is 0 level(s)
PASS No Dead-End Pages	Page has 81 outgoing internal link(s)

Detailed Audit Results

Images — 95/100 (14 checks)

CHECK	RESULT
WARN Image Alt Text Length	3 images with problematic alt length: 3 with alt >125 chars
WARN Image Filename Quality	2 images with non-descriptive filenames
PASS Image Alt Attributes Present	All 8 images have alt attributes
PASS Image Alt Text Quality	All alt texts appear descriptive
PASS Image Dimensions Specified	All 8 images have explicit dimensions
PASS Image Lazy Loading	All below-fold images use lazy loading
PASS Modern Image Formats	6 of 6 images use modern formats (WebP/AVIF/SVG)
PASS Responsive Images (srcset)	8 of 8 images use srcset
PASS Figure Captions Present	No <figure> elements found on the page
PASS Inline SVG Size	All 66 inline SVGs are under 100KB
PASS Picture Element Fallback	No <picture> elements found on the page
PASS CSS Background Images for Content	Found 1 inline background-image declaration (within acceptable range)
PASS Image Dimensions Size	No images with dimensions exceeding 2000px
PASS Broken Image Detection	All 8 image sources appear valid

Security — 86/100 (14 checks)

CHECK	RESULT
FAIL TLS Configuration	No HSTS header
WARN HSTS Header	Missing Strict-Transport-Security header
WARN Content Security Policy	No Content Security Policy found
PASS HTTPS	Page served over HTTPS
PASS X-Frame-Options	X-Frame-Options: SAMEORIGIN
PASS X-Content-Type-Options	X-Content-Type-Options: nosniff
PASS External Links Security	All target="_blank" links have rel="noopener"
PASS Form HTTPS Actions	All forms submit securely
PASS Mixed Content	No mixed content detected
PASS Permissions Policy	Permissions-Policy header present
PASS Referrer Policy	Referrer-Policy: strict-origin-when-cross-origin
PASS No Leaked Secrets	No leaked secrets detected in HTML
PASS No Password Fields on HTTP	Page served over HTTPS
PASS No Protocol-Relative URLs	No protocol-relative URLs found

Detailed Audit Results

Accessibility — 93/100 (12 checks)

CHECK	RESULT
WARN Heading Level Order	Heading hierarchy skips 1 level(s)
WARN Skip Navigation Link	No skip-to-content link found among the first links in the page
PASS Interactive Element Labels	All 4 interactive elements have discernible text
PASS Color Contrast (Heuristic)	No obvious inline-style contrast issues detected
PASS Focus Visible Styles	No focus outline removal detected
PASS Form Input Labels	No form inputs found
PASS Landmark Regions	Found 4 landmark region(s): main, navigation, banner/header, contentinfo/footer
PASS Link Discernible Text	All 93 links have discernible text
PASS Table Headers	No tables found
PASS Touch Target Size	No inline-style touch target size issues detected
PASS Video Captions	No <video> elements found
PASS Zoom Not Disabled	Viewport meta does not restrict user zooming

Structured Data — 90/100 (5 checks)

CHECK	RESULT
WARN Schema Type Present	1 schema(s) missing @type property
PASS Structured Data Present	Found 2 JSON-LD block(s)
PASS Structured Data Valid JSON	All 2 JSON-LD block(s) are valid JSON
PASS Required Schema Fields	All schemas have required fields
PASS FAQ Schema	FAQPage schema is properly structured

Social — 75/100 (9 checks)

CHECK	RESULT
FAIL Open Graph Image	Page is missing <meta property="og:image"> tag
WARN Open Graph Image Format	No og:image found to validate
WARN Social Share Buttons	No social media share buttons or links detected
WARN Social Media Profile Links	No links to social media profiles found
PASS Open Graph Title	og:title found: "Burch Upstate SC Garage, Room Addition & Porch Contractor"
PASS Open Graph Description	og:description found (102 chars)
PASS Open Graph URL	og:url found: https://burchcontracting.com
PASS OG URL Matches Canonical	og:url matches canonical URL
PASS Twitter Card Meta Tag	twitter:card found: "summary_large_image"

Detailed Audit Results

E-E-A-T — 69/100 (14 checks)

CHECK	RESULT
WARN Privacy Policy	No privacy policy link found
WARN Terms of Service	No terms of service link found
WARN Author Byline	No author byline found — adding author attribution improves E-E-A-T
WARN Author Expertise Signals	No author expertise signals found (bio, credentials)
WARN Content Dates	No publication or modification date found
WARN Physical Address	No physical address found
WARN Editorial Policy	No editorial policy link found
WARN Trust Signals	No trust signals detected (badges, reviews, certifications)
WARN Disclaimers	YMYL content detected without visible disclaimers
PASS About Page Link	Link to about page found
PASS Contact Page Link	Link to contact page found
PASS External Citations	4 external link(s) found — supporting citations strengthen content
PASS Affiliate Disclosure	No affiliate links detected
PASS YMYL Detection	YMYL categories detected: legal — ensure strong E-E-A-T signals

URL Structure — 100/100 (13 checks)

CHECK	RESULT
PASS URL Slug Keywords	Homepage URL — no slug to check
PASS No Stop Words in URL	No stop words found in URL
PASS No Uppercase in URL	URL path is lowercase
PASS No Underscores in URL	URL uses hyphens (not underscores)
PASS No Double Slash in Path	No double slashes in URL path
PASS No Spaces in URL	No spaces in URL
PASS No Non-ASCII in URL	URL uses ASCII characters only
PASS URL Length	URL is 28 characters
PASS No Repetitive Path Segments	No repeated URL segments
PASS URL Parameters	No query parameters
PASS No Session IDs in URL	No session IDs in URL
PASS No Tracking Parameters	No tracking parameters in URL
PASS No Internal Search URLs	Not a search results page

Mobile — 100/100 (5 checks)

CHECK	RESULT
PASS Readable Font Size	No inline font sizes below 12px detected
PASS Viewport Uses device-width	Viewport uses width=device-width
PASS Single Viewport Tag	Single viewport meta tag
PASS No Intrusive Interstitials	No intrusive interstitials detected
PASS No Horizontal Scroll	No major horizontal scroll issues detected

Detailed Audit Results

HTML Validation — 100/100 (9 checks)

	CHECK	RESULT
PASS	DOCTYPE Declaration	<!DOCTYPE html> is present
PASS	Character Encoding	Character encoding is declared
PASS	Valid Head Elements	All <head> children are valid
PASS	Noscript in Head	No <noscript> in <head>
PASS	Single Head Element	Single <head> element
PASS	HTML Size Limit	HTML is 0.21MB
PASS	No Placeholder Text	No placeholder text detected
PASS	Single Title Element	Single <title> element
PASS	Single Meta Description	Single meta description

Redirects — 100/100 (5 checks)

	CHECK	RESULT
PASS	No Meta Refresh Redirect	No meta refresh redirect
PASS	No JavaScript Redirect	No JavaScript redirects detected
PASS	No HTTP Refresh Header	No HTTP Refresh header
PASS	Redirect Type	HTTP 200 — no redirect
PASS	No HTTP Resource URLs on HTTPS	All resources use HTTPS

AI/GEO Readiness — 73/100 (5 checks)

	CHECK	RESULT
WARN	AI Bot Access	5 AI crawler(s) blocked: GPTBot, Google-Extended, CCBot, Bytespider, Amazonbot
WARN	llms.txt Reference	No llms.txt reference found — consider adding one for AI discoverability
PASS	Semantic HTML	6 semantic element types found: article, section, main, nav, header, footer
PASS	Content Structure for AI	Good content structure: 53 structural elements
PASS	Schema Content Drift	JSON-LD content aligns with visible page text

Internationalization — 100/100 (4 checks)

	CHECK	RESULT
PASS	HTML Lang Attribute	Lang attribute: en
PASS	Hreflang Tags	2 hreflang tag(s) found for: en-US
PASS	No Hreflang on Noindex Pages	Page is indexable with hreflang
PASS	Hreflang Self-Reference	Hreflang includes self-referencing tag

Heading Structure

H1 (1)

1. Garage Builders, Additions, and Porches, Decks & ADUs

H2 (9)

1. Free estimate planning for the projects homeowners ask about most
2. Why Choose Burch Contracting?
3. Our Services
4. Popular Remodeling Pages by City
5. Service Areas We're Proud to Serve
6. Project Cost Calculators
7. Recent Projects
8. What Our Customers Say
9. Ready to Start Your Project?

H3 (38)

1. Licensed & Insured
2. Clear Communication
3. Quality Workmanship
4. On-Time & On-Budget
5. Handyman Services
6. Remodeling
7. Home Additions
8. Basement Finishing
9. Garage Builder in Simpsonville, SC
10. Room Additions in Simpsonville, SC
11. Screened Porch Contractor in Simpsonville, SC
12. Deck Builder in Simpsonville, SC
13. ADU Builder in Simpsonville, SC
14. Garage Builder in Fountain Inn, SC
15. Room Additions in Fountain Inn, SC
16. Screened Porch Contractor in Fountain Inn, SC
17. Deck Builder in Fountain Inn, SC
18. ADU Builder in Fountain Inn, SC
19. Simpsonville
20. Greenville
21. Five Forks
22. Woodruff
23. Gray Court
24. Fountain Inn
25. Mauldin
26. Laurens
27. Kitchen Remodel Budget
28. Bathroom Remodel Budget
29. Room Addition Budget
30. Deck and Porch Budget
31. Basement Finish Budget
32. Kitchen Workflow Upgrade in Simpsonville
33. Primary Bathroom Renovation in Greenville
34. Room Addition Expansion in Greenville
35. Deck Entertaining Space in Simpsonville
36. Basement Living Suite in Greenville
37. Screened Porch Family Space in Five Forks
38. See All Our Google Reviews

H4 (3)

1. Contact
2. Hours
3. Explore

Social Media Tags

PROPERTY	VALUE
og:title	Burch Upstate SC Garage, Room Addition & Porch Contractor
og:description	Burch is an Upstate SC garage, room addition, porch, deck, and ADU contractor offering free estimates.
og:url	https://burchcontracting.com
twitter:card	summary_large_image
twitter:title	Burch Contracting Upstate SC Garage & Addition Contractor
twitter:description	Free estimates from an Upstate SC garage, addition, porch, deck, and ADU contractor.
twitter:image	https://burchcontracting.com/og-image.webp
twitter:domain	burchcontracting.com