

# Proposed Methodology for Sign Language Recognition

Riya Gupta

*KIET Group of Institutions, Delhi-NCR, Ghaziabad, India*

Priyanka Anand

*KIET Group of Institutions, Delhi-NCR, Ghaziabad, India*

Khushboo Jha

*KIET Group of Institutions, Delhi-NCR, Ghaziabad, India*

Gagan Thakral

*KIET Group of Institutions, Delhi-NCR, Ghaziabad, India*

**ABSTRACT:** “Language shapes the way we think, and determines what we can think about. Sign language, too, makes an enormous difference in the way we can think.”- Temple Grandin  
Sign language is also known as a form of nonverbal communication that relies on the visual manual modality. One popular way that people with hearing disabilities interact with each other is through gestures, and there are a variety of options possible for their interaction, including sign language. In this paper, by using video or hand gesture input, the device can recognize various alphabetical sequences with a color background provided using American Sign Language. Different parameters and feature extraction methods were used in the experiments to improve the model's detection accuracy. Overall, the findings highlight the promise of machine learning methodologies for sign language identification as well as the importance of developing precise and effective systems in narrowing the communication divide between the auditors and the deaf.  
**Keywords-** American Sign Language, Hand Gesture Recognition, Tensorflow, Convolution Neural Network (CNN), OpenCV

## 1 INTRODUCTION

Effective communication is vital for human connection in today's interconnected society. However, conventional communication techniques may not fully meet the diverse needs of people with hearing impairments. Sign language is used by many people who are deaf or hearing-impaired, a visual language based on gestures, is their primary form of communication. Gesture recognition provides a natural and intuitive method for human-computer interaction, particularly in converting sign language to text. It is crucial to ensure good communication and accessibility for this population [1].

Nonverbal communication, encompassing body language, gestures and facial expressions plays an important role for individuals affected by conditions like mumps, Down syndrome, autism, ear infections, meningitis, measles, rubella, brain disorders, genetic factors, and speech impairments. This form of communication serves as the vital means for conveying emotions, intentions and messages, especially for those facing challenges in verbal expressions[1][2].

Because of the rapid structural changes in signed motions and the variability in interpretations across nations, identifying sign language poses challenges. Creating an efficient system for recognizing signs can significantly improve international sign-based communication. While recent advances in machine learning and computer vision show promise, much more work in this area is required to achieve the desired results in sign language recognition [1].

The project's implementation entails developing a model to detect sign language using an OpenCV webcam to capture hand gesture images [2]. Convolutional Neural Networks (CNNs) are ideal for image and video analysis because they extract features from images and videos via convolution and pooling layers. CNNs are particularly useful in computer vision applications like object classification and image recognition. Despite progress, challenges in gesture recognition include issues with classification and distinguishing sign gestures from transitional movements [9].

Recognizing the communication gap for the speech-impaired community, researchers are focusing on hand gesture recognition systems that are tailored to their specific requirements. These systems aim to convert hand gestures into audible speech or text, thereby facilitating communication with the general public. Deep learning and neural network advances have improved the accuracy and efficiency of these systems, opening up new avenues for inclusivity and communication enhancement for the speech-impaired [6].

## 2 LITERATURE SURVEY

For human-computer interaction mouse, keyboard, touch screen, and remote control are most common devices. Although, body language and voice are usually used which is generally known as more effective and flexible [12]. Zhi-Hua Chen et al. [13] claim that the quick advancement of hardware and software necessitates the need for new forms of HCI. Particularly, gesture and speech recognition have received more considerations in the domain of HCI. Specifically, gesture recognition requires artificial intelligence (AI) or computer vision technology. Real-time motion-driven recognition is only among numerous matter that can be researched in computer vision technology. Recognition system's development can be made in a number of means. This field study commonly aim to improve the accuracy of gesture recognition, encompassing hand, sign, and body movements. Generally speaking, recognition technology can identify many objects for various application, that consists faces, patterns, hand or body motions, and movements. A real-time gesture recognition study conducted in 2013 gained a success rate over 68% for every gesture. This analysis combines a face detector with an optical flow feature [14].

“Shirbate, Shinde, Metkari, Borkar, and Khandge proposed a sign language recognition system using support vector machines in 2007. Authors have trained the model on an Indian sign language (ISL) dataset” [10]. For dataset, the skin portion of the image dataset was segmented. Their primary focus, the classification, involved extracting pertinent features from the skin-segmented images [10]. The model was trained using these extracted features, and image recognition was performed using the trained model [10]. This research paper's system has an accuracy rate of almost 100% [10]. “Kanchan Dabre and Surekha Dholay proposed a machine learning model for sign language interpretation using webcam images” [11]. The authors recognized the hand gestures using neural network techniques and the Haar Cascade Classifier. This research paper's system has an accuracy rate of 92.68% [11].

SLR provides a means of communication for people having problem in gaining expertise in sign language. It translates a gesture into a widely spoken language, such as English. Nevertheless, that SLR gained significant dedication, there are several problems that still want resolution. Thanks to machine learning techniques, on the basis of data and information, electronic systems capable of decision making. For the classification of algorithms training and testing dataset are required. For evaluating the model, testing dataset is used and the training dataset gives the classifier experiences [15]. Effective techniques for gathering data and classifying it have been developed by numerous writers [16][17]. Considering the data acquisition method,

former work is partitioned into two sections: vision-based approaches and direct measurement methods [16]. Motion data gloves, motion capturing systems, or sensors are the foundation of direct measurement techniques.

Different devices must be used for data acquisition using vision-based methods or direct measurement methods. 83.6% accuracy scored by Light-HMM, 86.7% made by the MSHMM, 97.5% by the SVM, 97% by the Eigen value, and was 100% by the Wavelet Family [18][19][20][21]. Although a variety of models have yielded highly accurate results, accuracy is dependent on many components like, the dataset volume, the devices utilized, images clearness in the dataset depends on the data acquisition methods, etc.

### 3 PROPOSED MODEL

- Collecting coloured images of ASL with OpenCV and a webcam.
- Dataset is trained using the CNN algorithm.
- Streamline model training and evaluation processes, optimizing the number of epochs and batch size for effective convergence.
- Real-time detection using OpenCV.

First, using a webcam and OpenCV to record hand gestures, based on American Sign Language (ASL), having colored dataset of numbers and alphabets was gathered for this study. Coloured dataset helps in improving the accuracy and robustness of the ML model. The data is preprocessed using techniques like background subtraction and data augmentation. A custom CNN model is then trained using Tensorflow and Keras, incorporating various layers such as convolutional, pooling and dense layers. Fig. 1 is used to illustrate how the workflow diagram leverages CNN for effective feature extraction and classification. At last, for real-time hand gesture recognition, OpenCV is used along with trained model in which the live webcam is able to detect the hand gestures.




Figure 1. CNN Based System Workflow

### 4 IMPLEMENTATION

For capturing hand gestures in real-time OpenCV library is used and recognising sign language gestures laptop based webcam is used. Gathered data is then undergoes to careful preprocessing, along with methodology of background subtraction, for separating the hand gestures from the environment . Furthermore, for enhancing the dataset data augmentation technique is used for differentiating hand gestures instances, consequently increases the robustness of the dataset and following fine quality for classification and model training. The work sequence for data processing primarily target the background subtraction, an important step for extracting the relevant hand gestures within captured video frames. For further phases of

the system this step acts as a critical and important foundation. Furthermore, the dataset is augmented by the usage of data augmentation methodology including image flipping, rotation, shifting which guarantee its range and compatibility for training, precise classification, proficient model for sign language gestures.

**Dataset:** As shown in Fig. 2, user created dataset is used in this study. It includes 300 images of each gesture of American Sign Language (ASL) that contains numbers from 1 to 10 and alphabets from A to Z.




Figure 2. American Sign Language Dataset

## 5 MODEL ANALYSIS AND RESULT

For successful training of CNN model for sign language recognition featured data augmentation and the significant role that chosen dataset plays. For effortless flow of augmented data to the network, ImageDataGenerator is used for processing that increases the dataset diversity and reduces overfitting tasks. These result highlights the power of CNN in accurately classifying the gestures and emphasizes their relevance in real- world scenarios providing an efficient solution for enhancing communication accessibility for hearing-impairment individuals.

Convolutional Neural Networks (CNNs) used in the recognition of hand gestures with a good accuracy of 98.21% that has been achieved by 25 training epochs. Fig 3. is the result of real-time sign language detection through OpenCV. By utilizing multiple layer of convolution and max pooling, the network architecture is able to capture and extract complex features from colored dataset. Moreover, model distinction capabilities is increased by adding dense layer of rectified linear unit (ReLU) empowering the attainment of complex pattern and representation. To reduce overfitting tendencies a dropout layer is integrated that enhances the performance.

Later on training phase, the model efficiency is evaluated through a real-time testing situation using a web-based implementation. For subsequent analysis, the system successfully captured and

preprocessed hand gestures by using background subtraction methodology. System can successfully detect the class labels corresponded with the hand gestures with help of already been trained Convolutional Neural Network(CNN)'s model. The live stream detection display the identified labels in real-time providing a smooth user interface to the user. Its acts as a powerful application in promoting communication ease of access for individuals with hearing impairments and show the model's capability of recognising and interpreting the dynamic hand gestures.




Figure 3. Real Time Sign Language Recognition

## 6 APPLICATION AND FUTURE SCOPE

**Application:** This system acts as an important instrument to enhance more smooth communication for people having hearing and speech impairment. It can also strengthen early training of sign language, enhance diversity and maintains a supportive environment for children with communication challenges in educational institutions.

**Future scope:** The relevance and influence of this technology can be greatly expanded by including more sign languages such as regional or international sign languages like American sign language (ASL) and Indian sign Language (ISL). Moreover, by persistently training and diversifying the neural network's dataset. Accuracy and adaptability of model can be improved by allowing it to understand a broader variety of complex hand gestures and signs.

## 7 CONCLUSION

In this research, a real-time sign language recognition system is developed by using OpenCV technique and deep learning algorithm (CNN). The system's ability to accurately identify and interpret various sign language gestures focus its potential as a reforming tool for improving communication accessibility to user with hearing and speech impairment. The system not only lever- ages smooth communication but also fosters an inclusive learning and working environment by leveraging an user-friendly interface and adaptable design . This research forges the way for future advances in the domain of supportive technology, focusing the importance of technological innovation in supporting equitable opportunities uplifting individuals with diverse communication requirements.

## 8 REFERENCES

- [1] Areeb, Qazi Mohammad, Mohammad Nadeem, Roobaea Alroobaea, and Faisal Anwer. "Helping hearing-impaired in emergency situations: A deep learning-based approach." *IEEE Access* 10 (2022): 8502-8517. <https://ieeexplore.ieee.org/abstract/document/9681062>
- [2] Real Time Sign Language Detection <https://www.irjet.net/archives/V9/i4/IRJET- V9I4506.pdf>
- [3] Munnaluri, Vishal, Vishal Pandey, and Parminder Singh. "Machine Learning based Approach for Indian Sign Language Recognition." In 2022 7th International Conference on Communication and Electronics Systems (ICCES), pp.1128-1132. IEEE, 2022. <https://ieeexplore.ieee.org/document/9835908>
- [4] Chabeb, Y., O. Elghoul, and M. Jemni. "WebSign: A Web-Based Interpreter of Sign Language." In International Conference on Informatics and its Applications, Oujda. 2006. [https://www.researchgate.net/publication/235760500\\_WebSign\\_A\\_WebBased\\_Interpreter\\_of\\_Sign\\_Language](https://www.researchgate.net/publication/235760500_WebSign_A_WebBased_Interpreter_of_Sign_Language)
- [5] Bhadra, Rajarshi, and Subhajit Kar. "Sign language detection from hand gesture images using deep multi-layered convolution neural network." In 2021 IEEE Second International Conference on Control, Measurement and Instrumentation (CMI), pp. 196-200. IEEE, 2021. <https://ieeexplore.ieee.org/document/9362897>
- [6] Patani, Ayushi N., Varun S. Gawande, Jash V. Gujarathi, Vedant K. Puranik, and Tushar A. Rane. "Methodologies for Sign Language Recognition: A Survey." (2021). <https://ijisrt.com/assets/upload/files/IJISRT21APR 505.pdf>
- [7] Obi, Yulius, Kent Samuel Claudio, Vetri Marvel Budiman, Said Achmad, and Aditya Kurniawan. "Sign language recognition system for communicating to people with disabilities." *Procedia Computer Science* 216 (2023): 13-20. <https://www.sciencedirect.com/science/article/pii/S1877050922021846>
- [8] Rani, Reddygari Sandhya, R. Rumana, and R. Prema. "A Review Paper on Sign Language Recognition for The Deaf and Dumb." *International Journal of Engineering Research & Technology* 10, no. 10 (2021). <https://www.ijert.org/a-review-paper-on-sign-language-recognition-for-the-deaf-and-dumb>
- [9] Rokade, Rajeshree S., and Dharmpal D. Doye. "Spelled sign word recognition using key frame." *IET Image Processing* 9, no. 5 (2015): 381-388. <https://doi.org/10.1049/iet-ipr.2012.0691>
- [10] Shirbhate, Prof. Radha, Vedant D. Shinde, Sanam A. Metkari, Pooja U. Borkar, and Mayuri A. Khandge, "Sign Language Recognition Using Machine Learning Algorithm." In 2020 International Research Journal of Engineering and Technology (IRJET), Volume: 07 Issue: 03, 2020.
- [11] Dabre, Kanchan, and Surekha Dholay. "Machine learning model for sign language interpretation using webcam images." In 2014 International Conference on Circuits, Systems, Communication and Information Technology Applications (CSCITA), pp. 317-321. IEEE, 2014.
- [12] Zhang Q, Xiao S, Yu Z, Zheng H, Wang P. Hand gesture recognition algorithm combining hand-type adaptive algorithm and effective-area ratio for efficient edge computing. *Journal of Electronic Imaging*. 2021;30(6):063026.
- [13] Chen Zh, Kim JT, Liang J, Zhang J, Yuan YB. Real-time hand gesture recognition using finger segmentation. *The Scientific World Journal*. 2014;2014.

- [14] Bayazit M, Couture-Beil A, Mori G. Real-time Motion-based Gesture Recognition Using the GPU. In: MVA. Citeseer; 2009. p. 9-12
- [15] Rosero-Montalvo, P.D., Godoy-Trujillo, P., Flores-Bosmediano, E., Carrascal-Garcia, J., 12 Otero-Potosi, S., Benitez-Pereira, H., Peluffo- Ordonez, D.H.: Sign Language Recognition Based on Intelligent Glove Using Machine Learning Techniques. 2018 IEEE 3rd Ecuador Tech. Chapters Meet. ETCM 2018. (2018). <https://doi.org/10.1109/ETCM.2018.8580268>.
- [16] Konstantinidis, D., Dimitropoulos, K., Daras, P.: Sign language recognition based on hand and body skeletal data. 3DTV-Conference. 2018-June, (2018). <https://doi.org/10.1109/3DTV.2018.8478467>.
- [17] Zheng, L., Liang, B., Jiang, A.: Recent Advances of Deep Learning for Sign Language Recognition. DICTA 2017 - 2017 Int. Conf. Digit. Image Comput. Tech. Appl. 2017- Decem, 1–7 (2017). <https://doi.org/10.1109/DICTA.2017.8227483>.
- [18] . Suharjito, Anderson, R., Wiryana, F., Ariesta, M.C., Kusuma, G.P.: Sign Language Recognition Application Systems for Deaf-Mute People: A Review Based on InputProcess-Output. Procedia Comput. Sci. 116, 441–448 (2017). <https://doi.org/10.1016/J.PROCS.2017.10.028>.
- [19] Liang, Z., Liao, S., Hu, B.: 3D Convolutional Neural Networks for Dynamic Sign Language Recognition. Comput. J. 61, 1724–1736 (2018). <https://doi.org/10.1093/COMJNL/BXY049>.
- [20] Kumar, P., Roy, P.P., Dogra, D.P.: Independent Bayesian classifier combination based sign language recognition using facial expression. Inf. Sci. (Ny). 428, 30–48 (2018). <https://doi.org/10.1016/J.INS.2017.10.046>.
- [21] Pigou, L., Van Herreweghe, M., Dambre, J.: Gesture and Sign Language Recognition with Temporal Residual Networks. Proc. – 2017 IEEE Int. Conf. Comput. Vis. Work. ICCVW 2017. 2018-Janua, 3086-3093 (2017). <https://doi.org/10.1109/ICCVW.2017.365>.
- [22] Thakral, Gagan, Sapna Gambhir, and Nagender Aneja."Proposed methodology for early detection of lung cancer with low-dose CT scan using machine learning." In *2022International Conference on Machine Learning, Big Data , Cloud and Parallel Computing (COM-IT-CON)*, vol. 1,pp. 662-666. IEEE, 2022.