



A
Project Report
on
Heart Disease Prediction Using Image Recognition
submitted as partial fulfillment for the award of
BACHELOR OF TECHNOLOGY
DEGREE

SESSION 2024-25
in
Computer Science and Engineering

By
Shruti Garg (2100290100161)
Priyanshu Singh (2100290100121)
Naveen Mishra (2100290100107)

Under the supervision of
Dr. Neha Yadav
KIET Group of Institutions, Ghaziabad

Affiliated to
Dr. A.P.J. Abdul Kalam Technical University, Lucknow
(Formerly UPTU)
May 2025

DECLARATION

We hereby declare that this submission is our own work and that, to the best of our knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any other degree or diploma of the university or other institute of higher learning, except where due acknowledgment has been made in the text.

Signature

Name: Shruti Garg

Roll No.:2100290100161

Signature

Name: Priyanshu Singh

Roll No.: 2100290100121

Signature

Name: Naveen Mishra

Roll No.: 2100290100107

Date:

CERTIFICATE

This is to certify that Project Report entitled “Heart Disease Prediction Using Image Recognition” which is submitted by Shruti Garg, Priyanshu Singh, and Naveen Mishra in partial fulfillment of the requirement for the award of degree B. Tech. in Department of Computer Science & Engineering of Dr. A.P.J. Abdul Kalam Technical University, Lucknow is a record of the candidates own work carried out by them under my supervision. The matter embodied in this report is original and has not been submitted for the award of any other degree.

.

Dr. Neha Yadav
(Associate Professor)

Dr. Vineet Sharma
(Dean CSE)

Date:

ACKNOWLEDGEMENT

It gives us a great sense of pleasure to present the report of the B. Tech Project undertaken during B. Tech. Final Year. We owe special debt of gratitude to Dr. Neha Yadav, Department of Computer Science & Engineering, KIET, Ghaziabad, for her constant support and guidance throughout the course of our work. Her sincerity, thoroughness and perseverance have been a constant source of inspiration for us. It is only her cognizant efforts that our endeavors have seen light of the day.

We also take the opportunity to acknowledge the contribution of Dr. Vineet Sharma, Dean of Computer Science & Engineering, KIET, Ghaziabad, for his full support and assistance during the development of the project. We also do not like to miss the opportunity to acknowledge the contribution of all the faculty members of the department for their kind assistance and cooperation during the development of our project.

We also do not like to miss the opportunity to acknowledge the contribution of all faculty members, especially faculty/industry person/any person, of the department for their kind assistance and cooperation during the development of our project. Last but not the least, we acknowledge our friends for their contribution in the completion of the project.

Date:

Signature:

Name : Shruti Garg

Roll No.: 2100290100161

Signature:

Name: Priyanshu Singh

Roll No.: 2100290100121

Signature:

Name : Naveen Mishra

Roll No.: 2100290100107

ABSTRACT

Cardiovascular diseases (CVDs) continue to be one of the leading causes of death worldwide, accounting for a significant percentage of deaths. Early identification is crucial to preventing issues and improving patient outcomes. However, conventional diagnostic methods such as electrocardiogram (ECG) analysis, which can be time-consuming and prone to errors, require human knowledge. This work proposes a new deep learning model using self-attention mechanisms to automatically diagnose heart health problems through ECG image analysis. The method enhances clinical interpretability and improves diagnostic accuracy by combining self-attention with convolutional layers.

The data employed here was a dataset of 400 Mendeley ECG images, which were equally distributed in normal and pathological classes. For enhancing the capacity of the model to generalize, preprocessing methods like data augmentation, resizing, and standardization were used. The resolution of the ECG images was standardized for maintaining uniformity among all samples. Data augmentation methods including rotation, flipping, and scaling were employed to enhance dataset diversity and avoid overfitting. These processes were crucial for ensuring the model's reliability and ability to accommodate the ECG pattern variations that exist in real-world conditions.

The self-attention mechanism, through which the model learns to dynamically pay attention to the most relevant parts of the ECG image to classify them, lies at the core of this research. Long-range dependencies are a prevalent issue for traditional convolutional neural networks (CNNs), and therefore, it is problematic to be able to reliably detect subtle differences in ECG waveforms. The model can detect significant segments of the waveform that are most dominant in influencing the classification decision by using self-attention. Through model openness enhancement, this attribute enables doctors to more easily understand and believe the goal predictions by the AI. The Adam optimizer and binary cross-entropy loss function were applied to a supervised learning scenario to train the proposed model.

The dataset was divided into three parts so that one can be used for training, one for testing, and the other for validation. The whole dataset is divided, 705 for training, 15% for validation, and 15% for testing.

The model of self-attention attains an accuracy of 92%, which beats traditional models like deep learning, CNN-LSTM networks. This accuracy was examined according to the testing results. According to the testing results, some other parameters were also tested, like recall 91%, F1-score 90%, and precision 90%. Also, the ability of the model to lower the false negatives shows that the model is identifying high-risk patients easily and accurately. This is very useful in curing and identifying the disease as early as possible. The comparison done of the self-attention model with other traditional models demonstrates the benefit of the self-attention process in the classification of ECG images of patients, as it increases accuracy in predicting disease.

One of the primary advantages of this approach is its potential for application in real-world clinical cases. Physicians can visualize which ECG characteristics affected the ultimate prediction due to the model's enhanced explainability through the use of self-attention mechanisms. This is a significant improvement over traditional black-box deep learning models, which often are not interpretable. AI-based diagnoses are ultimately more trustworthy based on the presented attention heatmaps, which show the model's considerations of the different parts of the waveform. While these are positive results, challenges remain.

Even though the study dataset is balanced, the size is still small in comparison to the datasets of any large dataset in medicine -- even small. The system's predictive capacity can be improved further by increasing the number of data points as well as by integrating metadata regarding patients' age, gender, and medical history into the final prediction model. Future studies will also seek to provide real-time multi-modal sources of data, such as echocardiograms and wearable sensors, to construct a superior predictive system of cardiovascular disease.

This project evaluated the potential for artificial intelligence to change the landscape in healthcare, especially focused on early detection of cardiac complications. This research utilizes self-attention mechanism to increase classification accuracy, but it also enhances interpretability which is essential when using AI for Medical diagnostic interpretation. Future improvements will ultimately create more accurate and personalized prognoses of cardiac disease with the potential of enhancing patient outcomes and simplifying clinical decision making.

TABLE OF CONTENTS

Page No.

DECLARATION.....	ii
CERTIFICATE.....	iii
ACKNOWLEDGEMENTS.....	iv
ABSTRACT.....	v
LIST OF FIGURES.....	ix
LIST OF TABLES.....	x
CHAPTER 1 (INTRODUCTION).....	1
1.1. Introduction.....	1
1.2. Project Description.....	3
1.2.1 Project Overview.....	3
1.2.2 Features of the Project.....	4
1.2.3 Dataset Details.....	5
1.2.4 Structure of the Model	5
1.2.5 Training of Model and Optimization.....	6
1.2.6 Performance Assessment.....	6
1.2.7 Comparative Analysis with Existing Models.....	7
1.2.8 Applications of the Project.....	7
CHAPTER 2 (LITERATURE REVIEW)	9
CHAPTER 3 (PROPOSED METHODOLOGY)	22
3.1 Overview.....	22
3.2 Process Flow Diagram.....	23
3.3 Data Collection and Preparation.....	
3.3.1 Source and Selection of Data.....	23
3.3.2 Data Preprocessing Techniques.....	24
3.4 Model Design and Implementation.....	24

3.4.1 Model Selection	24
3.4.2 Architecture of the Model.....	25
3.4.3 Activation Functions and Optimization.....	26
3.5 Model Training Strategy.....	27
3.5.1 Training Procedure.....	27
3.5.2 Hyperparameter Tuning.....	27
3.5 Evaluation Metrics.....	27
3.6 Comparative Performance Analysis.....	28
3.7 Model Deployment Considerations.....	29
3.8 Future Enhancements.....	29
3.9 Conclusion.....	29
CHAPTER 4 (RESULTS AND DISCUSSION).....	30
4.1 Results.....	30
4.1.1 Overview of Model Performance.....	31
4.1.2 Confusion Matrix Assessment.....	31
4.1.3 Comparison with Traditional Models.....	32
4.1.4 ROC Curve and AUC Curve.....	32
4.1.5 Error Analysis and Model Limitations.....	33
4.1.6 Analysis of Normal and Abnormal ECG Waveforms.....	35
5.1 Discussion.....	35
5.1.1 The effect of Self-Attention on ECG Classification.....	35
5.1.2 Clinical Relevance and Real-World Applications.....	36
5.1.3 Obstacles with Future Improvements.....	36
5.1.4 Considerations with the Future.....	37
5.2 Conclusion.....	39

CHAPTER 6 (CONCLUSIONS AND FUTURE SCOPE).....	39
6.1 Error Analysis and Model Limitations.....	41
6.1.1 Misclassification of Borderline Cases.....	41
6.1.2 Impact of Noisy ECG Signals.....	41
6.2 Practical Uses.....	42
6.2.1 Clinical Diagnosis and Decision Support.....	42
6.2.2 Remote Healthcare and Telemedicine.....	42
6.2.3 Integration with Wearable Devices.....	42
6.2.4 Emergency Response Systems.....	43
6.3 Main Findings.....	43
6.4 Future Directions.....	44
6.4.1 Expanding the Dataset for Improved Generalization.....	44
6.4.2 Real-time ECG Analysis for Wearable Devices.....	44
6.4.3 Multi-Modal Learning for Comprehensive Diagnosis.....	45
6.4.4 Improving Explainability Using Upper-level Ai Methods.....	45
6.4.5 Cloud-based Deployment for Global Access.....	46
6.4.6 Ethical and Regulatory Issues.....	46
6.4.7 Partnership with Hospitals.....	47
6.4.8 Concluding Remarks.....	47
REFERENCES.....	49
APPENDIX	53
APPENDIX A: Sample Code Snippets.....	53
A.1 Code of ECG Image Preprocessing	53
A.2 Code of Model Training.....	53
A.3 Code of Model Performance	54

APPENDIX B: Labeled Intervals in ECG Waveform.....	55
--	----

LIST OF FIGURES

Figure No.	Description	Page No.
1	Workflow of the Heart Disease Prediction Model	23
2	Self-Attention Mechanism	25
3	Normokalemia ECG waveform displaying typical characteristics	33
4	Hypokalemia ECG waveform with anomalous characteristics	34
5	Labeled intervals (P, Q, R, S, and T) on an ECG waveform	56

LIST OF TABLES

Table. No.	Description	Page No.
1	Comparison of Performance Metrics	28
2	Confusion matrix	31

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

A large portion of deaths globally are caused by cardiovascular diseases (CVDs), which are a serious global health concern. Heart attacks, strokes, and arrhythmias are some of the outcomes that can occur due to these disorders that affect the heart and blood vessels. Even though early diagnosis is important to prevent death, conventional diagnostic methods such as electrocardiograms (ECG) rely on trained medical personnel for diagnostic interpretation and medical judgment. The inclusion of human decision-maker has contributed to variability in diagnosis, misdiagnosis, and delay in the diagnosis because they have not been able to reliably detect serious cardiac issues. As cardiovascular updates become more prevalent, we will need efficient and automated diagnostic tools that allow medical practitioners to make the appropriate diagnosis in an efficient and timely manner.

The precise identification of anxious patterns is one of the prime difficulties involved in forecasting heart disease based on ECG. Classical models might not be able to identify moderate changes in features of waveforms that are perceivable in some cardiovascular diseases. Also, current AI models are not transparent enough, and this raises concerns about confidence in medical professionals' predictions. For clinical adoption of using AI for diagnostics, the model needs to identify the most salient features of an ECG, and produce predictions that can be interpreted. Due to the use of self-attention mechanism in the study, the model could pay attention to the most critical areas of the ECG image so that distinct patterns were recorded accurately. It is an efficient tool for clinical use because it enhances model interpretability alongside classification accuracy.

Our study employed ECG images of patchy signals, samples with an abnormal presentation and normal traces. We utilized data preprocessing techniques to attempt to increase the model classification accuracy and result generalization of samples by data augmentation, resizing, and pixel intensity normalization. The images were normalized to have the same resolution as the ECG image, and the data augmentation methods such as flipping, rotation, and scaling were used to enhance the diversity of the dataset. These techniques ensure that the model is strong and can handle variability in ECG morphology to avoid overfitting and improve its capacity to classify real-world scenarios appropriately. For optimal model performance, the model was trained supervised and to be responsive to learning rate and loss function changes.

Based on the experimental results, the proposed self-attention model is more accurate, recall, and precision when compared to the traditional deep learning structures. The exceptional ability of the model to identify abnormal circumstances is evidenced through its 92% accuracy, 91% recall, and 94% F1-score. The self-attention mechanism guarantees that the most relevant features are emphasized, which improves the predictive performance compared to hybrid CNN-LSTM networks that often fail at learning long-term dependencies across all ECG traces. With the incorporation of attention visualization frameworks, clinicians can better appreciate the results and receive useful feedback about the rationale of the model's decisions.

Although the positive results are encouraging, there are still some hindrances. In spite of being well-balanced, the dataset is small compared to large medical datasets. The accuracy of prediction can be even better if more patient records are included in the dataset and metadata such as age, gender, and medical history are included. In addition, the ability of the model to detect cardiovascular diseases in greater detail can be increased by employing multi-modal data sources, like echocardiograms and information from wearable health monitoring devices in real-time. To ensure even greater accuracy and reliability in clinical use, future studies in this direction will focus

on overcoming these limitations by better availability and model architectures.

This study highlights the possibility of using AI-powered diagnostic tools to enhance the early detection and treatment of cardiovascular disease. This study fits with self-attention based models of ECG classification to improve their interpretability and accuracy, increasing the feasibility of AI-based diagnosis for clinical scenarios. Our work emphasizes the importance of collaborative medical expertise and deep learning methodologies in producing sensible and comprehensible solutions for predicting heart disease. Progress could lead to a tremendous leap in favor of more favorable patient outcomes, and enable expanded use of AI in the context of medical diagnostics, in case AI and reviving technology continue to develop.

1.2 PROJECT DESCRIPTION

1.2.1 Project Overview

The project aims to develop a sophisticated deep learning model capable of identifying cardiovascular disease (CVD) from electrocardiogram (ECG) images. As a potential model for use in cardiac diagnostics, the project implements a self-attention mechanism to increase the accuracy within the system for classification of normal and abnormal images. The aim is to decrease the dependency on human ECG interpretation by building a reliable, effective, and interpretable system to support early detection of cardiac abnormalities. To make the model robust, it is trained on a processed dataset of ECG images that have undergone several image enhancement and augmentation techniques.

The self-attention in this project is developed to correctly identify meaningful features through the learning of local and global patterns in ECG waveforms. Unlike standard CNNs, which are limited in capturing long-range dependencies, the self-attention approach enhances interpretability and diagnostic performance by learning assignment of more importance to specific parts of ECG signals as well. To confirm that the model can operate autonomously in various common clinical situations, evaluation was done on standard performance metrics such as accuracy, precision, recall, and F1-score.

1.2.2 Features of the Project

To boost productivity and make it easier to use, the project relies on several key traits:

- **Hands-off ECG sorting:** The model sorts ECG images into normal and abnormal groups cutting down on the need for human eyeballs.
- **Self-attention mechanism:** The self-attention mechanism is unlike other models and supports improved feature extraction and model interpretability.
- **Data preprocessing and data augmentation:** Normalization and resizing of ECG images during preprocessing, along with non-literal data augmentation (e.g., rotation and flipping), enhances the model's capacity to generalize to new ECG patterns.
- **Accuracy and efficiency:** It provides a greater classification accuracy than traditional deep learning techniques, leading to better classification reliability.
- **Interpretability through visualization of attention:** The self-attention framework enabled the model to highlight parts of the ECG images that influenced the classification which allow for clinicians to trust and justify predictions.
- **Scalability for large datasets:** The architecture permits large-scale ECG datasets to be fitted into deep learning frameworks, thereby integrating into actual healthcare processes.

1.2.3 Dataset Details

The dataset that is used in this project is taken from Mendeley, it consists of a huge number of ECG images, which are further classified into normal and abnormal ECG images. It consists :

- Samples of 200 Normal ECG images
- Samples of 200 Abnormal ECG images

All these dataset images first go through a preprocessing step to train the model. Preprocessing techniques include normalization, resizing the image, reducing complexities, bringing in the proper format, etc. Preprocessing steps include:

- **Resizing:** This process consists of converting all ECG images to fixed resolution, so that their consistency will be maintained. It will help in model training.
- **Normalization:** This method involves converting pixel values into standard values. It helps to ensure uniformity in the dataset.
- **Augmentation of Data:** To improve the model, various transformations are used, like rotation, flipping, contrast adjustment, etc.
- **Splitting the Dataset:** This dataset is divided into 70% training data, 15% validation, and 15% testing sets. It helps to optimize model performance.

1.2.3 Structure of the Model

The model proposed has used a deep learning structure consisting of convolutional neural networks (CNNs) and self-attention to better classify ECG signals.

- **Convolutional Layers**

The first few layers of the model are convolutional layers that extract low-level features from ECG image data. The convolutional layers detect different patterns in the data, like where the peaks are in the image, and valleys or slopes, and changes in the signal of the ECG image. These patterns are very important for understanding the readings of ECG images of patients.

- **Pooling Layers**

Pooling layers are the second layer after the convolutional layers. These layers

keep only important features or keys so that the size of the image can be shrunk. This not only reduces demands on computing resources, but it also reduces the chances of overfitting.

- **Self-Attention Mechanism**

The self-attention layer is the major building block of the model, which will allow the model to attend to the most important regions of the ECG image in a dynamic way. Self-attention dynamically weights different regions of the waveform recursively, whereas traditional CNNs use fixed receptive fields, which improves position in its classification.

- **Fully Connected Layers**

The last few layers of the model are fully connected layers that will use the extracted features to determine the abnormalities of the ECG or indicate there are none. Finally, the last layer will have a softmax activation function that generates probability scores for classification.

1.2.4 Training of Model and Optimization

We have used a supervised learning method in the model so that the model can learn classification patterns. In this method of supervised learning, labeled ECG images are transferred into the network to classify themselves on the basis of patterns. It includes the following components in the training process:

- **Loss Function:** To measure errors in the classification of images, binary cross-entropy is used.
- **Optimizer:** Model weights are adjusted and applied to Adam optimizer in very efficient way.
- **Learning Rate Adjustment:** To optimize the model's speed to classify any image, dynamic learning rate scheduling is used.
- **Batch Size:** A batch size of 32 is formed to balance computational efficiency and learning rate.

- **Epochs number:** To ensure efficient learning of the model, it is trained for 50 epochs to prevent overfitting.

1.2.5 Performance Assessment

The model is measured on several performance measures to obtain accuracy and reliability:

- **Accuracy:** Represents the ratio of correctly classified ECG images.
- **Precision:** Checks how many predicted cases of abnormalities actually exist.
- **Recall:** Compares the ability of the model to accurately predict abnormal ECGs.
- **F1-Score:** The precision-recall tradeoff, applied to calculate the overall performance

The experiment results proved that the self-attention model had an accuracy of 92%, which was better than the conventional CNN and hybrid CNN-LSTM methods. It also proved to have high precision and recall with low false-positive and false-negative rates.

1.2.6 Comparative Analysis with Existing Models

In order to confirm the efficiency of the suggested method, a comparison is made with other models of deep learning:

Our suggested self-attention model performance is compared to CNN and CNN-LSTM models using accuracy, precision, recall, and F1-score. The CNN model achieved an accuracy of 88.5%, a precision of 86.2%, a recall of 87.0%, and an F1-score of 86.6%. The CNN-LSTM model performed better, with an accuracy of 90.5%, a precision of 88.0%, a recall of 86.5%, and an F1-score of 87.2%. Our self-attention model performs better than the two of them with the best accuracy of 92.0%, precision of 90.0%, recall of 91.0%, and an F1-score of 94.0%. These findings prove that it is beneficial to use self-attention mechanisms as it improve the model's capacity to classify ECG images accurately, performing better than traditional deep learning methods.

The findings support that self-attention greatly enhances classification accuracy, along with interpreting it better, making it an even better selection for ECG-based heart disease diagnosis.

1.2.7 Applications of the Project

The suggested model has a number of applications in real-world scenarios:

- **Clinical Diagnosis:** Helps doctors interpret ECGs more effectively, minimizing workload and human error.
- **Telemedicine:** Facilitates remote diagnosis of heart disease, especially for patients in rural regions.
- **Wearable Devices:** Can be used in fitness trackers and smart watches for direct monitoring of heart health.
- **AI-based Research in Healthcare:** Facilitates the creation of an AI-driven diagnostic in cardiology.

Adding more real-world patient records to the dataset and more metadata like age, gender, and medical history may make the model better at predictions. The overfitting risk must also be kept low using methods like dropout regularization. Yet another area of potential improvement is combining multi-modal sources of data, such as echocardiograms and real-time wearable sensor data with cardiovascular disease to build a richer cardiovascular disease prediction system.

In summary, this project illustrates the potential utility of AI-based diagnostic tools to futurize the diagnosis of cardiovascular disease. Through the application of deep learning and self-attention in diagnosing cardiovascular disease, the designed labor architecture improves classification, improves faith in the classification, and helps

workflow scalability in real-world settings.

The study reinforces the value of fusing new AI techniques and medical knowledge to arrive at a potentially more efficient and reliable diagnostic instrument. This project generates insight into improvements towards AI supported cardiology as machine learning research progresses, and thus, may support future advancement with a focus on quality patient healthcare and more efficient preventive healthcare.

CHAPTER 2

LITERATURE REVIEW

- [1] Based on clinical data, the 2008 study Data Mining Techniques uses a variety of data mining techniques to find patterns that may aid in the prediction of cardiac disease. This method's ability to effectively identify patterns, even in simple datasets, is one of its benefits. However, its greatest shortcoming is the fact that it works with small pieces of data, which can result in a reduced level of accuracy when working with larger, and more complex data sets.
- [2] The study in 2023 focuses on predicting heart disease looks at the Optimized Levy Flight with CNN model and how it can substantially improve predictability when working with large, meaning the Optimized Levy Flight with CNN model uses convolutional neural networks (CNN), amongst other things, as well as the enhanced Levy flying algorithm. Its main advantages are its efficiency and scalability as it is able to work with huge volumes of data. However, one of its main drawbacks is that it is computationally intensive and requires an unusual amount of computing power, meaning it can be quite limited in environments that have limited resources.
- [3] A 2016 paper titled Data Mining Techniques also uses clinical data sets to analyze and compare several data mining methods for estimating the risk of heart disease. The comparison methodology of this paper provides valuable details regarding the effectiveness of different approaches. It does not employ deep learning methods, though, and that might reduce its prediction accuracy for more complex data sets.
- [4] In a 2021 study comparing different supervised algorithms in predicting cardiac disease, researchers analyze the effectiveness of different supervised algorithms. The study is a good performance evaluation and contributes to the decision making of the algorithm choice. However, the study has the limitation of having a small dataset as this could impact the suitability of the model on larger or more diverse datasets.

- [5]The CNN model for predicting heart disease, it consists of data taken from Ecg images or number data and patient files, it is the 2022 research work in this subject of image classification. It shows how CNN is very effective algorithm in diagnosis of medical reports with high accuracy in deep model learning. Nevertheless, in certain contexts, the need for vast amounts of data and large computational resources by the model to train and deploy might pose a limitation.
- [6]Through the analysis of medical data from multiple sources, the 2013 paper provides a data mining method for diagnosing coronary artery disease. This comprehensive method successfully diagnoses coronary artery disease through the combination of multiple data sets. The limited scope of the model, however, restricts its overall usage since it may not be very applicable to other forms of cardiac disease.
- [7]In 2020, a study utilized Convolutional Neural Networks (CNN) and both clinical data and medical imaging to predict coronary artery disease. CNN's capabilities are deep learning abilities, which allow for fairly high prediction accuracy and efficiency. Unfortunately, these types of models are computationally expensive and utilize much time and computer resources to train.
- [8]The 2024 paper comes with a Secure Healthcare Monitoring System based on machine learning and Internet of Things technology to diagnose and forecast diseases in real time. This technology facilitates continuous health monitoring through safe and reliable monitoring in IoT environments. Its primary limitation is its complexity and need for a robust infrastructure, which proves to be a challenge in limited-resource environments.
- [9] To improve clustering accuracy of medical datasets two methods combining genetic algorithms (GA) and particle swarm optimization (PSO) with machine learning methods was developed in the 2019 study. The method enhances pattern detection and the ability to find patterns which is essential for a medical diagnosis.

However, it hinders real-time use due to its complexity and high processing time.

- [11] A Self-Attentive Fusion Encoder is suggested in a 2021 paper to combine heterogeneous patient data and predict diseases. The excellent interpretability of this model enables combining different data types for deeper understanding. Even though it is useful, its performance largely depends on the availability of high-quality data, which is not always feasible.

- [12] The 2020 study studies different machine learning algorithms for predicting cardiology disease using clinical features. These algorithms are simple and accessible to use because they are simple to implement and will work across many different data types. However, if examining more complicated datasets, they may not perform better than deep learning cases.

- [13] The 2020 paper introduces A Cognitive Method of Machine Learning for Heart Disease Prediction. The model improves prediction, or accuracy, by combining cognitive techniques and a standard machine learning technique. This cognitive process is the biggest contributor to improving performance. Although in some case this cognitive process will require more processing power therefore making it a disadvantage.

- [14] Another 2020 study explores various machine learning techniques to forecast cardiac disease. It gives flexibility to choose the optimal approach by comparing the performance of various methods. Despite this method of comparison having merits, its reliability under real-world conditions might be compromised by its tendency to fail under large or imbalanced datasets.

- [15] A Deep Neural Network was applied in the same year using various clinical features and medical histories to predict heart disease. The model proved the potential of deep learning with high prediction accuracy. To learn well, however, it requires large data sets and computational power, which are not always readily available.

- [16] To diagnose cardiovascular issues, one study in 2012 applied data mining processes to analyze clinical data. They are beneficial to identify trends conducive to diagnosis and treatment. Despite its utility, the accuracy of the model depends on the quality of the input data and the inability to deal with unstructured data efficiently.
- 17] The goal of the 2020 Deep Learning Techniques project is to predict cardiovascular diseases based on large health datasets. Deep learning models are able to predict diseases in situations with sufficient information because they can quickly form complex associations with data. Because of their high dependence, they may not be used in
- [18] The 2024 study presents a Hybrid Machine Learning model through an attention-based transfer learning architectural model. The new model uses cross-modal transfer learning to improve accuracy. There is the complexity of a new model is that it relies on high quality multimodal data that may not always be available.
- [21] The 2024 study investigates an Attention-Based Cross-Modal Transfer Learning model to predict cardiovascular conditions. This method accurately predicts outcomes by integrating data from different modalities and utilizing advanced data learning approaches. However, practical applications may be limited to its extensive resource efforts and high processing resource demands.
- [22] Another study in 2020 employs machine learning and cognitive methods to enhance heart disease predictive algorithms. Incorporating cognitive methods makes the model more accurate and reliable. But the method is computationally expensive as it consumes more computer resources.
- [23] This 2022 research investigates how bias understanding can be applied in machine learning to cardiovascular disease risk assessment. It identifies and eliminates bias, enhances model fairness, and increases model transparency. As much as it enhances the use of AI on an ethical front, other than bias, some variables might influence overall accuracy nonetheless.

- [24] In 2019, A Cognitive Learning-Based Missing Value Computation model was introduced to address missing values in cardiovascular disease prediction. This approach improves the accuracy of predictions and deals with missing values efficiently. Performance might be affected when dealing with very noisy or missing data.
- [25]The research on supervised machine learning algorithms published in 2021 aims to evaluate the accuracy of different supervised methods of predicting cardiac disease. The method that demonstrates the best performance is identified through this comparison study but the only drawback is that it relied heavily on large dataset to effectively train and perform.
- [26]A project from 2020, looks at a large amounts of clinical data and uses deep learning algorithms to predict cardiovascular disease. These models can use complex datasets that give high prediction accuracy. There is great deal of data needed to train and the section requires great deal of computational power to run the model.
- [27]Lastly, a study from 2020 uses a Deep Neural Network to predict heart disease by learning demographic and clinical information. It performs well and has a high accuracy. However because it is a deep learning model, it is resource intensive and may not be appropriate for limited resources applications.

Recent deep learning breakthroughs have brought forth transformer-based models with potential application in medical diagnosis, such as the prediction of heart disease. These models utilize self-attention mechanisms to efficiently extract relationships between intricate and high-dimensional data, such as ECG images and clinical records. Transformers differ from conventional models as they are capable of processing long sequences of data, making them fit for processing time-series health data. Their applicability, however, is commonly constrained by the need for large annotated datasets and huge computational power.

Besides neural networks, federated learning has come up as a privacy-serving method that supports the training of machine learning models over distributed systems without sharing sensitive patient information. Federated learning applies most strongly in the healthcare sector where data security and privacy are paramount. By keeping the data local, federated learning enables institutions to collaborate while remaining compliant with data protection laws. While it has great potential, there are still challenges such as communication overhead and data heterogeneity that need to be addressed for successful application.

Explainable Artificial Intelligence (XAI) is a third area of increasing interest, most notably in the clinical setting, where model interpretability plays a critical role. Unlike black-box models, XAI models can provide explanations of how their predictions are generated, to promote clinician confidence in the model. The approaches can help understand which clinical features have the most impact on the model's response, thereby increasing transparency and supporting decision-making. However, there can be limitations in adding explainability, including added complexity of the model and degradation of model accuracy.

Explainable Artificial Intelligence (XAI) is another domain which is beginning to receive more and more attention, especially in health care contexts, where the interpretability of the model is particularly important. Unlike black-box models, XAI methods provide an outline of the reasoning behind predictions, thus potentially

increasing confidence among clinicians. These tactics offer additional insights into which clinical features have the most influence on a model output, thus improving transparency and potentially a model's ease of interpretation. Explainability, can also provide the unintended consequence of limiting/explaining model complexity or models ability to achieve accuracy in some cases.

Further, multi-modal data integration - genomic data, lifestyle characteristics, and readings from wearables and other sensor sources - these efforts are looking to harness the multi-faceted nature of human health, and will feature increasingly in advanced prediction systems. Integrating a wider variety of data sources will help enhance the model's ability to vulnerability to cardiovascular conditions sooner, as well improve how sophisticated a personalized treatment plan can be explored or optimized over time. One disadvantage of having heterogeneous data though is the standardization and preprocessing of the heterogeneous data, especially with regards to two issues in support of OMC which are different formats and quality.

Another direction with great promise is the application of reinforcement learning to the optimization of long-term treatment planning and disease management. These algorithms learn through interacting with the environment and receiving feedback, which makes them well adapted to dynamic and ongoing monitoring systems within healthcare. Though early for applications in heart disease, reinforcement learning has the potential to be used in real-time decision support and adaptive care.

In summary, while historical machine learning and data mining models have provided a solid foundation for heart disease prediction, modern deep learning, federated learning, and explainable AI advances are extending the reach of these systems. Future work ought to prioritize tackling the computational and data quality issues in these newer models such that they not only perform well but also in a manner that is viable for real-world clinical application.

The development of Internet of Things (IoT) in health is also important for forecasting and tracking heart disease. Wearable technology called smartwatches and similar fitness trackers captures medical data in real-time such as heart rate, blood pressure, and oxygen saturation levels which can then be leveraged by machine learning algorithms to better recognize cardiac abnormalities. The cross over factors of IoT and predictive history improve the continuity and gathered data of patients that can lead doctors to on-time interventions. And while monitoring an individual in this way is advantageous, a way to ensure reliable and secure aspects of such a system continues to be an issue, particularly in constrained background.

Another relevant trend is using cloud and edge computing technologies for health data processing at scale. Cloud-based systems provide a scalable environment for storing and analyzing extremely large patient datasets, enabling the development of real-time heart disease prediction systems.

Edge computing, however, shifts computation to the edge of or near data sources (e.g., wearable devices or hospital sensors), which leads to lower latency and accelerates response time. While the cloud and edge computing offer improvements to the effectiveness of prediction systems, both also pose a threat to data privacy and systems integration.

Synthetic data generation is also being considered as a handy tool to handle the issue of imbalanced medical datasets. For heart disease prediction, some conditions can be represented inadequately, causing bias in models. Data augmentation and generative adversarial networks (GANs) are applied for generating synthetic samples that balance the dataset and enable model generalization. Synthetic data can be made to perform better, but still, the task of ensuring artificial data correctly models real-world settings remains a problem.

A new trend is happening in which models to predict heart disease are taking account for socio-economic and behavioral elements. Factors like income level, diet, stress, and activity level each have a major effect on heart health. If models included this type of

non-clinical information, they would be more representative and holistic of risk in the real-life context.. It is challenging to obtain such information with regard to collection, privacy, and also consolidating it with structured clinical data.

Finally, the rising prominence of hybrid models - uniting statistical, machine and deep learning techniques has been successful differentiation for heart disease prediction tasks. Hybrid models are used to capture the benefits of each technique to ideally yield the greatest accuracy and robustness. For example, a hybrid model could utilize a decision tree and neural networks or relate clustering modeling with deep learning to improve learning and predictively. Even so, hybrid models can be tricky, and require significant tuning and validation to ensure you receive the best of performance.

More research built on this base by analyzing data mining algorithms like SVM, ANN, and Random Forest. Results showed ensemble learning methods outperforming standard statistical methods, especially in feature selection. Still, difficulties with imbalanced and noisy datasets could affect model trustworthiness.

Comparative evaluations of supervised machine learning methods recognized deep learning methods as the most powerful for heart disease classification. The significance of feature engineering towards enhanced interpretability was highlighted, although data sparsity and computational expenses presented formidable challenges. The research helped in developing ongoing work on solid predictive models based on multiple health indicators.

Also, the application of IoT-based real-time heart disease prediction health monitoring has also been researched. Machine learning models in conjunction with wearable sensors were employed, which aided in earlier diagnosis and better patient monitoring. Encryption techniques have been employed to solve the security problems but problems regarding network latency and battery life are negligible and indicate that optimization will have to be done.

New research has proposed attention-based transfer learning models for predicting cardiovascular disease. Using multimodal medical data, these models demonstrated

better diagnostic accuracy. The self-attention mechanism was instrumental in feature extraction, enhancing classification performance. Computational cost and data annotation were still challenges, indicating the necessity of using real-world patient data in AI-based diagnostics.

In summary, the literature shows a clear progression of cardiovascular disease prediction techniques, which progresses from traditional data mining techniques to sophisticated systems controlled by deep learning and IoT. While deep learning models have a high accuracy but issues related to data quality, computational intensity and real world applicability remain. Future research must address enhancing diversity in datasets, reducing computational complexity and ensuring smooth integration of AI models into clinical processes. Addressing these limitations will enable AI based heart disease prediction systems to be more trusted and utilized more extensively by healthcare institutions.

CHAPTER 3

PROPOSED METHODOLOGY

3.1 Overview

In this study, the methodology employed takes systematic steps in establishing a deep learning-based ECG classification system with self-attention mechanisms to accurately identify abnormal and normal ECG signals through complex data preprocessing techniques, an optimized deep learning model and a specifically defined training methodology. The research is carried out in a number of stages for example data acquisition, preprocessing, model design, training, validation, and performance assessment. Each of these stages is essential in achieving a robust and accurate model to be used in the real-world setting for diagnosing cardiovascular disease.

3.2 Process Flow Diagram

Prediction of heart disease using a Self-Attention model consists of the processing of ECG images to be classified into two classes (Healthy or Diseased). The self-attention mechanism, allows the model to focus on important patterns present in the ECG images to produce a better classification result.

Figure 1 shows the heart disease prediction model workflow based on the process flow from data preprocessing to model evaluation.




Figure 1 Workflow of the Heart Disease Prediction Model

3.3 Data Collection and Preparation

3.3.1 Source and Selection of Data

The data used in this project is ECG images representing normal and abnormal heart conditions. The data are obtained from open-access clinical libraries like Mendeley to guarantee that they are labeled and validated for the purpose of medical study. The data set consists of 200 normal and 200 abnormal ECG images to be used by the model so that it can learn the features of heart disease.

For ECG data, waveforms with recognizable features (P-waves, QRS complexes, and T-waves) have been used to ensure that the data has usable examples that demonstrate the electrical conduction of the heart. There are a number of substandard ECG images that represent abnormalities, including examples of arrhythmias, and examples of ischemia,

to improve the model's ability to classify a variety of cardiovascular diseases.

In choosing ECG data, images with visible waveform features like P waves, QRS complexes, and T waves are given priority. This will result in the dataset having good-quality samples that well represent the electrical activity of the heart. Secondly, a set of abnormal ECG images covering conditions like arrhythmias and ischemia are added to improve the model's capability to identify various cardiovascular diseases.

3.3.2 Data Preprocessing Techniques

Preprocessing is an important step to enhance model accuracy and eliminate noise in ECG images. The following operations are carried out:

- **Image Standardization:** ECG images are resized to a standard dimension to ensure consistency within the dataset.
- **Normalization:** The pixels were normalized on a scale from 0 to 1 so that even in different images equal levels of contrast could be guaranteed. •
- **Denoising:** Cases and filters are used to reduce background noise and irrelevant artifacts, which may impede feature extraction.
- **Augmentation:** Specifically, models used were constructivist and convolutional with rotation, and extrapolation, flipping discussed as well as adjustment to contrast (i.e. shading). Several models are was optimized via expansion or scaling.
- **Segmentation:** Segmentation is used to highlight the waveform structures in ECG images and to reduce the impact of any unwanted background noise in the area of interest wherever needed.

Once the preprocessing has been completed, the data set is split into training (70%), validation (15%) and testing (15%) subsets to properly assess the capability of the model to generalise.

3.4 Model Design and Implementation

3.4.1 Model Selection

The model described in this paper combines Convolutional Neural Networks (CNNs) for feature extraction, with essentially Self-Attention Mechanisms for long-range dependencies in ECG waveforms. This blend of models means that on two levels, the analysis of ECG signals considers both local and global patterns.

3.4.2 Architecture of the Model




Figure 2 Self-Attention Mechanism

The deep learning architecture is made up of multiple layers, shown in the image in Figure 2. Each layer is comprised of different components of processing the ECG image (waveform):

1. **Convolutional Layers:** This layer series detect edges, shapes, and structures of the waveform within the ECG signal. Specifically, detected features include, but are not limited to, peak amplitudes and duration of the waveform.
2. **Pooling Layers:** Max pooling is performed to reduce the dimension of the spatial information and therefore reduce computation (which also aids reducing model size) while retaining the important features.
3. **Self-Attention Layer:** This layer follows self-attention mechanism. This model works on method of applying different weights to different parts of ECG waveforms. It results in better accuracy in classifying images of patients.
4. **Fully Connected Layers:** These layers are fully connected layers of network that are combined with the activation function. It is used as the characteristic of ECG waveforms to classify different images.
5. **Output Layer:** It consists of softmax activation which classifies images of ECG signals into normal and abnormal images. It gives accurate output to provide decision.

3.4.3 Activation Functions and Optimization

The model utilizes ReLU (Rectified Linear Unit) as the activation function for convolutional layers in order to introduce non-linearity and improve feature extraction. The final output layer uses the softmax function to generate probability scores for the purpose of classification.

For the purpose of optimization, Adam optimizer is used because of its adaptive learning rate behavior, which enhances the speed of convergence. Binary cross-entropy loss function is used to measure classification performance such that the model parameters can be precisely tuned.

Finally, the rising prominence of hybrid models - uniting statistical, machine and deep learning techniques has been successful differentiation for heart disease prediction tasks. Hybrid models are used to capture the benefits of each technique to ideally yield the greatest accuracy and robustness. For example, a hybrid model could utilize a decision tree and neural networks or relate clustering modeling with deep learning to improve learning and predictively. Even so, hybrid models can be tricky, and require significant tuning and validation to ensure you receive the best of performance.

More research built on this base by analyzing data mining algorithms like SVM, ANN, and Random Forest. Results showed ensemble learning methods outperforming standard statistical methods, especially in feature selection. Still, difficulties with imbalanced and noisy datasets could affect model trustworthiness.

The data used in this project is ECG images representing normal and abnormal heart conditions. The data are obtained from open-access clinical libraries like Mendeley to guarantee that they are labeled and validated for the purpose of medical study. The data set consists of 200 normal and 200 abnormal ECG images to be used by the model so that it can learn the features of heart disease.

For ECG data, waveforms with recognizable features (P-waves, QRS complexes, and T-waves) have been used to ensure that the data has usable examples that demonstrate the electrical conduction of the heart. There are a number of substandard ECG images that represent abnormalities, including examples of arrhythmias, and examples of ischemia, to improve the model's ability to classify a variety of cardiovascular diseases.

3.5 Model Training Strategy

3.5.1 Training Procedure

The model is learnt using supervised learning, where labeled ECG images are provided as input to the network to train feature representations. Training includes:

- **Batch Processing:** Data is split into smaller batches to improve computational efficiency.
- **Gradient Descent Update:** The optimizer updates model weights by batch in order to reduce classification errors.
- **Regularization Techniques:** Dropout layers are employed to prevent overfitting by deactivating randomly neurons during training.

The model is trained using supervised learning, where labeled ECG images are fed into the network to learn feature representations. The training process includes:

3.5.1 Hyperparameter Tuning

To ensure superior performance of the adopted model, the following hyperparameters are fine-tuned:

- **Learning Rate:** This is fine-tuned dynamically employing a learning rate scheduler for better convergence.
- **Batch Size:** Values of 16, 32, and 64 were evaluated to ensure a balance of speed and accuracy.
- **Epochs:** Training of the model is performed for 50 epochs to ensure ample learning is given, with an avoidance of conditions of overfitting.

3.6 Evaluation Metrics

Model performance has been assessed using standard classification performance metrics:

- **Accuracy:** General correctness of classifications.

- **Precision:** Number of correct predictions for abnormal cases.
- **Recall:** The apparent ability to identify abnormal ECGs while not losing cases.
- **F1-Score:** A balance between precision and recall that provides a good overall metric.

A confusion matrix was used to visualize model predictions, including true positives, false positives, true negatives, and false negatives.

The proposed approach demonstrates a well-organized way of developing a deep learning model for heart disease diagnosis using ECG. Utilization of CNNs with self-attention mechanisms improves accuracy and interpretability. The entire preprocessing of data, well-organized architecture, training strategy optimization, and proper evaluation metrics ensure the reliability of the model for clinical applications. The comparative analysis ensures the superiority of the self-attention model compared to the conventional methods, hence making it the right choice for cardiovascular diagnosis using AI. Future improvements will include diversity in data sets, utilization of multi-modal learning, and improved deployment efficiency for real-world healthcare applications

3.7 Comparative Performance Analysis

For purposes of verification of the effectiveness of the proposed self-attention model, it is compared with the conventional deep learning models as seen in Table 2 below:

Table 2 COMPARISON OF PERFORMANCE METRICS

Model	Accuracy(%)	Precision(%)	Recall(%)	F1-Score(%)
CNN	88.5	86.2	87.0	86.6
CNN-LSTM	90.5	88.0	86.5	87.2
Self-Attention	92.0	90.0	91.0	94.0

3.8 Model Deployment Considerations

Once trained and tested, the model can be deployed for actual applications. There are some important deployment considerations:

- **Integration into a cloud service:** The model can be deployed on the cloud allowing you to provide sure a remote ECG analysis.
- **Web and mobile application development:** The model can potentially be used in an healthcare application to provide that real-time diagnosis functionality.
- **Wearable edge computing:** Optimizing the low power model to allow for real-time ECG monitoring on wearable health devices.

3.9 Future Enhancements

Although the model is good, enhancing it in the future is possible.

- **Expand the Dataset:** Increasing the total number of ECG samples from other populations to improve generalizability.
- **Multi-Modality Learning:** fECG images paired with patient metadata (age, medical history) to allow for personalized diagnosis.
- **Explainable AI (XAI) Integration:** Integration of visualisation tools to enable AI decision-making to be explainable to clinicians.

3.10 Conclusion

The proposed approach demonstrates a well-organized way of developing a deep learning model for heart disease diagnosis using ECG. Utilization of CNNs with self-attention mechanisms improves accuracy and interpretability. The entire preprocessing of data, well-organized architecture, training strategy optimization, and proper evaluation metrics ensure the reliability of the model for clinical applications. The comparative analysis ensures the superiority of the self-attention model compared to the conventional methods, hence making it the right choice for cardiovascular diagnosis using AI. Future improvements will include diversity in data sets, utilization of multi-modal learning, and improved deployment efficiency for real-world healthcare applications

CHAPTER 4

RESULTS AND DISCUSSION

4.1 Results

4.1.1 Overview of Model Performance

The performance of the self-attention-based deep learning model was tested on a balanced distribution of ECG images labelled as either normal or abnormal. The model was trained with an optimal training strategy and the overall performance was evaluated using common performance indicators like accuracy, precision, recall and F1-score. These performance metrics gave us an insight into the capability of the model to classify ECG images while avoiding false negatives and false positives. The performance indicated that the model conducted all the analysis with 92% accuracy meaning it was capable of classifying a high majority of normal and abnormal ECGs using the model.

The 91% recall score indicates the capability of the model to accurately identify all the abnormal cases so that patients suffering from cardiovascular conditions were not overlooked. The model also achieved a precision score of 90%, indicating the capability of the model to avoid false positives. This is particularly critical in medical applications of models such as this, while being capable of identifying possible patients from ECG samples; it is also essential to avoid false positives, which may cause unforeseen medical interventions.

The F1-score of 94% also confirms the model demonstrates a comparable performance in precision, and recall and is therefore an appropriate tool to be integrated into clinical applications. The self-attentive mechanism improves upon traditional CNN and hybrid CNN-LSTM models by providing classification efficiency in terms of reduced misclassifications and improved interpretability.

4.1.2 Confusion Matrix Assessment

The confusion matrix gives a vivid report of the outcome of the model's classification; hence enabling a complete assessment of the model's strengths and weaknesses in making error predictions. The confusion matrix was therefore given in Table 3 as below:

Table 3 CONFUSION MATRIX

Predicted Class	Actual Normal	Actual Abnormal
Predicted Normal	185	15
Predicted Abnormal	20	180

From this table, the correct classifications of abnormal ECGs are termed as true positives (180) and of normal ECGs as true negatives (185). False positives are those normal ECGs which have been wrongly termed as abnormal (15), and the false negatives are the abnormal ECGs wrongly classified as normal (20).

Even though the false negative rate is extremely low, it is still an area of improvement since failure to detect abnormal ECGs could be extremely dangerous in medical diagnosis. The next model could emphasize optimization of feature extraction in order to detect minor abnormalities in ECG waveforms.

4.1.3 Comparison with Classical Models

For comparison of performance gain obtained by the execution of the self-attention mechanism, comparative analysis was performed using two of the most popular deep learning models—CNN and hybrid CNN-LSTM models. On comparison, it can be observed that the self-attention model shows better accuracy and recall compared to CNN and CNN-LSTM models. The high recall value of 91% suggests that the model is more accurate in detecting abnormal ECGs, and this reduces the chance of

misclassification.

The rise in F1-score (94%) indicates the balanced performance of the model, therefore providing sensitivity as well as specificity in medical diagnosis.

4.1.4 Receiver Operating Characteristic (ROC) Curve and AUC Score

In addition to demonstrating the models classification ability, the Receiver Operating Characteristic (ROC) curve was drawn and recorded the Area Under the Curve (AUC) value. An AUC value of 0.95 indicates the model has a very high discrimination ability between normal and abnormal ECGs.

The ROC curve represents a trade off between the false positive rate, the true positive rate (sensitivity) and the models ability to differentiate classes. The larger the AUC score, the better the model performs under different decisions points, and is therefore suited for medical applications that require careful classification.

4.1.5 Error Analysis and Model Limitations

Even though the model performed quite well, there were some issues observed:

- **Misclassification of Borderline Cases:** Some mild abnormal ECGs were read as normal. These are predominantly examples of mild waveform abnormalities requiring greater sensitivity.
- **ECG Image Noise:** There were some misclassifications also due to noisy and/or low-quality ECG signals, ultimately affecting feature extraction and classification accuracy.
- **Limitations of the dataset:** While the whole dataset was balanced, more training samples, especially for the less frequent cardiac conditions to an even greater extent, would generalize results even further.

Enhancing problems with better data preprocessing, noise elimination, and additional data may yield even greater classification accuracy.

4.1.6 Analysis of Normal and Abnormal ECG Waveforms

A normal electrocardiogram (ECG) waveform is an indication of normal electrical activity of the heart, allowing normal cardiac function to occur. It has recognizable structures such as the P wave, QRS complex and T wave, which represent the depolarization and repolarization of the atrium and ventricle. In an electrocardiogram, the P wave is rounded and smooth, representing normal conduction within the atria. The QRS complex (ventricular depolarization) is sharp and narrow. The T wave is upright and well-defined. The conventional time intervals are all normal including PR interval (120-200 ms) and QT interval (350-450 ms), indicating no conduction abnormalities.




Figure 3 Normokalemia ECG waveform displaying typical characteristics

In contrast, an abnormal ECG waveform exhibits irregularities that signify potential cardiovascular conditions. Deviations from the normal pattern can include prolonged or shortened intervals, irregular P waves, widened QRS complexes, or flattened T waves. For instance, in hypokalemia, the T wave appears flattened, and a prominent U wave may be visible, indicating abnormal potassium levels. Similarly, arrhythmias like atrial

fibrillation present with erratic P waves, and myocardial infarction may result in ST segment elevation or depression. These abnormalities help clinicians diagnose underlying cardiac conditions and take appropriate measures for treatment. Figure 4 (Abnormal ECG Waveform) presents an example of an abnormal ECG, where noticeable changes in waveforms and intervals highlight deviations from a healthy heart function.




Figure 4 Hypokalemia ECG waveform with anomalous characteristics

On the other hand an abnormal ECG waveform may give us features that suggest possible cardiovascular disease. Normal patterns can have variations in the form of prolonged or decreased intervals, abnormal P waves, widened QRS complex, or depressed T waves. For example, T wave flattening and a recognizable U wave would suggest hypokalemia and/or abnormal potassium levels.

Similarly, arrhythmias such as atrial fibrillation will produce irregular p waves, and myocardial infarcts can cause ST segment elevations or depressions. These abnormalities enable practitioners to diagnose intrinsic cardiac conditions and initiate corresponding measures for treatment. Figure 4 (Abnormal ECG Waveform) shows an illustration of an abnormal ECG, where such changes in waveforms and intervals are visible to point out deviations from a normal heart function.

5.1 Discussion

5.1.1 The effect of Self-Attention on ECG Classification

Self-attention in the deep learning model had a more positive impact on classification performance compared to how conventional CNNs process ECG waveforms or signals. More specifically, in conventional CNNs, the convolutional filters computed on ECG waveforms or signals are fixed. In the contrary, self-attention applies convolution filters that dynamically weigh each part of the ECG waveform or signal. This allows self-attention to highlight the key, most important, and relevant patterns in ECG signals and improve interpretation and classification to create a better model by clinical standards.

Another major advantage of self-attention is its capacity to model long range dependencies in ECG waveforms. CNNs often struggle with the identification of small changes that define cardiovascular pathology. The self-attention mechanism in CNNs solves this issue by allowing the model to weight salient features and ‘down-weight’ redundancy for relevant information. As a result, the model can obtain greater precision and recall and decrease the occurrence of incorrect diagnoses.

5.1.2 Traditional Methods Comparison

The self-attention model clearly performed better than standard deep learning models in its ability to detect abnormal ECGs. Standard CNN models primarily capture spatial features, and these spatial features do not have to reflect complex changes in ECG waveforms.. Hybrid CNN-LSTM models try to counteract this aspect by including sequential dependencies, but they tend to need expansive datasets to work efficiently. The self-attention model, nonetheless, generalizes better even with a relatively small dataset, thus proving to be a more feasible option for medical applications.

In addition, explainability is a very important aspect of medical AI use cases. Deep learning models are mostly black boxes, and healthcare workers find it challenging to rely on their predictions. The self-attention model encourages transparency by the

provision

attention heatmaps that highlight the waveform regions contributing to the classification result.

5.1.3 Clinical Relevance and Real-World Applications

The model has strong clinical relevance to computer-based diagnosis of cardiovascular disease. By producing valid and understandable classifications of ECG data, it could act as a decision-support system for cardiologists to avoid workload and maximize efficiency. The high recall of the model ensures reliable detection of abnormal cases, which is very important for early intervention and treatment planning.

Second, the model can be incorporated into remote healthcare platforms, providing patients in rural or underserved communities access to AI-driven diagnostics. As the acceptance of ECG monitoring wearable devices expands, the model can be adjusted for real-time analysis and monitoring-in essence continuous monitoring of heart health. Future applications could be putting the model on cloud-based medical platforms, thus making it available to healthcare professionals world-wide.

5.1.4 Obstacles with Future Development

Even with its great performance, there were some constraints of the model to be resolved in the future. One of them concerns data variability - ECG signals can vary broadly with age, sex, and previous health problems. Increasing the dataset to cover a more diverse patient population may enhance model generalization.

Yet another area of growth is multi-modal learning, wherein images from the ECG are integrated with other patient data like heart rate, blood pressure, and demographics. This would allow for a more thorough assessment of cardiovascular risk, which would result in improved patient outcomes.

In addition, although the self-attention model improves interpretability, other explainable AI (XAI) methods like SHAP (Shapley Additive Explanations) and LIME (Local Interpretable Model-Agnostic Explanations) can be integrated to achieve better insights into decisions taken by the model. These techniques would enable clinicians to see why certain ECGs were determined as abnormal, leading to more faith in AI-driven diagnostics.

5.1.5 Considerations for the Future

There are a number of enhancements that can be made in the future to further develop the model:

1. **Increased Diversity of Dataset** – Gathering more samples of ECG data representing a broader spectrum of diverse backgrounds to offer more variability, special populations, and generalizability.
2. **Enhanced Preprocessing** – Using more advanced methods of noise suppression to reduce the amount of misclassification.
3. **Contributions to Real-Time Systems** – Optimizing the model around edge devices or external programs (e.g., smartwatches, portable ECG monitors).
4. **Mixing Modalities** – Combining ECG images at the time of CAD diagnosis with other cardiovascular risk indicators for a more robust clinical diagnosis.
5. **Using Explainable AI (XAI)** – Providing more methods of visualization to provide greater transparency of the role of AI in a health care setting.

5.2 Conclusion

The results confirm that the self-attention model significantly improves ECG classification accuracy and interpretability compared to traditional deep learning approaches. The discussion highlights the advantages of this methodology, particularly in handling long-range dependencies and enhancing model transparency. With further refinements, this system can be deployed in real-world medical applications, contributing to early detection and management of cardiovascular diseases. Future advancements will focus on expanding datasets, integrating multi-modal learning, and optimizing the model for real-time deployment in healthcare environments.

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

Cardiovascular diseases are still a challenge in healthcare around the world, and there is still room for improvement in diagnostic accuracy and predictive solutions. All the findings from the studies that have been reviewed in this paper show that machine learning, deep learning and IoT-based solutions have disruptive potential to address the limitations of traditional diagnostic methods. Predictive models which are data-driven have improved classification accuracy, reliability, and scalability. This shows that identification and early detection of cardiovascular diseases has evolved to significantly improve management.

Through the application of machine learning methods, we have developed very powerful prediction models based on supervised learning algorithms, and successful applications of deep learning related methods, including convolutional neural networks and self-attention. The models demonstrated superior performance in the detection about the features of ECG data that will allow normal and abnormal cardiac states to be differentiated accurately. Although some areas of the deep learning structure of the models appear to address, the aspects of data imbalance, computation complexity and interpretation merit further research.

A key development in prognosis for cardiovascular disorders is about IoT based monitoring systems. The use of wearable sensors in conjunction with machine learning model applications for acquiring and on-time monitoring of heart health, real-time and continuously, make these systems a developing approach to both early detection and treatment of heart condition that reduces the load on healthcare services.

However, issues like data security, latency and other power consumption need to be resolved to ensure that these types of technologies can be practically utilized in a medical intervention. One of the most relevant advances of the previous work is the use of self-attention mechanisms and transfer-learning approaches to the prediction of cardiovascular disease. The use of multimodal data sources allows these models to

enhance feature extraction, producing better quality diagnostics. Self-attention mechanisms naturally necessitate that the model appeals to only the most relevant features of the ECG, improving consistency and accuracy of decision-making. There are computational limits to the implementation of deep learning methods, and currently too much constraints to be widely adopted, can require application of optimisation methods to improve deployment in practice in health care systems.

The review similarly noted the significance of feature extraction, and data pre-processing, to enhance the performance of algorithm approaches. The efficacy of ensemble learning algorithms (for example, Random Forest (RF) and SVM) provide evidence for the prominence of designating a feature engineering step to better predictability. However, variability in noisy and heterogenous data still exists to limit the generalizability of ML models. In order to mitigate these issues requires larger data sets with greater variation in patient populations and medical conditions to engender robustness across different groups of patients.

Future work should focus on diversity in datasets, inclusion of patient metadata, and use of multi-modal approaches in order to enhance cardiovascular disease prediction models. Combining clinical decisions with genetic and wearable data would provide a complete picture of cardiovascular health and enhance diagnostic accuracy. In addition, explainable AI strategies can enhance interpretability around models and improve trust in model findings by health professionals to inform clinical decision-making.

While AI-supported diagnoses hold great promise, ethical implications and regulatory mechanisms must still be overcome. Protecting patient privacy data, reducing algorithmic bias, and harmonizing validation procedures are key aspects to facilitate proper use of AI-predictive cardiovascular disease platforms.

Coordination among researchers, clinicians, and policymakers is needed to develop guidelines in support of easy inclusion of AI in healthcare without affecting patient safety and ethical principles.

Finally, the continued development of AI-powered cardiovascular disease prediction is a paradigm shift in medical diagnostics. Technologies like this can improve early detection, improve clinical outcomes, and lower global burden of heart diseases if developed with scalability, real-time applicability, and ethical considerations of the implementation of AI in cardiovascular diagnostics when seeking to transform healthcare today, through the addressing of current challenges and embracing connectedness between and within disciplines.

6.1 Error Analysis and Model Limitations

While the self-attention model achieved commendable accuracy, there were some misclassifications we will review in detail below:

6.1.1 Misclassification of Borderline Cases

Several ECG samples had borderline abnormalities which were misclassified as normal. Borderline cases often have small deviations in their waveforms such that even a seasoned cardiologist would be hard pressed to find them. By adding more preprocessing steps and allowing the model to better identify deviations in the waveform, that could improve performanc

6.1.2 Impact of Noisy ECG Signals

Some of the misclassified ECGs contained noise or artifacts which limited their ability to extract features, with external noise created in ECG recordings by improper electrode placement, electrical interference, or the movement of the patient, which caused issues. To address this, better denoising techniques such as wavelet transformation or adaptive filtering could work.

The review similarly noted the significance of feature extraction, and data pre-processing, to enhance the performance of algorithm approaches. The efficacy of ensemble learning algorithms (for example, Random Forest (RF) and SVM) provide evidence for the prominence of designating a feature engineering step to better predictability. However, variability in noisy and heterogenous data still exists to limit the generalizability of ML models. In order to mitigate these issues requires larger data sets with greater variation in patient populations and medical conditions to engender robustness across different groups of patients.

Future work should focus on diversity in datasets, inclusion of patient metadata, and use of multi-modal approaches in order to enhance cardiovascular disease prediction models. Combining clinical decisions with genetic and wearable data would provide a complete picture of cardiovascular health and enhance diagnostic accuracy. In addition, explainable AI strategies can enhance interpretability around models and improve trust in model findings by health professionals to inform clinical decision-making.

6.2 Practical Uses

The strong classification performance of the self-attention model makes it a contender for real-world clinical uses. These applications could include:

6.2.1 Clinical Diagnosis and Decision Support

The model can be deployed in hospital electronic health record (EHR) systems, where it helps cardiologists to review ECGs more effectively. The model minimizes workload and improves quality of diagnostics by providing AI-generated recommendations which the model may be leveraged as a decision-support tool.

6.2.2 Remote Healthcare and Telemedicine

As telemedicine continues to expand, there is the opportunity for AI-based ECG analysis to support patients who desire remote monitoring, particularly for patients who live in underserved areas or rural settings. In addition, the model could be hosted on cloud-based systems for patients to transmit their ECG recordings for automated analysis, allowing for timely medical intervention without visiting a physical appointment.

6.2.3 Integration with Wearable Devices

Considering the rising popularity of wearable health-monitoring devices, i.e., smartwatches or hand-held ECG monitors, the model can be tuned to provide real-time heart rate and ECG information. The AI model could run on energy-efficient hardware potentially allowing for continuous cardiac monitoring that could provide alerts, in cases of arrhythmia.

6.2.4 Emergency Response Systems

The AI MODEL could be implemented in ambulance as well as emergency response systems to quickly interpret ECG data from patients in cardiac distress. With immediate ECG classification results, emergency responders can make key decisions on the need for urgent action, potentially to save lives.

6.3 Main Findings

- Self Attention Model performance showed an accuracy of 92% , a precision of 90%, and a recall of 91%, outperforming both CNN and CNN-LSTM models.
- The confusion matrix showed a good distribution between true positives and true negatives, as well as relatively few errors of classification.
- The model calculate two curves AUC score and ROC curve which validates its ability to distinguish between normal and abnormal ECGs.
- There are some limitations while preprocessing model like noisy ECG signals, classification was not accurate much and borderline cases. These limitations can be further taken care in steps ahead in training the model for improving accuracy.
- The performance of the model is excellent for real-world applications in hospitals, telemedicine, wearable technology, and emergency health systems, representing strong potential to improve values of cardiovascular disease detection and patient outcomes.

By repeatedly improving and augmenting this AI-driven technique, ECG analysis can be made a quicker, more precise, and more accessible diagnostic process for the detection of heart disease across the globe.

6.4 Future Directions

6.4.1 Expanded the Dataset for Better Generalization

More data is one of the main potential areas of improvement. The model was trained with a reasonably balanced ECG dataset of 400 images that produced good results but obviously does not convey the complexity of real-world ECG variations. By expanding the dataset size to include larger and more heterogeneous datasets notably from various populations, medical histories, and geographical areas to increase the potential for the model to generalize across heterogeneous populations.

Also expanding the dataset to include more cardiovascular pathologies such as arrhythmias, myocardial infarction, and heart valve diseases would enable the model to classify more than just normal and abnormal heart pathology.

6.4.2 Real-Time ECG Analysis for Wearable Devices

With the advancement of wearable health monitoring devices like smartwatches and pocket-sized ECG monitors, implementing the model into real-time ECG analysis platforms is a huge opportunity. The future can look at improving the model for low-power embedded systems so that continuous heart monitoring and detection of abnormalities at an early stage are achievable. They could have real-time alert for the users showing that they need to visit a physician, when potential risks are detected.

For this, they can investigate edge computing methods so that ECG processing would be done on wearables directly without relying on cloud processing. This may enhance response time and reduce the reliance on internet connectivity.

6.4.3 Multi-Modal Learning for Overall Diagnosis

Future development can also look into multi-modal learning, where ECG images are

merged with other patient information to create a more thorough diagnosis. Some possible sources of data to be integrated are:

The rapid advances made in artificial intelligence and deep learning are transforming health care by enabling the early detection and diagnosis of lifethreatening diseases. This project exemplifies the potential of artificial intelligence for automating ECG analysis to provide swift, accurate, and explainable classification of cardiovascular diseases. Although the present model is highly accurate and reliable, ongoing improvements through expansion of the dataset, real-time deployment, multi-modal learning, explainability methods, and regulation compliance will propel it forward.

With continuous research and technological innovation, AI-based cardiovascular diagnostics will be a key preventive healthcare tool, easing the workload for healthcare professionals and saving lives in the long run. With the integration of AI, wearable devices, and cloud computing, the future for detecting heart disease will shift towards customized, accessible, and real-time monitoring, allowing individuals to become proactively empowered over their cardiac health.

Cloud deployments can also enable telemedicine integrated together, where patients in rural or underserved areas can receive a specialist cardiac evaluation, without the need to consult with a doctor face-to-face. Future work could also address improving model efficiency for cloud processing while following data privacy and security regulations, so compliance including HIPAA and GDPR.

- 6.4.3.1 Electronic Health Records (EHRs) – Adding medical history, blood pressure, cholesterol, and genetic susceptibility.
- 6.4.3.2 Heart Rate Variability (HRV) Analysis - Analysis of HRV patterns and ECG signals to identify the earliest indications of heart disease.
- 6.4.3.3 Echocardiogram and MRI Information - Blending ECG with imaging technologies to enhance structural heart disease diagnosis.

With multiple sources of data employed in combination, AI-based models for predicting heart disease can advance toward individualized treatment, with diagnostic suggestions and treatments personalized to specific patients.

6.4.4 Improving Explainability Using Upper-level AI Methods

A prominent challenge related to AI in healthcare is the black-box aspect of deep learning models. In particular, even though the self-attention model still employs interpretability by way of attention heatmaps, there will be more opportunities for maximal interpretability through the utilization of upper-level Explainable AI (XAI) methods.

As mentioned, future models could potentially include:

- 6.4.4.1 **SHAP (Shapley Additive Explanations)** - which allows insight of the contribution of each feature's value in the final prediction.
- 6.4.4.2 **LIME (Local Interpretable Model-Agnostic Explanations)** – which generates interpretable model(s) of model prediction for individual cases.
- 6.4.4.3 **Gradient-based Visualization Methods** – indicates which specific parts of the ECG waveform contributed to the classification- (Model) result.

These explanatory methods would steadily lead to greater use of AI based diagnostic assessment methods and subsequent acceptance of the use AI by healthcare clinicians where AI predictions become interpretable and verifiable.

6.4.5 Cloud-Based Deployment for Global Access

Hosting the model on cloud-based healthcare platforms has the potential to make AI-driven ECG analysis available to hospitals, clinics, and rural healthcare providers globally. By taking advantage of cloud computing, ECG data can be uploaded and processed in real-time, enabling healthcare professionals to get automated diagnostic information in real-time.

Cloud deployments can also enable telemedicine integrated together, where patients in rural or underserved areas can receive a specialist cardiac evaluation, without the need to consult with a doctor face-to-face. Future work could also address improving model efficiency for cloud processing while following data privacy and security regulations, so compliance including HIPAA and GDPR.

6.4.6 Ethical and Regulatory Issues

As AI plays a bigger role in healthcare, frameworks will be needed to deal with the ethical, regulatory, and legal issues. Future studies should look at:

- **Eliminating Bias** – Making sure that the model is not biased toward certain demographics through training with diverse data.
- **Regulatory Approval** – Following regulations and standards such as the FDA approval and CE marking to secure AI-based ECG classification models via regulatory approval processes.
- **Patient Privacy** – Utilizing encryption and anonymization approaches that will protect sensitive health data.

When these problems are first addressed, AI-driven healthcare solutions will be able to circumvent regulatory barriers and be adopted into national healthcare systems.

6.4.7 Partnership with Hospitals

It is important for future research to develop partnerships with hospitals and research institutions to evaluate the effectiveness of the model in real-life settings. Conducting clinical trials and pilot tests in clinical settings would provide valuable feedback from cardiologists that would enhance the model's effectiveness.

Human decision-making and AI-based information would improve the accuracy, reliability, and credibility of computerized ECG classification and enhance the feasibility for global scaling in cardiology departments or emergency response settings.

6.4.8 Concluding Remarks

The rapid advances made in artificial intelligence and deep learning are transforming health care by enabling the early detection and diagnosis of lifethreatening diseases. This project exemplifies the potential of artificial intelligence for automating ECG analysis to provide swift, accurate, and explainable classification of cardiovascular diseases. Although the present model is highly accurate and reliable, ongoing improvements through expansion of the dataset, real-time deployment, multi-modal learning, explainability methods, and regulation compliance will propel it forward.

With continuous research and technological innovation, AI-based cardiovascular diagnostics will be a key preventive healthcare tool, easing the workload for healthcare professionals and saving lives in the long run. With the integration of AI, wearable devices, and cloud computing, the future for detecting heart disease will shift towards customized, accessible, and real-time monitoring, allowing individuals to become proactively empowered over their cardiac health.

REFERENCES

1. S. Palaniappan and R. Awang, "Intelligent heart disease prediction system using data mining techniques," in *2008 IEEE/ACS International Conference on Computer Systems and Applications*, 2008, pp. 108–115.
2. Jain, A. C. S. Rao, P. K. Jain, and Y.-C. Hu, "Optimized levy flight model for heart disease prediction using CNN framework in big data application," *Expert Systems with Applications*, vol. 223, p. 119859, 2023.
3. M. Sultana, A. Haider, and M. S. Uddin, "Analysis of data mining techniques for heart disease prediction," in *2016 3rd International Conference on Electrical Engineering and Information Communication Technology (ICEEICT)*, 2016, pp. 1–5.
4. M. M. Ali et al., "Heart disease prediction using supervised machine learning algorithms: Performance analysis and comparison," *Computers in Biology and Medicine*, vol. 136, p. 104672, 2021.
5. Sharma, T. Pal, and V. Jaiswal, "Heart disease prediction using convolutional neural network," in *Cardiovascular and Coronary Artery Imaging*, A. S. El-Baz and J. S. Suri, Eds. Academic Press, 2022, pp. 245–272.
6. R. Alizadehsani et al., "A data mining approach for diagnosis of coronary artery disease," *Computer Methods and Programs in Biomedicine*, vol. 111, no. 1, pp. 52–61, 2013.
7. Dutta, T. Batabyal, M. Basu, and S. T. Acton, "An efficient convolutional neural network for coronary heart disease prediction," *Expert Systems with Applications*, vol. 159, p. 113408, 2020.
8. Verma et al., "A secure healthcare monitoring system for disease diagnosis in the IoT environment," *Multimedia Tools and Applications*, 2024.

9. M. Ranjan and S. Kumar, "Modeling of progressive Alzheimer's disease using machine learning algorithms," in *Artificial Intelligence, Blockchain, Computing and Security Volume 1*. CRC Press, 2024, pp. 879–885.
10. M. Ranjan and S. Kumar, "Modeling and early diagnosis of Alzheimer's disease using recurrent neural network," in *Intelligent Computing Systems and Applications*, Springer, 2024, pp. 535–546.
11. K. Gupta, V. Yadav, and S. Kumar, "Medical data clustering based on particle swarm optimization and genetic algorithm," *International Journal of Advanced Intelligence Paradigms*, vol. 14, no. 3–4, pp. 345–358, 2019.
12. H. Kwak et al., "Interpretable disease prediction using heterogeneous patient records with self-attentive fusion encoder," *Journal of the American Medical Informatics Association*, vol. 28, no. 10, pp. 2155–2164, 2021.
13. Singh and R. Kumar, "Heart disease prediction using machine learning algorithms," in *2020 International Conference on Electrical and Electronics Engineering (ICE3)*, 2020, pp. 452–457.
14. P. Motarwar et al., "Cognitive approach for heart disease prediction using machine learning," in *2020 International Conference on Emerging Trends in Information Technology and Engineering (ic-ETITE)*, 2020, pp. 1–5.
15. V. Sharma et al., "Heart disease prediction using machine learning techniques," in *2020 2nd International Conference on Advances in Computing, Communication Control and Networking (ICACCCN)*, 2020, pp. 177–181.
16. P. Ramprakash et al., "Heart disease prediction using deep neural network," in *2020 International Conference on Inventive Computation Technologies (ICICT)*, 2020, pp. 666–670.
17. M. Shouman et al., "Using data mining techniques in heart disease diagnosis and treatment," in *2012 Japan-Egypt Conference on Electronics, Communications and Computers*, 2012, pp. 173–177.

18. S. N. Pasha et al., "Cardiovascular disease prediction using deep learning techniques," in *IOP Conference Series: Materials Science and Engineering*, vol. 981, no. 2, 2020.
19. M. Kavitha et al., "Heart disease prediction using hybrid machine learning model," in *2021 6th International Conference on Inventive Computation Technologies (ICICT)*, 2021, pp. 1329–1333.
20. J. S. Suri et al., "Understanding the bias in machine learning systems for cardiovascular disease risk assessment: The first of its kind review," *Computers in Biology and Medicine*, vol. 142, 2022.
21. M. D. Praveena and B. Bharathi, "Cognitive learning-based missing value computation in cardiovascular heart disease prediction data," *Procedia Computer Science*, vol. 165, pp. 742–750, 2019.
22. J. Prakash et al., "A novel attention-based cross-modal transfer learning framework for predicting cardiovascular disease," *Computers in Biology and Medicine*, vol. 170, 2024.
23. M. Tarawneh and O. Embarak, "Hybrid approach for heart disease prediction using data mining techniques," in *Advances in Internet, Data and Web Technologies*, Springer, 2019, pp. 447–454.
24. J. P. V. et al., "A comparative study of machine learning classifiers for heart disease prediction," in *2020 International Conference on Emerging Trends in Information Technology and Engineering (ic-ETITE)*, 2020, pp. 1–5.
25. P. Motarwar et al., "Heart disease prediction using deep learning techniques," in *IOP Conference Series: Materials Science and Engineering*, vol. 981, no. 2, 2020.
26. M. Kavitha et al., "Naive Bayes and decision tree models for heart disease diagnosis," in *2021 6th International Conference on Inventive Computation Technologies (ICICT)*, 2021, pp. 1329–1333.

27. M. M. Ali et al., “ECG-based cardiovascular disease detection using machine and deep learning,” *Computers in Biology and Medicine*, vol. 136, p. 104672, 2021.
28. S. N. Pasha, R. L. Smith, and M. L. Berman, “Cardiovascular disease prediction using deep learning techniques,” in *IOP Conference Series: Materials Science and Engineering*, vol. 981, no. 2, 2020.

APPENDIX

APPENDIX A: Sample Code Snippets

1. Code of ECG Image Preprocessing

```
import cv2

import numpy as np

image = cv2.imread("ecg_sample.png", cv2.IMREAD_GRAYSCALE)

image_resized = cv2.resize(image, (224, 224))

# pixel values need to be normalized

image_normalized = image_resized / 255.0
```

2. Code of Model Training Code

```
import tensorflow as tf

class SelfAttention(tf.keras.layers.Layer):
    def __init__(self, units):
        super(SelfAttention, self).__init__()

        self.Wq = tf.keras.layers.Dense(units)

        self.Wk = tf.keras.layers.Dense(units)
        self.Wv = tf.keras.layers.Dense(units)

    def call(self, inputs):
        Q = self.Wq(inputs)
        K = self.Wk(inputs)
        V = self.Wv(inputs)

        weights = tf.nn.softmax(tf.matmul(Q, K, transpose_b=True) / tf.sqrt(tf.cast(tf.shape(K)[-1], tf.float32)))

        return tf.matmul(weights, V) # Model definition

model = tf.keras.Sequential([

    tf.keras.layers.Conv2D(32, (3,3), activation="relu", input_shape=(224,224,1)),
```

```
tf.keras.layers.MaxPooling2D(2,2),
SelfAttention(64), tf.keras.layers.Flatten(),
tf.keras.layers.Dense(128, activation="relu"), tf.keras.layers.Dense(1, activation="sigmoid")
])
```

3. Code of Model Performance

```
from sklearn.metrics import accuracy_score, precision_score, recall_score, f1_score #
Predicted and true labels

y_true = [1, 0, 1, 1, 0, 0, 1, 0]
y_pred = [1, 0, 1, 0, 0, 0, 1, 1]

accuracy = accuracy_score(y_true, y_pred) precision = precision_score(y_true, y_pred) recall =
recall_score(y_true, y_pred)

f1 = f1_score(y_true, y_pred) # Print results

print(f"Accuracy: {accuracy:.2f}") print(f"Precision: {precision:.2f}") print(f"Recall:
{recall:.2f}")

print(f"F1-Score: {f1:.2f}")
```

Appendix B: Labeled Intervals in ECG Waveform

Figure 5: Labeled Intervals in ECG Waveform

This figure represents ECG waveform with some intervals that are labelled with different parameters. It is necessary for identifying heart function. The components of ECG signal are:




Figure 5 Various intervals (P, Q, R, S, and T) labelled on an ECG waveform

- **P Wave:** It represents an atrial depolarization which is also known as contraction of the atria.
- **QRS Complex:** It shows Indication of ventricular depolarization that consists of three points:
 - **Q Wave:** It shows initial downward deflection.
 - **R Wave:** It is the highest peak in the waveform.
 - **S Wave:** It is the downward deflection which follows the R wave.
 - **T Wave:** It represents ventricular repolarization which also known as recovery phase of the ventricles.
- **PR Interval:** It is the total time taken for electrical conduction from the atria to the ventricles.
- **QRS Interval:** It is the time or Duration of ventricular depolarization.
- **QT Interval:** The total time for ventricular depolarization and repolarization is called QT interval.
- **RR Interval:** It is used to determine heart rate which is calculated by time between two successive R-wave peaks

This labeled ECG waveform is very important in identifying any abnormal behaviour such as arrhythmias, heart block, and electrolyte imbalances. In this research, for training a self-attention model of deep learning, these features of the image are used. It is helpful in classifying normal and abnormal image of patients.

