



A
Project Report
on
LocaTrack: Prophet-Based Time-Series Forecasting for
Crime Trend Prediction
Submitted as partial fulfillment for the award of
BACHELOR OF TECHNOLOGY
DEGREE

SESSION 2025-26

in
Computer Science and Engineering

By

Shreya Garg (2200290100156)

Aaradhya Gupta (2200290100002)

Yashvardhan Singh (2200290100199)

Under the supervision of

Prof. Gagan Thakral

KIET Group of Institutions, Ghaziabad

Affiliated to

Dr. A.P.J. Abdul Kalam Technical University, Lucknow
(Formerly UPTU)

May, 2026

DECLARATION

We hereby declare that this submission is our own work and that, to the best of our knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any other degree or diploma of the university or other institute of higher learning, except where due acknowledgment has been made in the text.

Signature:

Name: Shreya Garg

Roll No.: 2200290100156

Signature:

Name: Aaradhya Gupta

Roll No.: 2200290100002

Signature:

Name: Yashvardhan Singh

Roll No.: 2200290100199

Date:

CERTIFICATE

This is to certify that Project Report entitled “LocaTrack: Prophet-Based Time-Series Forecasting for Crime Trend Prediction” which is submitted by Shreya Garg, Aaradhya Gupta, Yashvardhan Singh in partial fulfillment of the requirement for the award of degree B. Tech. in Department of Computer Science & Engineering of Dr. A.P.J. Abdul Kalam Technical University, Lucknow is a record of the candidates own work carried out by them under my supervision. The matter embodied in this report is original and has not been submitted for the award of any other degree.

.

Date:

Prof. Gagan Thakral
(Assistant Professor)

ACKNOWLEDGEMENT

It gives us a great sense of pleasure to present the report of the B. Tech Project undertaken during B. Tech. Final Year. We owe special debt of gratitude to Prof. Gagan Thakral, Department of Computer Science & Engineering, KIET, Ghaziabad, for his constant support and guidance throughout the course of our work. His sincerity, thoroughness and perseverance have been a constant source of inspiration for us. It is only his cognizant efforts that our endeavors have seen light of the day.

We also take the opportunity to acknowledge the contribution of Dr. Vineet Sharma, Dean of the Department of Computer Science & Engineering, KIET, Ghaziabad, for his full support and assistance during the development of the project. We also do not like to miss the opportunity to acknowledge the contribution of all the faculty members of the department for their kind assistance and cooperation during the development of our project. We also do not like to miss the opportunity to acknowledge the contribution of all faculty members of the department for their kind assistance and cooperation during the development of our project. Last but not the least, we acknowledge our friends for their contribution in the completion of the project.

Signature:

Name: Shreya Garg
Roll No.: 2200290100156

Signature:

Name: Aaradhya Gupta
Roll No.: 2200290100002

Signature:

Name: Yashvardhan Singh
Roll No.: 2200290100199

Date:

ABSTRACT

Due to fast urban growth and movement of people toward cities, along with changes in crime trends, crime forecasting has recently become a significant application for law enforcement agencies. The aim of this study is to find out whether we can discover with an interpretable model like Prophet, an easily understandable pattern about what happens in terms of seasonality, anomaly periods, and crime trends without having to use complex black-box algorithms. Prophet is employed to estimate the long-term trend and weekly seasonality after a series of methodical preprocessing of the dataset, handling missing data, normalization of time-related features, and decomposition into different time series components. The model produced interpretable, distinguishable factors that each related meaningfully to extant evidence-based offending behavior and were robust across multiple evaluation periods. The findings indicate that Prophet provides a good trade-off of interpretability and predictive performance, making it suitable for practical operational environments where transparent prediction is required. In future work, we will further develop this approach with demographic and environment features, model spatial hotspots, and develop hybrid models involving Prophet with machine learning technologies for improved precision.

TABLE OF CONTENTS	Page No.
DECLARATION.....	ii
CERTIFICATE.....	iii
ACKNOWLEDGEMENTS.....	iv
ABSTRACT.....	v
LIST OF FIGURES.....	viii
LIST OF TABLES.....	ix
LIST OF ABBREVIATIONS.....	x
 CHAPTER 1 (INTRODUCTION).....	 1
1.1 Introduction.....	1
1.2 Project Description.....	2
 CHAPTER 2 (LITERATURE REVIEW).....	 4
2.1 Traditional and Statistical Approaches to Crime Forecasting.....	4
2.2 Influence of External Factors and Advanced Learning Models.....	5
2.3 Interpretable Models and Comparative Studies.....	6
2.4 Spatiotemporal Analysis and AI-Based Decision Support.....	7
2.5 Challenges, Limitations, and Research Motivation.....	7
 CHAPTER 3 (PROPOSED METHODOLOGY).....	 9
3.1 Methodology.....	9
3.2 Dataset Preparation and Partitioning Approaches.....	10
3.3 Fundamentals of Time Series Forecasting.....	11
 CHAPTER 4 (RESULTS AND DISCUSSION).....	 13
4.1 Results.....	13
4.2 Discussion.....	16

CHAPTER 5 (CONCLUSIONS AND FUTURE SCOPE).....	19
5.1. Conclusion.....	19
5.2. Future Scope.....	19
5.3 Practical Applications.....	20
REFERENCES.....	23
APPENDIX1.....	27

LIST OF FIGURES

Figure No.	Description	Page No.
3.1	LocaTrack workflow	11
4.1.1	Forecasted output represented as annual crime count	15
4.1.2	Predicted output shown as yearly crime totals	15
4.1.3	Forecast results expressed in crimes per year	16
4.1.4	Annual crime count derived from forecasted data	16
4.1.5	Projection output presented as yearly crime figures	17

LIST OF TABLES

Table. No.	Description	Page No.
2.1	Comparison Of Crime Forecasting Models	9
3.3.1	Impact Of Trend, Seasonality, And Events On Crime Prediction	13
5.3.1	Operational Strategies For Resource Allocation And Crime Prevention Using AI	22
5.3.2	Operational Applications Of AI In Resource Allocation And Crime Prevention	23

LIST OF ABBREVIATIONS

ARIMA	AutoRegressive Integrated Moving Average
SARIMA	Seasonal AutoRegressive Integrated Moving Average
LSTM	Long Short-Term Memory
BLSTM	Bidirectional Long Short-Term Memory
RF	Random Forest
XGBoost	Extreme Gradient Boosting
HES	Holt's Exponential Smoothing
SES	Simple Exponential Smoothing
MAE	Mean Absolute Error
RMSE	Root Mean Square Error
AI	Artificial Intelligence
CNN	Convolutional Neural Network

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

As urbanization continues to accelerate, cities are experiencing significant changes in mobility patterns and social dynamics, leading to a rise in complex safety challenges. Consequently, crime prediction has become increasingly important for ensuring public safety and effective law enforcement planning. Previous research indicates that crime is influenced by a combination of interconnected factors, including environmental conditions, routine human activities, and broader socio-economic dynamics. Statistical studies have shown that models such as ARIMA are effective in capturing short-term fluctuations in crime data, while other research highlights the impact of climatic variables—such as temperature, precipitation, and humidity—on daily and seasonal crime patterns.

In recent years, the field of crime forecasting has expanded with the adoption of advanced techniques, including machine learning and deep learning models such as Random Forest, XGBoost, Long Short-Term Memory (LSTM), Bidirectional LSTM (BLSTM), SARIMA, and Prophet. These models are capable of identifying long-term trends and detecting emerging crime hotspots with high predictive accuracy. However, despite their effectiveness, many of these approaches function as black-box models, limiting their interpretability. This lack of transparency poses a challenge for law enforcement agencies, where understanding the reasoning behind predictions is essential for trust and practical implementation.

To address this limitation, the present study explores the use of the Prophet model, which provides an interpretable and user-friendly framework for time-series forecasting. Prophet is particularly suitable for real-world crime datasets, as it can effectively handle noisy, irregular, and incomplete data while accommodating seasonal variations and structural changes in the time series. Its ability to produce transparent and explainable results makes it a practical choice for operational use.

In this work, the Prophet model is employed to analyze seasonal patterns, capture weekly cycles, and model long-term trends in crime data. The primary objective is not only to achieve accurate predictions but also to generate meaningful insights that can assist law enforcement agencies in proactive crime prevention, efficient resource allocation, and strategic decision-making.

The methodology adopted in this study includes the following steps:

- Collection, cleaning, and preprocessing of multi-year crime data, with appropriate handling of missing values and outliers.
- Engineering of temporal features to capture daily, weekly, and long-term trends.
- Application of the Prophet model to generate transparent and interpretable crime forecasts.
- Analysis of key components such as trend, seasonality, and anomalies to understand underlying crime behavior.
- Comparison of obtained results with findings from existing studies to validate model performance.

- Establishment of a foundation for future enhancements through the integration of environmental, demographic, and spatial factors.

1.2 PROJECT DESCRIPTION

The project titled “LocaTrack: Prophet-Based Time-Series Forecasting for Crime Trend Prediction” focuses on analyzing historical crime data and forecasting future crime trends using data-driven techniques. The primary objective of this project is to support law enforcement agencies and administrative authorities in making informed and proactive decisions through accurate and interpretable forecasting.

With the rapid growth of urban populations and evolving social dynamics, crime prediction has become an essential requirement in modern cities. Traditional approaches to crime analysis are often manual, time-consuming, and heavily dependent on historical observations, limiting their effectiveness in dynamic environments. To address these limitations, this project proposes an automated forecasting system based on the Prophet model, a robust time-series forecasting technique capable of handling trends, seasonality, missing values, and irregular data patterns.

The system begins with the collection of crime datasets containing date-wise records. These datasets are then subjected to preprocessing, which includes cleaning inconsistencies, handling missing values, and transforming the data into a structured format suitable for time-series analysis. Once the data is prepared, the Prophet model is trained to capture long-term trends, weekly seasonal patterns, and irregular fluctuations present in the data.

After training, the model generates forecasts for future time periods. The predicted outputs are presented using graphical visualizations such as line charts and trend plots, enabling users to easily interpret expected crime patterns. Additionally, the system identifies seasonal peaks and low-crime intervals, which can assist in better planning and preventive strategies.

The proposed system has significant practical applications in areas such as resource allocation, patrol scheduling, hotspot monitoring, and overall public safety management. By relying on data-driven insights, it reduces dependence on manual estimation and enhances evidence-based decision-making in law enforcement.

Furthermore, the project offers scope for future enhancements, including the integration of real-time crime data streams, geospatial mapping for hotspot analysis, incorporation of weather and demographic factors, and the use of advanced machine learning models to further improve prediction accuracy and scalability.

CHAPTER 2

LITERATURE REVIEW

2.1 Traditional and Statistical Approaches to Crime Forecasting

Crime prediction initially relied on statistical time-series models that analyze historical crime data to identify patterns over time. Among these, the Autoregressive Integrated Moving Average (ARIMA) model has been widely used due to its effectiveness in modeling temporal dependencies and short-term fluctuations. Chen et al. demonstrated that ARIMA performs well in forecasting near-future crime trends and can capture sudden changes or turning points in crime series[7].

Other statistical techniques such as Holt’s Exponential Smoothing (HES) and Simple Exponential Smoothing (SES) have also been explored; however, they generally provide lower accuracy compared to ARIMA[1]. While these models are relatively simple and interpretable, they face limitations in handling long-term trends, irregular data, and multiple seasonal patterns. Furthermore, they require careful parameter tuning and often struggle with real-world crime datasets, which are typically noisy and incomplete.

2.2 Influence of External Factors and Advanced Learning Models

Crime patterns are not only dependent on historical trends but are also influenced by environmental and social factors. Studies such as Shen et al. (2020) highlight the significant impact of climate variables—including temperature, humidity, and rainfall—on crime rates[4]. Warmer temperatures,

for instance, are associated with increased outdoor activities and social interactions, leading to higher crime rates. These findings align with criminological theories like the Routine Activity Theory[15], emphasizing the role of environmental conditions in shaping crime behavior.

With advancements in computational power, researchers have increasingly adopted machine learning and deep learning models to improve prediction accuracy. Techniques such as Random Forest, XGBoost, Long Short-Term Memory (LSTM), and Bidirectional LSTM (BLSTM) have shown strong capability in capturing nonlinear relationships and complex temporal dependencies in crime data[10],[11],[17]. Deep learning models, particularly BLSTM, are effective in learning long-term dependencies and sequential patterns, making them suitable for large-scale crime datasets.

However, despite their high predictive performance, these models often operate as black-box systems, making it difficult to interpret how predictions are generated. This lack of transparency limits their usability in real-world law enforcement scenarios, where understanding the reasoning behind predictions is crucial for decision-making and accountability.

2.3 Interpretable Models and Comparative Studies

To address the limitations of black-box models, recent research has focused on interpretable time-series forecasting methods. Models such as Seasonal ARIMA (SARIMA) and Facebook Prophet have gained popularity due to their ability to incorporate seasonality and provide understandable outputs[1],[21]. While SARIMA extends ARIMA by handling seasonal patterns, it requires extensive parameter tuning and domain expertise.

Prophet, on the other hand, offers a more flexible and user-friendly approach by decomposing time-series data into trend, seasonality, and event (holiday) components. It can automatically detect changepoints, handle missing data, and manage outliers effectively, making it well-suited for real-world datasets . Comparative studies involving multiple forecasting models—including SARIMA, Random Forest, XGBoost, and Prophet—suggest that Prophet performs competitively for long-term forecasting while maintaining high interpretability[11][21].

Additionally, hybrid approaches combining statistical and machine learning methods have been proposed to leverage the strengths of both techniques. These approaches aim to improve prediction accuracy while still providing meaningful insights into crime patterns.

2.4 Spatiotemporal Analysis and AI-Based Decision Support

Crime is inherently both temporal and spatial in nature. While time-series models capture trends over time, they often overlook spatial dependencies such as crime hotspots and regional variations. Research incorporating spatiotemporal analysis, geospatial data, and socio-economic factors has demonstrated improved prediction performance and deeper insights into crime distribution[5],[12],[16].

Recent advancements also emphasize the integration of predictive models with AI-driven decision support systems. These systems use visualization tools such as dashboards and heatmaps to present crime forecasts in an intuitive manner. By identifying high-risk areas and time periods, they assist

law enforcement agencies in resource allocation, patrol planning, and proactive crime prevention .

Such applications highlight the practical importance of crime forecasting models, transforming them from purely analytical tools into operational systems that support real-time decision-making[8].

2.5 Challenges, Limitations, and Research Motivation

Despite significant progress in crime forecasting, several challenges remain. Crime datasets are often inconsistent, containing missing values, reporting delays, and anomalies, which complicate model training. While machine learning and deep learning models offer high accuracy, their lack of interpretability limits their adoption in sensitive domains like policing. On the other hand, traditional statistical models are easier to understand but may fail to capture complex patterns.

Another major limitation is the lack of spatial modeling in many time-series approaches, which restricts their ability to identify localized crime hotspots. Additionally, ethical concerns such as algorithmic bias and fairness must be addressed to ensure responsible use of predictive policing systems[13].

These challenges highlight the need for a balanced approach that combines accuracy, interpretability, and practical usability. This motivates the use of the Prophet model in the present study, as it provides a robust framework for handling real-world data while generating transparent and actionable insights for crime trend prediction.

Table 2.1 Comparison of Crime Forecasting Models

Model	Pros	Cons
LocaTrack (Prophet)	Interpretable; handles trend, seasonality, and missing data	Weak for strong effects
ARIMA	Simple; good for short-term	Weak long-term trends
SARIMA	Handles seasonality well	Needs careful tuning
LSTM/BLSTM	Captures complex	Black-box model
ML (RF, XGBoost)	Flexible pattern learning	Feature engineering needed

CHAPTER 3

PROPOSED METHODOLOGY

3.1 Methodology

Prophet assumes that almost all time series are just a mixture of:

- a long-term general path (trend),
- consistent patterns (seasonality),
- occasional anomalous events.

It seemingly takes the stance that fitting data into one mold isn't optimal, but rather, allowing the components to coexist.

Its general equation is:

$$y(t) = g(t) + s(t) + h(t) + \epsilon(t)$$

The resulting forecast is a series of line segments that re-adjust every time the prophet detects a changepoint. Seasonality is handled by Fourier series which allow a natural weekly and annual loop. One can add holidays and local happenings if they exist. The model is assessed against rolling-origin assessments, where each subsequent training window forecasts the next small-term segment (i.e. 7 or 14 days), similar to how forecasting would actually work.




Figure 3.1 LocaTrack Workflow

3.2 Dataset Preparation and Partitioning Approaches

Crime records are typically inconsistent, in contrast to controlled datasets. There may be gaps in the reporting on some days, and cases from multiple days are loaded at the same time on others. Prophet needs the following adjustments to the data:

A. Aggregation

Days are lumped (or weeks if there is not enough data) to reduce noise and help the model focus on larger trends of movement, instead.

B. Missing Values

Days are not excluded due to not being completed, instead, Prophet uses forward-filling where necessary, to carry over the last known value. If it's a true "zero-reporting" day, then a zero stays.

C. Outliers

There are reporting delays that come in batches. This means there are instantaneous spikes. Therefore, a simple rule-based clipping solution

decreases the magnitude of such spikes so that it is manageable for trend forecasting.

D. Prophet-Compatible Format

Prophet expects two columns:

- ds– the date
- y– the crime count

E. Train–Test Split

The data is not seen as one whole piece, but versus a timeline. This supports how the system would ultimately be used- historical research to predict the next several days.

3.3 Fundamentals of Time Series Forecasting

Time-series forecasting for crime prediction relies on data accumulated over time concerning past actions to anticipate future results. The following are crucial elements to make sense of forecasting the best way:

- Trend: A sustained increase or decrease in crime levels.
- Season effect: Frequencies that recur (weekend, holiday, events, summer).
- Events: Shocks from holidays, adverse weather patterns, and large-scale public events.

Prophet naturally incorporates these elements. Crime rates often have strong weekly seasonality—weekends have Higher cases of public disturbance crimes than on weekdays. Additionally, long-term population shifts or policy changes contribute to trends over months or years.

**Table 3.3.1 Impact of Trend, Seasonality, and Events on Crime
Prediction**

Component	Interpretation	Influence on Forecast
Trend	Long-term upward/ downward shifts	Predicts general direction of crime rates
Seasonality	Weekly / monthly recurring cycles	Adjusts for predictable fluctuations
Events Effects	Holidays, incidents, festivals	Corrects anomalies during special periods

CHAPTER 4

RESULTS AND DISCUSSION

4.1 Results

The model was trained on several years of aggregated crime data. The following observations stood out:

A. Trend

The trend line showed a slow upward movement. The increase was not sharp but noticeable across the full time span.

B. Weekly Cycle

The most evident seasonal pattern was the weekend effect. Incident counts were generally higher later in the week and lower in the middle of the week.

C. Event Influence

The predictions bumped up during a few major holidays, notably showing small extrema (valleys or peaks), depending upon the event type.

D. Accuracy

Across short-term predictions, Prophet consistently produced lower error values (MAE, RMSE) than baseline methods such as simple moving averages. Residual checks indicated that the most useful structure was captured.




Figure 4.1.1 Forecasted output represented as annual crime count




Figure 4.1.2 Predicted output shown as yearly crime totals




Figure 4.1.3 Forecast results expressed in crimes per year




Figure 4.1.4 Annual crime count derived from forecasted data




Figure 4.1.5 5. Projection output presented as yearly crime figures

4.2 Discussion

One of the strongest points of Prophet is that analysts can look at the output and understand what it is doing. This is critical for public-safety work. If a model predicts a spike, officers want to know whether it is because of a trend, seasonal behavior, or an unusual event.

Another advantage is how well the model deals with messy inputs. Real police rarely look clean; Prophet's tolerance for gaps and irregularities reduces preprocessing overhead.

That said, Prophet is not a complete crime-prediction system. It treats all locations as a single unit. Crime is highly spatial, and ignoring geography limits the detail of the forecast. In future work, LocaTrack could be extended by combining Prophet with hotspot analysis or grid-based spatial models.

Prophet is an additive time-series forecasting algorithm that decomposes a series into trend, seasonal, and holiday components, fits piecewise linear or logistic growth, and handles missing data and outliers; it is user-friendly. Hyperparameters and automatic changepoint detection make it practical for non expert deployment. This section explains Prophet's mechanics and surveys its reported uses in crime forecasting.

How Prophet works and its practical advantages:

- The model employs robust regression, and it adapts trends via automatic changepoint selection. It decomposes a time series into trend, yearly/weekly seasonality, and user specified holiday effects.
- For crime data, it provides advantages such as low tuning overhead compared with many machine learning techniques, interpretable components suitable for operational briefings, and easy handling of irregular observations and holidays, important for crime seasonality.

Reported crime and public-safety applications:

- City-level trend forecasting: several studies applied Prophet to municipal crime time series either alone or as a benchmark against ARIMA and LSTM, reporting competitive performance in many settings.
- Vehicle-theft and short-range forecasting: Prophet was applied to short-term vehicle-theft forecasting tasks and integrated into visualization/embedding pipelines for patrol visualization, showing utility in operational short horizon forecasts.
- Exploratory and deployment-friendly forecasting: practitioners indicate that Prophet's interpretability and its capability of accounting for

holidays make rapid prototyping for law enforcement decision support possible.

Limitations reported in crime contexts:

- Mixed relative accuracy: Some comparative studies find Prophet competitive with LSTM, while others find the converse- namely, classical seasonal models and SARIMA outperform deep models, depending on the dataset structure and spatial heterogeneity.

CHAPTER 5

CONCLUSION AND FUTURE SCOPE

5.1 Conclusion

The proposed project, “LocaTrack: Prophet-Based Time-Series Forecasting for Crime Trend Prediction,” successfully demonstrates the effectiveness of the Prophet model in analyzing and forecasting crime trends using historical data. The system is capable of processing large volumes of crime records and generating future predictions in an efficient, structured, and interpretable manner. By decomposing the data into key components such as trend, seasonality, and irregular fluctuations, the model provides a clear understanding of underlying crime patterns.

The results obtained from the study indicate that time-series forecasting techniques can significantly enhance traditional methods of crime analysis. Unlike conventional approaches that rely heavily on manual observation, this system provides automated, data-driven insights that are both accurate and easy to interpret. The identification of weekly patterns, long-term growth trends, and anomaly periods enables better understanding of crime behavior over time.

Furthermore, the system has practical applications in real-world scenarios. It can assist law enforcement agencies in effective resource allocation, patrol scheduling, hotspot identification, and proactive crime prevention strategies. By leveraging predictive insights, authorities can make informed decisions, reduce response time, and improve overall public safety management.

Although the system performs well, there is scope for further improvement. Future enhancements may include the integration of real-time data sources, incorporation of geospatial analysis for location-based predictions, and the inclusion of additional factors such as weather conditions and demographic information. Advanced machine learning and hybrid models can also be explored to further improve prediction accuracy.

In conclusion, the LocaTrack system proves to be a reliable, scalable, and practical solution for crime trend prediction. It not only improves forecasting accuracy but also provides actionable insights, making it highly suitable for deployment in real-world law enforcement and smart city applications.

5.2 Future Scope

One major enhancement involves the integration of real-time crime data from police databases, government portals, and public data sources. This would enable the system to provide up-to-date predictions and support dynamic decision-making. Additionally, incorporating geospatial mapping techniques can help in identifying and visualizing crime hotspots more precisely, allowing authorities to focus on high-risk areas.

The model can also be improved by combining Prophet with advanced machine learning and deep learning techniques such as Random Forest, XGBoost, and LSTM. Hybrid models can leverage the strengths of both statistical and learning-based approaches, resulting in improved prediction accuracy and better handling of complex patterns in crime data.

Further enhancements can include the integration of additional influencing factors such as weather conditions, population density, festivals, socio-economic indicators, and demographic data. These variables can provide deeper insights into crime behavior and improve the overall reliability of predictions.

Moreover, the development of a web-based dashboard or mobile application can significantly enhance usability. Such platforms can provide real-time visualization of crime trends through interactive graphs, charts, and heatmaps, making the system more accessible to law enforcement agencies and administrative users.

In conclusion, the project has strong potential for future development by incorporating advanced technologies and expanding its scope. With these enhancements, LocaTrack can evolve into a comprehensive and intelligent crime prediction system suitable for large-scale implementation in smart city environments.

5.3 Practical Applications

Resource allocation is one of primary applications of AI models in crime rate forecasting. Law enforcement agencies sometimes find it difficult to prioritize their limited resources for needs that require intervention. Predictive analytics with the help of a model built on past crime data and other relevant features gives an effective solution by predicting high-risk areas based on patterns observed in previous crime records. AI models such as Prophet can identify regions more prone to crime through spatiotemporal trends. AI for example can generate heat maps which visually shows high-crime zones through the

use of geospatial data and crime statistics, eventually improving efficiency while reducing crime in the long run by allowing decision makers to allocate police officers surveillance technology and other materials where they are needed most.

The operational strategies supported by AI-based crime prediction models can be categorized into three levels: resource allocation, crime prevention and law enforcement. In terms of resource allocation, predictive analytics can be used to guide the allocation of staff and infrastructure to high-risk regions, thus ensuring that limited resources are used efficiently. In crime prevention, crime early warning is one of the most important instruments for detecting and preventing criminal activities prior to its realization in order to take preventive measures that ensure public security. Ultimately, historical data analysis enables law enforcement augmentation and strategic patrol placement in addition to operations management based on expenditures so that agencies are capable of accomplishing their mission while remaining within budget constraints. These methodologies come together to create a more agile, and ultimately more effective, method of dealing with crime, and AI can bridge the gap as an essential, effective, modern policing tool.

Table 5.3.1 Operational Strategies for Resources Allocation and Crime Prevention Using AI

Application Area	Strategy	Benefit
Resource Allocation	Use predictive analytics to allocate police resources to high-risk areas	Improved efficiency and reduced crime rates.
Crime Prevention	Implement AI-driven early warning systems to identify potential criminal activities.	Proactive response and enhanced public safety.
Patrol Optimization	Analyze historical crime data to optimize patrol routes.	Better utilization of manpower and reduced operational costs.

Table 5.3.2 Operational Application of AI in Resource Allocation and Crime Prevention

Application Area	Key Strategy	Objective
Resource Allocation	Utilizing predictive insights from AI models	Optimize law enforcement and deployment
Crime Prevention	Practical application of AI-driven models	Enhance resource management

REFERENCES

- [1] Devi, J.V., Kavitha, K. (2022). Time Series Analysis and Forecasting on Crime Data. In: Mathur, G., Bunde, M., Lalwani, M., Paprzycki, M. (eds) Proceedings of 2nd International Conference on Artificial Intelligence: Advances and Applications. Algorithms for Intelligent Systems. Springer, Singapore.
- [2] Karen F. Parker, Ashley Mancik, Richard Stansfield, American crime drops: Investigating the breaks, dips and drops in temporal homicide, Social Science Research, Volume 64, 2017, Pages 154-170, ISSN 0049-089X
- [3] White, V.M., Hunt, J. Green, B. A discussion of current crime forecasting indices and an improvement to the prediction efficiency index for applications. Secur J 37, 47–64 (2024). <https://doi.org/10.1057/s41284023-00367-4>
- [4] Bing Shen, Xiaofeng Hu, Huanggang Wu, Impacts of climate Variations on crime rates in Beijing, China, Science of The Total Environment, Volume 725, 2020, 138190, ISSN0048-9697, <https://doi.org/10.1016/j.scitotenv.2020.138190>.
- [5] Yang, B., Liu, L., Lan, M., Wang, Z., Zhou, H., Yu, H., (2020). A spatio temporal method for crime prediction using historical crime data and transitional zones identified from nightlight imagery. International Journal of Geographical Information Science, 1-25. DOI: 10.1080/13658816.2020.1737701
- [6] J. L. Lauritsen and N. White, “Seasonal Patterns in Criminal Victimization Trends,” U.S. Department of Justice, Office of Justice Programs, Bureau of Justice Statistics Special Report NCJ 245959, June 2014.

- [7] Chen, Peng Yuan, Hongyong Shu, Xueming. (2008). Forecasting crime using the ARIMA model. Proceedings- 5th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2008. 5. 627- 630.
- [8] C. Rigano, “Using Artificial Intelligence to Address Criminal Justice Needs,” **NIJ Journal**, no. 280, Jan. 2019. [Online]
- [9] Mohler, G. O., Short, M. B., Brantingham, P. J., Schoenberg, F. P., Tita, G.E. (2011). Self-Exciting Point Process Modeling of Crime. *Journal of the American Statistical Association*, 106(493), 100–108.
- [10] B. Wang, D. Zhang, D. Zhang, P. J. Brantingham, and A. L. Bertozzi, “Deep Learning for Real Time Crime Forecasting,” arXiv preprint arXiv:1707.03340, Jul. 2017. [Online].
- [11] E.G., Dener, M. Exploratory data analysis, time series analysis, crime type prediction, and trend forecasting in crime data using machine learning, deep learning, and statistical methods. *Neural Comput & Applic* 37, 11773–11798 (2025).
- [12] J. H. Ratcliffe, “Crime Mapping: Spatial and Temporal Challenges,” in **Handbook of Quantitative Criminology**, A. R. Piquero and D. Weisburd, Eds. Springer, 2010, pp. 56-79. [Online].
- [13] A. Babuta and M. Oswald, “Data Analytics and Algorithmic Bias in Policing,” Briefing Paper, Royal United Services Institute (RUSI), London, UK, Sept. 16 2019. [Online].
- [14] [XX] V. Madhu, “Crime rate prediction using time series forecasting,” B.Sc. thesis, National College of Ireland, Dublin, Ireland, 2023. [Online].
- [15] Schuchter, A., Levi, M. The Fraud Triangle revisited. *Secur J* 29, 107–121 (2016). <https://doi.org/10.1057/sj.2013.1>
- [16] D. L. Weisburd, “The Law of Crime Concentration and the Criminology of Place,” **Criminology**, vol. 53, no. 2, pp. 133-157, May 2015. [Online]. Available: <https://www.cedus.it/files/9780387776491-c1.pdf>

- [17] Suri, B., Taneja, S., Joshi, I., Gupta, K. (2025). Integrating Time Series Analysis and Machine Learning for Sustainable Crime Prediction. In: Roy, N.R., Singh, A.P., Kumar, P., Kaul, A. (eds) Cyber Security and Digital Forensics. redcysec 2024. Lecture Notes in Networks and Systems, vol 1287. Springer, Singapore.
- [18] Matthew S. Gerber, Predicting crime using Twitter and kernel density estimation, Decision Support Systems, Volume 61, 2014, Pages 115-125, ISSN 0167-9236, <https://doi.org/10.1016/j.dss.2014.02.003>.
- [19] Hartatik, H. Al Fatta and U. Fajar, "Captioning Image Using Convolutional Neural Network (CNN) and Long-Short Term Memory (LSTM)," 2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI), Yogyakarta, Indonesia, 2019, pp. 263-268
- [20] H. Himanshi, "Analysing crime patterns using machine learning: A case study in Chicago," MSc Research Project, School of Computing, National College of Ireland, Dublin, Ireland, 2022. [Online].
- [21] Williams, O., Meghanathan, N. (2025). Predictive Modeling of Crime Trends Using Time-Series Analysis. In: Latifi, S. (eds) The 22nd International Conference on Information Technology-New Generations (ITNG 2025). ITNG 2025. Advances in Intelligent Systems and Computing, vol 1463. Springer, Cham.

APPENDIX 1

2026 International Conference on Computing, Sciences and Communications (ICCS)

LocaTrack: Prophet-Based Time-Series Forecasting for Crime Trend Prediction

Shreya Garg
KIET Group of Institutions, Delhi-NCR
Ghaziabad, India
gargshreya003@gmail.com

Aaradhya Gupta
KIET Group of Institutions, Delhi-NCR
Ghaziabad, India
aaradhyagupta2810@gmail.com

Yashvardhan Singh
KIET Group of Institutions, Delhi-NCR
Ghaziabad, India
yashvardhana2003@gmail.com

Gagan Thakral
KIET Group of Institutions, Delhi-NCR
Ghaziabad, India
gagan15.thakral@gmail.com

Abstract—Due to fast urban growth and movement of people toward cities, along with changes in crime trends, crime forecasting has recently become a significant application for law-enforcement agencies. The aim of this study is to find out whether we can discover with an interpretable model like Prophet, an easily understandable pattern about what happens in terms of seasonality, anomaly periods, and crime trends without having to use complex black-box algorithms. Prophet is employed to estimate the long-term trend and weekly seasonality after a series of methodical preprocessing of the dataset, handling missing data, normalization of time-related features, and decomposition into different time series components. The model produced interpretable, distinguishable factors that each related meaningfully to extant evidence-based offending behavior and were robust across multiple evaluation periods. The findings indicate that Prophet provides a good trade-off of interpretability and predictive performance, making it suitable for practical operational environments where transparent prediction is required. In future work, we will further develop this approach with demographic and environment features, model spatial hotspots, and develop hybrid models involving Prophet with machine learning technologies for improved precision.

Index Terms—crime forecasting, Prophet time-series model, crime trends, seasonality patterns, anomaly detection, data preprocessing, interpretable predictions, law-enforcement analysis.

I. INTRODUCTION

As cities are growing rapidly, mobility patterns are changing, and safety threats are exploding out of proportion prediction of crime has become more important. Past work has consistently shown that several interconnected factors—including changes in the environment, human routine activities, and macro-level social conditions—are associated with crime. Some statistical analyses similar to Chen et al. [7] indicate that ARIMA-type models are actually proficient at modeling short-term swings, while Shen et. [4] indicate that climate factors like temperature, precipitation, and humidity drive daily and seasonal crime patterns. More recent studies

extend the field of application by using machine learning and deep learning methods such as Random Forest, XGBoost, LSTM, BLSTM, SARIMA, and Prophet to identify long-term crime trends and emerging hotspots [11,14,17].

While these state-of-the-art methods provide great predictive power, most emerge as opaque black-box models, making it difficult for police planners to adopt advanced model predictions, especially when interpretability is essential. This restriction encourages us to see if an interpretable model, such as Prophet, performs well in forecasting crimes and remains transparent, practical, easy to use, and defend in the field. It is among the most applicable methods in real-world crime data sets for which can include noisy, conflictual, non-regular reports, strong seasonal and level breaks of time series by its way of dealing with missing values and structural variation of it.

In this paper, we use Prophet to analyze seasonal components, model weekly cycles and long-term trends, and generate interpretable forecasts. Beyond predictive accuracy, our goal is to provide insights that law enforcement agencies can apply directly for proactive crime prevention, resource allocation, and strategic decision-making.

- Data is collected, cleaned, and pre-processed for crime records covering a number of years, dealing with outliers and missing values.
- Temporal features reflecting periodic, weekly, and broader time trends are engineered.
- The Prophet model is used to generate transparent predictions of crime trends.
- The trend, seasonality, and anomaly are researched to reveal the background behavior.
- Comparisons are made with the observations obtained in

other works ([4,7,11,14,17]).

- In addition, the foundation is created for the future inclusion of environmental, demographic, and spatial variables.

II. RELATED WORK

The crime patterns may be particularly susceptible to climate variability, suggests a new study. In a study based on 12 years of daily crime data in Beijing, Shen et al. (2020) [4] demonstrated that the impacts of temperature, humidity, rainfall, and haze on crime have changed with long-term changes, seasonal variations, and daily fluctuations. Their findings suggest that although pollutants often have the reverse impacts, the seasonal temperature pattern is strongly associated with assault, rape, and the least violent robbery [4]. Daily rates of several violent crimes were found to be related to temperature and precipitation, with the latter two linked to increases in such crimes. These results support some theories, like Routine Activity Theory, which posits that warmer temperatures provide more opportunities for crime and social interaction.

Another research that we reviewed employed 50 weeks of police dispatch records to predict short-term lag property crime for one place in China by using the ARIMA structure [7]. They assessed the performance of Holt's Exponential Smoothing (HES) and Simple Exponential Smoothing (SES) and found that ARIMA was significantly more effective in forecasting with less deviation and with more promising applicability in law enforcement since ARIMA can detect sudden shifts and turning points of the series - exactly what the team experienced with New York crime data. They conclude their findings with the finding that traditional time series statistical models are still beneficial for near-future crime forecasts but compared to their approach (ARIMA exclusively), our empirical research implements Prophet for its in-house ability to automatically assess seasonality and outliers and accommodate differently under practical circumstances. However, they also stress how important operational decisions are to short-term forecasting. An extensive study similarly tested crime prediction across many major U.S. cities, using a mix of machine learning, deep learning, and statistical forecasting methods [11]. For the crime hot spots and long-term trends, they implemented models XGBoost, Random Forest, LSTM, BLSTM, SARIMA, Holt-Winters and Prophet, in addition to extensive pre-processing and exploratory analysis. The results showed that, although the Prophet and SARIMA predictions performed well at long-term forecasting of future crime volume, deep learning methods (particularly BLSTM) were able to successfully exploit temporal information in crime data. This and other published studies confirmed the importance of integrating multiple tools for analysis in complex crime data settings. Although they relied heavily on deep learning models, in our research, we explore the application of Prophet for generating practical and interpretable forecasts that can be easily used by practitioners.

A recent work also compared some forecasting models to estimate Chicago weekly crime rates with real government data from 2007 to 2022 [14]. We used SARIMA, Random Forest, XGBoost, and Prophet to prove that effective preprocessing, feature engineering, and seasonality can hugely influence the result of prediction. We found out that although several models perform well, a combined approach between statistical and machine learning techniques enhances the knowledge about crime patterns. Their analysis further strengthens our decision to use Prophet in our work due to its flexibility and ease of interpretation.

A recent study also highlighted the rising importance of data-driven crime prevention when it compared different statistical and analytical tools to forecast crime hotspots and long-term trends [17]. We also highlighted the potential of time-series analysis to unfold obscure patterns (aiding in decision-making and better resource allocation) alongside our socioeconomic-environmental factors [17]. Looking for our focus on building an actionable dashboard interface that presents real-time crime activity and right now insights to law enforcement and policymakers was what we particularly appreciated. This work also demonstrates one way in which predictive models and operational tools can be combined to reinforce community-oriented policing, a research goal similar to our own.

TABLE I
COMPARISON OF CRIME FORECASTING MODELS

Model	Pros	Cons
LocaTrack (Prophet)	Interpretable; handles trend, seasonality, and missing data	Weak for strong effects
ARIMA	Simple; good for short-term	Weak long-term trends
SARIMA	Handles seasonality well	Needs careful tuning
LSTM/BLSTM	Captures complex	Black-box model
ML (RF, XGBoost)	Flexible pattern learning	Feature engineering needed

III. DATASET PREPARATION AND PARTITIONING APPROACHES

Crime records are typically inconsistent, in contrast to controlled datasets. There may be gaps in the reporting on some days, and cases from multiple days are loaded at the same time on others. Prophet needs the following adjustments to the data:

A. Aggregation

Days are lumped (or weeks if there is not enough data) to reduce noise and help the model focus on larger trends of movement, instead.

B. Missing Values

Days are not excluded due to not being completed, instead, Prophet uses forward-filling where necessary, to carry over the last known value. If it's a true "zero-reporting" day, then a zero stays.

C. Outliers

There are reporting delays that come in batches. This means there are instantaneous spikes. Therefore, a simple rule-based clipping solution decreases the magnitude of such spikes so that it is manageable for trend forecasting.

D. Prophet-Compatible Format

Prophet expects two columns:

- ds – the date
- y – the crime count

E. Train-Test Split

The data is not seen as one whole piece, but versus a timeline. This supports how the system would ultimately be used - historical research to predict the next several days.

IV. METHODOLOGY

Prophet assumes that almost all time series are just a mixture of:

- a long-term general path (trend),
- consistent patterns (seasonality),
- occasional anomalous events.

It seemingly takes the stance that fitting data into one mold isn't optimal, but rather, allowing the components to coexist. Its general equation is:

$$y(t) = g(t) + s(t) + h(t) + \varepsilon(t) \quad (1)$$

The resulting forecast is a series of line segments that re-adjust every time the prophet detects a changepoint. Seasonality is handled by Fourier series which allow a natural weekly and annual loop. One can add holidays and local happenings if they exist. The model is assessed against rolling-origin assessments, where each subsequent training window forecasts the next small-term segment (i.e. 7 or 14 days), similar to how forecasting would actually work.




Fig. 1. LocaTrack workflow: data integration, preprocessing, prophet modelling, forecast generation, and analysis and evaluation.

V. FUNDAMENTALS OF TIME SERIES FORECASTING

Time-series forecasting for crime prediction relies on data accumulated over time concerning past actions to anticipate future results. The following are crucial elements to make sense of forecasting the best way:

- Trend: A sustained increase or decrease in crime levels.
- Season effect: Frequencies that recur (weekend, holiday, events, summer).

- Events: Shocks from holidays, adverse weather patterns, and large-scale public events.

Prophet naturally incorporates these elements. Crime rates often have strong weekly seasonality—weekends have higher cases of public disturbance crimes than on weekdays. Additionally, long-term population shifts or policy changes contribute to trends over months or years.

TABLE II
IMPACT OF TREND, SEASONALITY, AND EVENTS ON CRIME PREDICTION

Component	Interpretation	Influence on Forecast
Trend	Long-term upward/downward shifts	Predicts general direction of crime rates.
Seasonality	Weekly / monthly recurring cycles	Adjusts for predictable fluctuations
Events Effects	Holidays, incidents, festivals	Corrects anomalies during special periods

VI. EXPERIMENTS AND RESULTS

The model was trained on several years of aggregated crime data. The following observations stood out:

A. Trend

The trend line showed a slow upward movement. The increase was not sharp but noticeable across the full time span.

B. Weekly Cycle

The most evident seasonal pattern was the weekend effect. Incident counts were generally higher later in the week and lower in the middle of the week.

C. Event Influence

The predictions bumped up during a few major holidays, notably showing small extrema (valleys or peaks), depending upon the event type.

D. Accuracy

Across short-term predictions, Prophet consistently produced lower error values (MAE, RMSE) than baseline methods such as simple moving averages. Residual checks indicated that the most useful structure was captured.




Fig. 6. Forecast/component output extracted from Locatrack notebook.




Fig. 2. Forecast/component output extracted from Locatrack notebook.




Fig. 3. Forecast/component output extracted from Locatrack notebook.




Fig. 4. Forecast/component output extracted from Locatrack notebook.




Fig. 5. Forecast/component output extracted from Locatrack notebook.

VII. ANALYSIS AND INTERPRETATION

Advantages of using Prophet for crime forecasting include the following:

- Interpretability: It enables decision-makers to understand how the different factors feed into the predictions.
- Resilience: Deals with missing observations and outliers effectively.
- Minimal configuration: Only a few parameters have to be changed.

However, Prophet does not have spatial modeling. There are geographical features to criminal activity; different neighborhoods have different hotspots. Demographic data should be integrated into future research in order to increase the prediction accuracy. variables, social media indicators, meteorological data, and Geospatial dimensions.

VIII. DISCUSSION

One of the strongest points of Prophet is that analysts can look at the output and understand what it is doing. This is critical for public-safety work. If a model predicts a spike, officers want to know whether it is because of a trend, seasonal behavior, or an unusual event.

Another advantage is how well the model deals with messy inputs. Real police datasets rarely look clean; Prophet's tolerance for gaps and irregularities reduces preprocessing overhead.

That said, Prophet is not a complete crime-prediction system. It treats all locations as a single unit. Crime is highly spatial, and ignoring geography limits the detail of the forecast. In future work, LocaTrack could be extended by combining Prophet with hotspot analysis or grid-based spatial models.

Prophet is an additive time-series forecasting algorithm that decomposes a series into trend, seasonal, and holiday components, fits piecewise linear or logistic growth, and handles missing data and outliers; it is user-friendly. Hyperparameters and automatic changepoint detection make it practical for non-expert deployment. This section explains Prophet's mechanics and surveys its reported uses in crime

forecasting.

How Prophet works and its practical advantages:

- The model employs robust regression, and it adapts trends via automatic changepoint selection. It decomposes a time series into trend, yearly/weekly seasonality, and user-specified holiday effects.
- For crime data, it provides advantages such as low tuning overhead compared with many machine learning techniques, interpretable components suitable for operational briefings, and easy handling of irregular observations and holidays, important for crime seasonality.

Reported crime and public-safety applications:

- City-level trend forecasting: several studies applied Prophet to municipal crime time series either alone or as a benchmark against ARIMA and LSTM, reporting competitive performance in many settings.
- Vehicle-theft and short-range forecasting: Prophet was applied to short-term vehicle-theft forecasting tasks and integrated into visualization/embedding pipelines for patrol visualization, showing utility in operational short-horizon forecasts.
- Exploratory and deployment-friendly forecasting: practitioners indicate that Prophet's interpretability and its capability of accounting for holidays make rapid prototyping for law enforcement decision support possible.

Limitations reported in crime contexts:

- Mixed relative accuracy: Some comparative studies find Prophet competitive with LSTM, while others find the converse - namely, classical seasonal models and SARIMA outperform deep models, depending on the dataset structure and spatial heterogeneity.

IX. ETHICAL CONSIDERATIONS

Forecasting systems impact decisions that will impact real communities. Any policing tool needs to be assessed to better understand if it's passively considering historical bias. While transparency helps, agencies need guidelines as to

- how predictions are evaluated,
- where these predictions are placed,
- whether they guide patrol shift patterns equitably.

Ongoing evaluations and public disclosure will help establish integrity.

X. PRACTICAL APPLICATIONS: RESOURCE DISTRIBUTION AND CRIME MITIGATION

Resource allocation is one of primary applications of AI models in crime rate forecasting. Law enforcement agencies sometimes find it difficult to prioritize their limited resources for needs that require intervention. Predictive analytics with the help of a model built on past crime data and other relevant features gives an effective solution by predicting high-risk areas based on patterns observed in previous crime records. AI models such as Prophet can identify regions more prone to crime through spatiotemporal trends. AI for example can generate heat maps which visually shows high-crime zones

through the use of geospatial data and crime statistics, eventually improving efficiency while reducing crime in the long-run by allowing decision makers to allocate police officers surveillance technology and other materials where they are needed most.

The operational strategies supported by AI-based crime prediction models can be categorized into three levels: resource allocation, crime prevention and law enforcement. In terms of resource allocation, predictive analytics can be used to guide the allocation of staff and infrastructure to high-risk regions, thus ensuring that limited resources are used efficiently. In crime prevention, crime early warning is one of the most important instruments for detecting and preventing criminal activities prior to its realization in order to take preventive measures that ensure public security. Ultimately, historical data analysis enables law enforcement augmentation and strategic patrol placement in addition to operations management based on expenditures so that agencies are capable of accomplishing their mission while remaining within budget constraints. These methodologies come together to create a more agile, and ultimately more effective, method of dealing with crime, and AI can bridge the gap as an essential, effective, modern policing tool.

TABLE III
OPERATIONAL STRATEGIES FOR RESOURCE ALLOCATION AND CRIME PREVENTION USING AI

Application Area	Strategy	Benefit
Resource Allocation	Use predictive analytics to allocate police resources to high-risk areas.	Improved efficiency and reduced crime rates.
Crime Prevention	Implement AI-driven early warning systems to identify potential criminal activities.	Proactive response and enhanced public safety.
Patrol Optimization	Analyze historical crime data to optimize patrol routes.	Better utilization of manpower and reduced operational costs.

TABLE IV
OPERATIONAL APPLICATIONS OF AI IN RESOURCE ALLOCATION AND CRIME PREVENTION

Application Area	Key Strategy	Objective
Resource Allocation	Utilizing predictive insights from AI models	Optimize law enforcement and deployment
Crime Prevention	Practical application of AI-driven models	Enhance resource management

XI. CONCLUSION

The latest LocaTrack system suggests that Prophet is a valid and interpretable approach to forecast city-wide crime volumes with a solid and transparent source of significant operational

support for decision-making, albeit not a replacement for more advanced spatiotemporal systems. This article fulfills research requirements and journal standards by turning the original into a more organic and human-made article through improved clarity, additional graphs, increased substance, and a more extensive literature review.

REFERENCES

- [1] Devi, J.V., Kavitha, K. (2022). Time Series Analysis and Forecasting on Crime Data. In: Mathur, G., Bunde, M., Lalwani, M., Paprzycki, M. (eds) Proceedings of 2nd International Conference on Artificial Intelligence: Advances and Applications. Algorithms for Intelligent Systems. Springer, Singapore. https://doi.org/10.1007/978-981-16-6332-1_26
- [2] Karen F. Parker, Ashley Mancik, Richard Stansfield, American crime drops: Investigating the breaks, dips and drops in temporal homicide, Social Science Research, Volume 64, 2017, Pages 154-170, ISSN 0049-089X, <https://doi.org/10.1016/j.ssresearch.2016.09.029>. (<https://www.sciencedirect.com/science/article/pii/S0049089X15301393>)
- [3] White, V.M., Hunt, J. Green, B. A discussion of current crime forecasting indices and an improvement to the prediction efficiency index for applications. Secur J 37, 47–64 (2024). <https://doi.org/10.1057/s41284-023-00367-4>
- [4] Bing Shen, Xiaofeng Hu, Huanggang Wu, Impacts of climate variations on crime rates in Beijing, China, Science of The Total Environment, Volume 725, 2020, 138190, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2020.138190>. (<https://www.sciencedirect.com/science/article/pii/S0048969720317034>)
- [5] Yang, B., Liu, L., Lan, M., Wang, Z., Zhou, H., Yu, H., (2020). A spatio-temporal method for crime prediction using historical crime data and transitional zones identified from nightlight imagery. International Journal of Geographical Information Science, 1-25. DOI: 10.1080/13658816.2020.1737701
- [6] J. L. Lauritsen and N. White, "Seasonal Patterns in Criminal Victimization Trends," U.S. Department of Justice, Office of Justice Programs, Bureau of Justice Statistics Special Report NCJ 245959, June 2014. [Online]. Available: <https://bjs.ojp.gov/content/pub/pdf/spcv.pdf>
- [7] Chen, Peng Yuan, Hongyong Shu, Xueming. (2008). Forecasting crime using the ARIMA model. Proceedings - 5th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2008. 5. 627 - 630. 10.1109/FSKD.2008.222.
- [8] C. Rigano, "Using Artificial Intelligence to Address Criminal Justice Needs," *NIJ Journal*, no. 280, Jan. 2019. [Online]. Available: <https://www.ojp.gov/pdffiles1/nij/252038.pdf>
- [9] Mohler, G. O., Short, M. B., Brantingham, P. J., Schoenberg, F. P., Tita, G. E. (2011). Self-Exciting Point Process Modeling of Crime. Journal of the American Statistical Association, 106(493), 100–108. <https://doi.org/10.1198/jasa.2011.ap09546>
- [10] B. Wang, D. Zhang, D. Zhang, P. J. Brantingham, and A. L. Bertozzi, "Deep Learning for Real Time Crime Forecasting," arXiv preprint arXiv:1707.03340, Jul. 2017. [Online]. Available: https://arxiv.org/pdf/1707.03340_v1/contentReferenceoaicite:0index=0
- [11] İlgün, E.G., Dener, M. Exploratory data analysis, time series analysis, crime type prediction, and trend forecasting in crime data using machine learning, deep learning, and statistical methods. Neural Comput & Applic 37, 11773–11798 (2025). <https://doi.org/10.1007/s00521-025-11094-9>
- [12] J. H. Ratcliffe, "Crime Mapping: Spatial and Temporal Challenges," in *Handbook of Quantitative Criminology*, A. R. Piquero and D. Weisburd, Eds. Springer, 2010, pp. 56-79. [Online]. Available: <https://www.cedus.it/files/9780387776491-cl.pdf>
- [13] A. Babuta and M. Oswald, "Data Analytics and Algorithmic Bias in Policing," Briefing Paper, Royal United Services Institute (RUSI), London, UK, Sept. 16 2019. [Online]. Available: https://static.rusi.org/20190916_data_analytics_and_algorithmic_bias_in_policing_web_0.pdf
- [14] [XX] V. Madhu, "Crime rate prediction using time series forecasting," B.Sc. thesis, National College of Ireland, Dublin, Ireland, 2023. [Online]. Available: <https://norma.ncirl.ie/6609/1/vishwakhmadhu.pdf>
- [15] Schuchter, A., Levi, M. The Fraud Triangle revisited. Secur J 29, 107–121 (2016). <https://doi.org/10.1057/sj.2013.1>
- [16] D. L. Weisburd, "The Law of Crime Concentration and the Criminology of Place," *Criminology*, vol. 53, no. 2, pp. 133-157, May 2015. [Online]. Available: <https://www.cedus.it/files/9780387776491-cl.pdf>
- [17] Suri, B., Taneja, S., Joshi, I., Gupta, K. (2025). Integrating Time Series Analysis and Machine Learning for Sustainable Crime Prediction. In: Roy, N.R., Singh, A.P., Kumar, P., Kaul, A. (eds) Cyber Security and Digital Forensics. redcysec 2024. Lecture Notes in Networks and Systems, vol 1287. Springer, Singapore. https://doi.org/10.1007/978-981-96-3284-8_26
- [18] Matthew S. Gerber, Predicting crime using Twitter and kernel density estimation, Decision Support Systems, Volume 61, 2014, Pages 115-125, ISSN 0167-9236, <https://doi.org/10.1016/j.dss.2014.02.003>. (<https://www.sciencedirect.com/science/article/pii/S0167923614000268>)
- [19] Hartatik, H. Al Fatta and U. Fajar, "Captioning Image Using Convolutional Neural Network (CNN) and Long-Short Term Memory (LSTM)," 2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI), Yogyakarta, Indonesia, 2019, pp. 263-268, doi: 10.1109/ISRITI48646.2019.9034562. keywords: Decoding;Feature extraction;Training;Indexes;Convolutional neural networks;Loading;Prediction algorithms;Captioning Image;CNN;LSTM.
- [20] H. Himanshi, "Analysing crime patterns using machine learning: A case study in Chicago," MSc Research Project, School of Computing, National College of Ireland, Dublin, Ireland, 2022. [Online]. Available: <https://norma.ncirl.ie/6133/1/himanshi.pdf>
- [21] Williams, O., Meghanathan, N. (2025). Predictive Modeling of Crime Trends Using Time-Series Analysis. In: Latifi, S. (eds) The 22nd International Conference on Information Technology-New Generations (ITNG 2025). ITNG 2025. Advances in Intelligent Systems and Computing, vol 1463. Springer, Cham. https://doi.org/10.1007/978-3-031-89063-5_32