Nu Html Checker: Success!

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://cse110-sp26-group14.github.io/WarmupTwo/ (checked with vnu 26.4.20)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only Options…

Check by address

https://cse110-sp26-group14.github.io/WarmupTwo/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 31, column 11; to line 31, column 38
   `<article class="prize-chip">`
2. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 35, column 11; to line 35, column 38
   `<article class="prize-chip">`
3. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 132, column 13; to line 132, column 39
   `<article class="stat-card">`
4. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 137, column 13; to line 137, column 39
   `<article class="stat-card">`
5. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 142, column 13; to line 142, column 39
   `<article class="stat-card">`
6. **Warning** **Article lacks heading. Consider using** h2 - h6 **elements to add identifying headings to all articles.**
   From line 147, column 13; to line 147, column 39
   `<article class="stat-card">`

W3C CSS Validator : Success!

The W3C CSS Validation Service

W3C CSS Validator results for https://cse110-sp26-group14.github.io/WarmupTwo/ (CSS level 3 + SVG)

Jump to:

W3C CSS Validator results for https://cse110-sp26-group14.github.io/WarmupTwo/ (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss"
            alt="Valid CSS!" />
    </a>
</p>
```

```
<p>
    <a href="https://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="https://jigsaw.w3.org/css-validator/images/vcss-blue"
            alt="Valid CSS!" />
    </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)

Interested in “developing” your developer skills? In W3Cx's h

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rath

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your pa

```
https://jigsaw.w3.org/css-validator/validator?lang=en&profile=css3svg&uri=https%3A%2F%2Fcse110-sp26-group14.github.io%2FWarmupTwo%2F&usermedium=all&vextwarning=&warning=1
or
https://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

JS style and usage : Success!

```
www@WB-WUYUDAXIA:~/Desktop/CSE110/WarmupTwo/slot-machine$ ls src/*.js
npx eslint src/*.js
src/eslint.config.js  src/game-logic.js  src/game-modes.js  src/script.js
www@WB-WUYUDAXIA:~/Desktop/CSE110/WarmupTwo/slot-machine$
```

Unit Test : Success!

```
npm run check:js

> test
> node --test tests/*.test.mjs

✔ evaluateSpinResult returns the configured jackpot payout (2.296727ms)
✔ evaluateSpinResult rejects invalid reel data (0.534083ms)
✔ startSpin deducts tokens and blocks unaffordable spins (0.342389ms)
✔ finishSpin applies pair payouts and the longer vault reward (0.459986ms)
✔ pairing the drop symbol decreases vault progress (0.239592ms)
✔ pairing the secondary drop symbol decreases vault progress a little (0.32199ms)
✔ triple reset symbol wipes the vault meter (1.349758ms)
✔ five reel jackpots honor the configured jackpot count (0.152395ms)
✔ five reel modes reject the wrong reel count (0.232693ms)
✔ finishSpin applies the comeback refill when the wallet is drained (0.30189ms)
✔ calculateCashOutAmount never overspends an empty wallet (0.150495ms)
✔ resolveCashOut leaves an empty wallet unchanged (0.31619ms)
✔ resolveCashOut deducts tokens and can trigger a refill (0.149395ms)
✔ getGameMode returns the classic mode for unknown keys (1.349058ms)
✔ bigFive mode defines a five reel cabinet and longer spin timings (0.215593ms)
✔ clampVolume keeps values within the 0 to 1 range (1.636848ms)
✔ loadStoredMode falls back to classic and reads valid mode keys (0.31489ms)
✔ loadStoredTheme and loadStoredVolume recover from storage errors (0.435686ms)
✔ loadStoredVolume clamps oversized stored percentages (0.219893ms)
✔ buildSpinHistoryLabel distinguishes the big win tiers (0.325589ms)
✔ recordSpinHistory keeps the latest spin at the top of the trail (0.746076ms)
ℹ tests 21
ℹ suites 0
ℹ pass 21
ℹ fail 0
ℹ cancelled 0
ℹ skipped 0
ℹ todo 0
ℹ duration_ms 88.781093

> check:js
> node --check src/game-logic.js && node --check src/game-modes.js && node --check src/script.js
```

In this iteration, we have adopted unit testing as a foundational engineering practice to facilitate "continuous verification during development."

Our testing suite is built upon Node.js's built-in test runner (`node --test`) and primarily covers the following modules:

Core Game Logic: `evaluateSpinResult`, `startSpin`, `finishSpin`, and `resolveCashOut`.

Game Mode Logic: Rules specific to 3-reel and 5-reel modes, as well as the consistency of mode parameters.

Helper Functions and Edge Case Handling: Including history log updates, invalid input rejection, etc.

Our testing focus extends beyond just the "happy path" (normal flow) to encompass error conditions and edge cases—for instance:

Preventing a spin when the player has insufficient tokens.

Throwing an error if the number of reels is invalid.

Ensuring that the required matching criteria are met in the 5-reel mode.

Verifying the correct triggering of special mechanisms, such as progress reduction/reset and "pity refills."

Upon running `npm test`, the results showed: 21 tests passed, 0 failed.

This demonstrates that the system exhibits robust verifiability and stability regarding core gameplay calculations, mode switching rules, and the handling of exceptional inputs; furthermore, it significantly mitigates the risk of introducing regression issues during future iterations.