MOMENTUM

1. MOTIVATION

Programmers have a reputation for being terrible at estimating how long it will take to complete a project [1] [2] [3]. This is because developing software is inherently uncertain: there is no way to forecast every detail of a design from the outset, understanding the full requirements of the project as well as the hurdles that an individual will encounter along the way. This is only exacerbated by the fact that a huge number of programming projects are not completed by a single person, but by teams — if an individual can't predict how long something will take for themselves, what hope does a team have of estimating the completion time for an entire project? Ultimately, this is a problem that can have huge monetary, emotional, and interpersonal costs [4]. The reality is that programmers are usually much too optimistic [1] [2] [3] — they try to fit too many features into a release, and some have to be cut; they think that they can focus effort in one area of a project because it will be quick, but it ends up taking two, three, four times as long as they had thought initially. Having better time estimates lets us choose how we focus our efforts [4] [5].

Additionally, existing effort estimation tools are unintuitive to use (*cf. section 2.2*) and many require extensive knowledge of effort estimation processes (*cf. section 2.6*) in order to use them properly. While learning these processes would not be inherently detrimental to a software developer — in fact, this may be in the developer's best interest — the reality is that many people (including software developers) are not good at making decisions that will benefit themselves in the long term [14]. Thus, Momentum aims to reduce the entry cost of accurate effort estimation by lowering the amount of time it takes to learn the tool, lowering the monetary cost of entry, and removing the need to have in-depth knowledge of effort estimation processes.

2. APPROACH

2.1. Goals

Our project involves creating a tool that uses information gathered about a user (and their team members) to predict a project's ship date. Our implementation approach focuses on a single component of an effort estimation tool: the user interface.

Our focus was on implementing an accessible, simple, and intuitive GUI, using Evidence-Based Scheduling (*cf. section 2.6.2*) as our initial effort estimation model. Momentum will be the only tool that is simple to use, does not require training, and is cheap and accessible for the public.

In section 2.2, we will address existing GUI tools for software development effort estimation. In section 2.6, we will discuss existing processes for effort estimation.

2.2. UI/UX User Studies: Comparing with Existing GUI Tools

Existing tools related to our project include Manuscript, ProcessPAIR, and Process Dashboard[9][10]. Manuscript is outlined below.

1) Manuscript Overview

Manuscript is a web app for software teams that assists in the processes of project management, issue tracking, and support [8]. A subscription for a team of just five members

can cost from $62 to $75 per month. We decided to use this competing tool for our user research rather than other competing tools like ProcessPAIR and Process Dashboard for the following reasons:

1. Manuscript produces estimates for team-wide estimations, which aligns to the goals of our tool.
2. Manuscript uses EBS (*cf. section 2.6.2*), which is the effort estimation model we will use for the development of Momentum. This allows us to consider the effort estimation model a constant when performing usability comparisons between Manuscript and Momentum.
3. Manuscript's audience are software engineers who do not need prior knowledge of the Personal Software Process (PSP) model and processes, which most closely aligns to the audience that we want to build our tool for[6].

2) User Research

Because a large goal of our project is to make an extremely accessible tool, we are substantiating our accessibility decisions based on data collected from user research. Our first phase of this research is to see what users think about our biggest competitor, Manuscript. The second phase of this research is then to test the same users on completing the same tasks on version 1 of Manuscript mockups. This will help us make our tool more user-friendly and achieve our goal while also eliminating our own bias in usability of other projects. At this point, we have completed four informal user tests. The users are detailed below and will be referred to as “User 1”, “User 2”, “User 3”, and “User 4” for the rest of this portion of the report. We plan to perform five user tests on Manuscript as “testing with 5 people lets you find almost as many usability problems as you'd find using many more test participants” [15].

> User 1: User 1 is a fourth-year UW student in both the CSE and HCDE departments that has previous user interface and experience development experience through a past internship as well as software development experience on project teams. User 1 has never used Manuscript before the test and has been programming for about six years.
>
> User 2: User 2 is a third-year UW student in the CSE department that has previous software development experience on project teams through a past internship. User 2 has never used Manuscript before the test and has been programming for about four years.
>
> User 3: User 3 is a second-year UW student in the CSE department that has previous software development experience through 7 internships, 6 of which have included working on project teams. User 3 has never used Manuscript before the test and has been programming for about eight years.
>
> User 4: User 4 is a network and securities engineer with 28 years of industry experience. Many of these years were spent on project teams. User 4 has never used Manuscript before the test, but has exposure to estimation algorithms (not EBS) and has been programming for about 32 years.

The chosen tasks are summarized below as well as our intention behind choosing each task.

> Tasks 1-3: These tasks are presented as they represent a direct bridge between Manuscript and Momentum. Both tools should and do offer the ability to create a space to hold related tasks, create and modify tasks, and start, stop, and resolve these tasks. Because these tasks are shared by both Manuscript and our tool, we believe that we can directly measure our success in our usability improvements by comparing user experience in this task across both tools. For all tasks, the users were started on the "Main Iteration Planner" screen of Manuscript and the "Project View" screen of Momentum.
>
> Overarching Questions: In this section, several overarching questions are asked of the user to conclude and summarize the user's experience with the tasks given. We ask these questions to break away from the structure of a task and allow users to voice any other concerns or compliments of the tool after they have finished completing their task. Cross-referencing the responses from this section with the performance of users in each task allows us understand how much ease or complication in each task contributed to the user's overall view of the product.
>
> User 1 and User 2 completed all portions of User Testing on Manuscript before testing Momentum. User 3 and User 4 completed all portions of User Testing on Momentum before testing Manuscript. This was done to lessen any bias that could occur by seeing one tool before another.

Task 1: Creating a new project

In this section, users were given the following scenario: "You are a part of a software project in which you have already broken down the tasks that are assigned to you and your fellow peers. Create a place to store these tasks and fill out any forms to your best ability." The details of each user's interactions for each tool are detailed in the below table.

Manuscript Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✗	✗	✓	✗
Finished Task in 60 Seconds	✗	✗	✗	✗

Other Comments: All users except User 3 created a new Case instead of a Milestone or a Project. These users also did not understand how to fill out more than half of the form options in the New Case screen. User 3 took more than 90 seconds to locate the "New Project" button.

Momentum 1.0 Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✓	✓	✓	✓
Finished Task in 60 Seconds	✓	✓	✓	✓

Other Comments: All users found the “New Project” button in under 15 seconds.

Task 2: Creating a new task

In this section, users were given the following scenario: “Create a task and assign it to yourself, filling out any forms to your best ability.” The details of each user’s interactions for each tool are detailed in the below table.

Manuscript Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✓	✓	✓	✓
Finished Task in 60 Seconds	✗	✗	✗	✗

Other Comments: As in task 1, all users did not understand how to fill out more than half of the form options. All users took longer than 60 seconds to create the case.

Momentum 1.0 Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✓	✓	✓	✓
Finished Task in 60 Seconds	✗	✓	✓	✓

Other Comments: User 1 had trouble filling out the “Priority” field in the “New Task” form which caused the user to take longer than 60 seconds to fill out the form. Other users also commented on this aspect of the form, but they still finished in under 60 seconds.

Task 3: Altering created tasks

In this section, users were given the following scenario: “Enter into the task that you have previously created, indicate how you would begin working on the task, stop working on the task, and resolve the task.” The details of each user’s interactions for each tool are detailed in the below table.

Manuscript Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✓	✓	✓	✓
Finished Task in 60 Seconds	✗	✗	✓	✓

Other Comments: User 1 and User 2 did not finish within 60 seconds because they could not locate the case that they had previously created because they did not fill out the form option which would choose which milestone that the case would appear in. User 3 and User 4 also could not find their case due to the same reason, but searched for their case by using the chrome “Find” search (Command + ‘F’) and entering their case name. Users commented that they didn’t understand why they needed to exit the “Case View” screen and re-enter it to access the “Stop Work” button after they had pressed the “Start Work” button.

Momentum 1.0 Results:

	User 1	User 2	User 3	User 4
Completed Task as Directed	✓	✓	✓	✓
Finished Task in 60 Seconds	✓	✓	✓	✓

Other Comments: Users didn’t seem to have any trouble with this task. There were no negative comments by users concerning user interface design to share.

Conclusion: Overarching comments

In this section, users were asked questions about their experience using Manuscript. The questions are repeated below as are the answers from each user.

Question 1: Did you have any troubles using [Tool Name]? If so, what were they?

	User 1	User 2	User 3	User 4
Manuscript	Yes	Yes	Yes	Yes
Momentum	Yes	No	No	No

Manuscript: Users 1, 2, and 3 mainly focused on their troubles with not being able to find the “New Project” button. All users also mentioned their inability to fill out most of the “New Case” form options.

Momentum: User 1 mentioned that they did not understand the “Priority” form option on the “New Case” screen.

Question 2: What did you like about [Tool Name]?

Manuscript: Users mentioned that they liked some of the “New Case” field options such as “Due Date” and “Priority”, that the Iteration Planner looks and acts like “Trello”, and that it shows complexity well. User 4 did not like anything about Manuscript so no answer was given for this question.

Momentum: All users responded that they liked how clean and intuitive Momentum was to use for the tasks. User 3 responded that the graph showing stats about project tasks could be helpful in a quick glance. Users 1 and 2 mentioned that they liked the progress bar included in the “Cases List View” Screen.

Question 3: What did you dislike about [Tool Name]?

Manuscript: Users repeated mentioned how “complicated” and “cluttered” the tool looked and felt while using it. The lack of explanations or small descriptions was also mentioned more than once. User 1 mentioned that there seemed to be many “unnecessary bits” that were confusing.

Momentum: Users mentioned the confusion around the setup of the “Priority” field of the “New Case” form. User 3 suggested that the colors on the “Project View” screen could be less colorful. Nothing else was mentioned.

Question 4: Would you use [Tool Name] for future projects if you needed to keep track of project-wide estimations?

	User 1	User 2	User 3	User 4
Manuscript	No	No	Maybe	No
Momentum	Yes	Yes	Maybe	Yes

Manuscript: User 3 mentioned that Manuscript would probably work for larger teams with complexity, but not for small teams. User 4 mentioned that “it might take me more time to figure Manuscript out than finishing my project”.

Momentum: User 3 mentioned that Momentum would be good in a small team, but not a large team.

Question 5: Would you recommend Manuscript to others?

	User 1	User 2	User 3	User 4
Manuscript	No	No	Maybe	No
Momentum	Yes	Yes	Yes	Yes

Manuscript: User 3 said that the answer would depend on the use case, but definitely not for new teams.

Momentum: No additional comments provided by users.

Question 6: How would you rate your experience with [Tool Name] with 1 being the lowest and 5 being the highest?

	User 1	User 2	User 3	User 4
Manuscript	1.5	2.0	2.5	2.0
Momentum	4.5	4.0	4.5	4.0

Manuscript and Momentum: No additional comments provided by users.

Concluding Remarks

Overall, users found Manuscript hard to use and were not always sure that they were completing the tasks correctly. They found that many fields and interfaces were not explained well enough for a first time user to fill out. The users would rather use other methods to estimate their projects than to use Manuscript, which leads us to believe that there is room for vast improvement in the usability of a tool that can help with project estimation. We strongly believe that a tool with a seamless user interface is a very novel contribution that drives users to begin using and continue using our tool.

Users found Momentum much easier than Manuscript in the completion of their tasks. Users continually performed better in the same tasks in Momentum than Manuscript. While we believe that our tool has done very well in its comparison to Manuscript through these user tests, we want to take the user feedback for Momentum such as the problems with filling out the “Priority” form option and address them in a new version of our tool. We plan to host another round of user testing on this version when the new mockup is complete.

2.3. Our Approach

In our approach to software development effort estimation, we focused on creating a better user interface. Our primary goal is to create a new UI that would have a low barrier of entry. Additionally, our tool would have low overhead. Once the project is set up using our tool, it should only take a few minutes each day to manage the tasks, when the user is working on the project.

We will also improve the way the data is visualized. The current tools provides a few graphs of the data that are not necessarily intuitive. Our plan is to improve upon the data visualization in our user interface using research on visualizing uncertainty from UW's Interactive Data Lab so that the analyzed information (e.g. ship date distribution) is easier to understand for the users [11].

From the current existing methods for effort estimation, we've decided on using EBS as the effort estimation model for Momentum. We will explain what the current existing methods for effort estimation are and why we chose to use EBS over the other models in section 2.6

EBS does not have a way to track the dependencies between tasks. Since we are not planning to improve upon the EBS model at this time, we do not plan to support tracking dependencies between tasks. We do, however, implement a priority system in Momentum. Ideally, the users would mark tasks with many dependencies with a higher priority than the dependent tasks as a way of signaling that those tasks should be completed first, though this is not necessary for our effort estimation to work properly.

Below are specific examples of the improvements we will make to the GUI. We see our direct competitor as Manuscript, so we will compare our GUI mockups with Manuscript to display differences in design ideology.





Fig. 2.3.1. The image above is the task board for Manuscript while the image below is the task board for Momentum. Momentum's task board is improved in that the interface is significantly simplified as our task board doesn't overwhelm the user with a multitude of non-important features. Momentum's task board has data visualizations easily accessible on the page, which summarize the project's time projections and estimations. It shows tasks ranked by the order that the user chooses (such as ordering by newest tasks first, or ordering by deadlines). The user can also easily see the severity/priority of each task. An additional feature included in Monument is that the user can visually see the progress/time bar of each task.




Case List
Search cases & wikis
New Case
New Email
Filters
Favorites
Recent
Planner
Wiki
Time Tracking
Kiln
Feedback
Anita
Create a new project:
Project Name:
My Project
Primary Contact:
Anita
This person will be assigned new cases in this project, by default.
Initial Permissions:
All Normal Users can manage cases
Choose an initial set of permissions. You can add and refine permissions after you create the Project.
Workflow:
Default Workflow
Choose an existing workflow to customize how cases are assigned within this project, or create a new workflow for this project.
OK
Cancel


Case List
Search cases & wikis
New Case
New Email
Filters
Favorites
Recent
Planner
Wiki
Time Tracking
Kiln
Feedback
Anita
My Project
Project Name:
My Project
Primary Contact:
Anita
This person will be assigned new cases in this project, by default.
Permissions:
Edit Permissions
Areas:
Edit
Delete
Area
Primary Contact
Misc
Project's Primary Contact
Create New Area
Each project is divided into functional areas. You must have at least one area per project.
Milestones: (this project)
Edit
Delete
Milestone Name
Assignable
Backlog
Completion Date
Start Date
Milestone Dependencies
None
Create New Milestone
A list of past and upcoming milestones or versions specific to this project (for example "Beta", "Version 2.0", etc.)
Milestones: (all projects)
Edit
Delete
Milestone Name
Assignable
Backlog
Completion Date
Start Date
Milestone Dependencies
Undecided
Yes
No
(None)
Create New Milestone
A list of target milestones or versions that can be used with any project
Project Group(s):
Remove
Project Group(s)
Description
None
Add Project Group
Organize your projects into one or more groups.
Workflow:
Default Workflow
Choose an existing workflow to customize how cases are assigned within this project, or create a new workflow for this project.
OK
Cancel



Fig. 2.3.2. Another example where Manuscript lacks in user friendliness is that the user is required to click on a small link in the navigation menu in order to view their projects, and then require two separate screens just to create a new project. Their screens also provide too many options which require reading the manual to discern. For example, there is no clear indication on what the difference of Milestones vs Tasks are. There is also no explanation for the usage and differences of Areas vs Case Groups either. Momentum, on the other hand, avoids these confusions as its project page involves only one screen which elegantly displays all the user's projects after logging in, and then allows the user to add information about a new project without being redirected to a new page.


Title
My Case
Project
My Project
Area
Misc
Milestone
All projects: Undecided
Category
Bug
Assigned To
Unassigned
Status
Active
Notify More Users
Correspondent
Opened by Leon Pan 05/18/2018 (Today) 8:47 PM
Plain text
Rich text
Priority
3 – Must Fix
Every good bug report needs exactly three things: steps to reproduce, what you expected to see, and what you saw instead.
Parent Case
Subcases
Open
Cancel
Attach files
Due
mm/dd/yyyy
hh:mm AM
Estimate current:
Story Points
Backlog Order
0
Add to Top
Add to Bottom
Remove from Ordering
Kanban Column
None
Tags



Fig. 2.3.3. The image above is the new case page for Manuscript while the image below is the new task page for Momentum. Momentum's new task page is also significantly simplified as our task page doesn't overwhelm the user with an abundance of non-important form options. Note that in the Manuscript new case page, most of the form options could be left black, including the estimate. Also, notice that the estimate field is below the button to open/create the case, meaning that the users might not even scroll far enough down to see the field before opening the case. This means the user might not input an estimation which is critical for EBS to calculate a projected ship date. Momentum's new task page only include the form options that are the most important in terms of knowing what the task is and making the estimate.



Fig. 2.3.4. The image above is the case page for Manuscript while the image below is the task page for Momentum. Notice that in the Manuscript, the time currently spent on the case is not displayed anywhere on the page, so the user can not know how long he/she have been working on the case or compare it with the estimated time. Also note that in Manuscript, when the user click the start work button, he/she cannot stop the task without exiting and reentering the screen. Similarly, once the user clicks the stop work button, he/she cannot stop the task without exiting and reentering the screen. Momentum's task page provides the user with the information he/she might need to keep track of his/her progress and allows the user to easily manage the task from the task page.





Fig. 2.3.5 Uncertainty visualization in Manuscript vs. Momentum (examples from [11]).

Rather than visualizing ship dates as a line representing the cumulative probability of project completion, we propose visualizing times as a quantile dotplot. Researchers have found [11] that users are able to better interpret the uncertainty of a predicted time when visualized as a quantile dotplot than as a cumulative distribution.

The user manual for our tool may be viewed at this link:
https://github.com/cse403-MOMENTUM/MOMENTUM/blob/master/user-manual.md

2.4. GUI Mockup

A limited interactive experience with this GUI is available at the link below:

https://xd.adobe.com/view/b2653ac4-d8e2-4d64-90e0-d5cb276f5fb3/

2.5. Architecture



Fig. 2.6.1 Architecture

Since we are targeting the web, we are primarily using Javascript; however, to keep ourselves sane we are writing in a principled subset. Instead of vanilla Javascript, we are using Typescript (a typed superset of Javascript) and ImmutableJS (a library for immutable data structures). In addition we are using SemanticUI, React, and Redux to keep the structure of our web code in check. SemanticUI handles the look of the frontend, React handles the user interface components, and Redux manages state. EBS is implemented within Redux and forms the core business logic (Fig. 2.6.1). We plan on using an external SQL database to store relevant information, synthesized from the state in Redux. Information in the SQL database will likely include information related to users, projects, and tasks.

2.6. Existing Effort Estimation Processes/Models

There are many existing effort estimation processes embedded into larger software project management products. Three notable existing methods for effort estimation are PROBE, EBS, and COCOMO II.

1) PROBE: PROxy-Based Estimation (PROBE) is a component of a larger system known

as the Personal Software Process (PSP) [6]. Developers using PROBE first break down a large project into smaller subprojects, then relate the size and type of each of these subprojects to subprojects (known as proxies) the developer has completed before. This knowledge is used to estimate the size, complexity, and time required for a large-scale project.

PROBE focuses primarily on how to break down and estimate large software projects, but does not emphasize integration into a larger team process. Additionally, PROBE is often embedded in the larger PSP, which has a high barrier to entry. Developers using the PSP often must read long books or take classes before they are able to effectively use the system. PROBE is often introduced as a whitebox process, and developers are consciously aware of the underlying algorithm driving estimation.

2) EBS: Evidence-Based Scheduling (EBS) is a method and piece of software for effort estimation developed by Joel Spolsky at FogCreek and has been integrated into their product called Manuscript [7]. Like PROBE, EBS first begins with the team of developers breaking down a large software project into smaller subprojects. Individual developers then cut these up into tasks they think they can complete in no more than a day of work. Developers estimate the amount of time each component will take. The EBS software keeps track of how much time the component actually takes and creates a model over time of how good an estimator the developer is. The EBS software then uses this model to predict how long the rest of the project will take and produces a probability distribution for the estimated ship date of the project.

EBS focuses less on how to break a project into smaller pieces and more on how to use effort estimates to produce projections for project completion that vary over time. While this is useful, we argue that the process of breaking a project down is just as important as estimating the time it will take a project to ship since it forces developers to think deeply about the larger structure of their project. Additionally, existing tools for EBS have poor visualizations of the data they produce.

3) COCOMO II: COnstructive COst MOdel II (COCOMO II) is a method for estimating software cost and time, generally for large organizations [12]. It consists of two models for estimating the cost and schedule of software projects: Early Design and Post-Architecture. The Early Design model is used to investigate alternative designs before a project's shape has been fully realized. The Post-Architecture model is for projects that are entering the coding stage of development. COCOMO II takes a collection of factors such as team cohesion, project novelty, and specification flexibility and produces an estimate of how much a project will cost and how long it will take to complete. Although detailed, the estimation process places a significant burden on those who use it. COCOMO II bases its numbers on 23 different factors [13], all of which must be considered by developers. While developers likely benefit from considering these factors, COCOMO II's complexity creates a significant barrier to entry for new users.

We decided to use EBS for Momentum rather than other existing models like PROBE and COCOMO II for the following reasons:

1. EBS is much simpler to implement than PROBE and COCOMO II and still provide good estimates for the ship date forecast.

2. PROBE and COCOMO II inherently require more user interactions or a much more complex system.

3. Challenges and Risks

3.1. Challenges

A challenge we came across while implementing Momentum was to learn the new programming tools that were used to create Momentum such as Typescript and React/Redux. It took us longer than we've expected to learn the semantic of these tools. This delay was one of the reasons why we had to replan our project.

Using EBS for our own project was also a challenge. We have been applying EBS to our own project by hand during our implementation phase by recording our estimated and actual times taken to complete implementation tasks. Keeping track of the task from each member of the team and making the calculations manually have been a tedious process. We hope that Momentum will prove to be a useful tool that solves this issue, so that future teams would not have this challenge if they choose to use Momentum. The reason we are not using Manuscript is that the trial for testing Manuscript does not last long enough for us to use to track our entire project.

3.2. Anticipated Risks

There are three large sources of risk in this project that we anticipate could cause us major problems:

1. Creating something too similar to another product.
2. Creating *another tool*. This is an issue that is core to our vision: we want to make something that people would actually use in the software development process. That being said, we don't want our project to be another high-maintenance tool for developers and project managers to have to constantly maintain. This is, in many ways, antithetical to the process proposed in EBS and PROBE: for estimation to work correctly, you often have to manage historical data as well as break down specifications into anticipated tasks — things that are large tasks in and of themselves that may detract from a low-maintenance product.
3. Measuring the success of our product. Since our project focuses heavily on helping teams estimate the time needed for development of a particular software project, observing the actual usage of the deliverables we produce may be difficult (as the nature of this estimation is that it occurs over a longer period of time).

4. Proposed Schedule/Updated Schedule

Week	**Milestone**
Week 3	**- Locate case studies for project.** - Gain access to source code for software management tools that employ time prediction. - Continue research on existing time estimation strategies.
Week 4	- MVP (minimum viable product) for new user interface and time estimation backend - Investigate user research and evaluation methods. Conduct user research on competing tools
Week 5	**- MVP for additional workflow enhancements.** - Establish metrics for software success and schedule user research.
Week 6	**- Continue working on MVP's additional workflow enhancements.**
Week 7	**- Complete "draft" of project.** **- Conduct first round of user testing to evaluate the effectiveness of our tool compared to existing solutions.**
Week 8	**- Connect Redux + React** - Project draft refinements based on user testing
Week 9	- Begin project presentation work - Second round of project draft refinements based on user testing
Week 10	**- Finalization of refinements** **- Finalization of project presentation**
Week 11	**- Complete project presentation**

5. Initial Results

5.1 User Research

An important feature of our tool is to tailor itself to the individual, therefore, it is best to conduct experiments that involve case studies with programmers.

The initial results of our user research includes the complete semi-formally user tests for Manuscript as well as informal user testing that was not recorded on our initial mockups of Momentum. Semi-formal user tests will be conducted on our first mockup shortly and added to the report document.

The user research on Manuscript indicates that there is much room for substantial improvements in user experience, as Manuscript's average experience score with users was a two out of five with one being the lowest and five being the highest. Most importantly, we see that Manuscript has non-intuitive presentation and access to project, milestone, and case creation buttons as well as broadly confusing form instructions without proper explanations. Outside of actual usability, users found that the user interface was boring and cluttered.

The user research on Momentum indicates that many of Momentum's user experience problems have been solved. When asked for a experience score, users on average reported a score of four out of five. This is a massive improvement already when we consider that Manuscript received an average of two out of five from the same user group. The users also found Momentum had a more aesthetically pleasing user interface and tasks were completed much faster. On the negative side, users were confused on one form instruction considering the "priority" of the task. This will be fixed in later mockups.

Semi-formal user tests will be conducted on our first Momentum mockup shortly and added to the report document. After each iteration of user tests on the Momentum mockup, the mockup with be tweaked according to user responses and a new round of user testing will begin. We plan to do this cycle at least twice given the amount of time we have to complete our project. We believe this is imperative to the success of our project as our user interface is our novel contribution to EBS. Following this, User research is also very important in evaluating our success in this project as is backs up our claims that Momentum's user interface is more accessible and usable that Manuscript.

5.2 Implementation

For our implementation, we have finished the bulk of our front end interface, including the login, project list, and project details page as well as a rough implementation of EBS. The interface is best visually seen by running the application. The technologies we are working with are mainly React and Redux which are libraries that help create web-applications using JavaScript (see below for more). After much research we have refined the architecture of our files by following this organization, which allows us to effectively organize between presentational code, logical code, and Redux vs React components.

Currently, we are using React as a user-facing, front-end library for creating user interfaces and handling any GUI events. Many of these components are "dumb," in the sense

that they only store ephemeral data and handle extremely small computations (e.g. dispatching actions in response to events). Instead of storing and manipulating data themselves, these components send “actions” (*cf. Redux documentation*) to our Redux “backend” in response to events initiated in React components, and then receive an updated state from Redux, after Redux has performed this given action. In other words, Redux is acting as a client-side, serializable database *for a single user*. We plan on implementing multi-user functionality after these single-user components are complete.

5.3 Limitations

Due to time constraints, there are a few objectives that we will not be able to complete. One of the stretch goals that we planned on was to improve upon the EBS estimation model by incorporating elements from other existing effort estimation processes/models such as COCOMO II and PROBE. However, improving on the GUI is taking more time and effort than we initially planned as we need to firmly validate our claims about usability and accessibility across both Manuscript and Momentum. Unfortunately, this means that we will not be able to complete that phase of our project. A part of this reason being that we are all learning new technology in implementing our project.

Also, we will not be able to complete any experiments that involves using Manuscript and Momentum for the entire duration of a project that lasts a significant period of time. Ideally, we would like to distribute the tools so that they could be used for an entire project. This way, we could know if the tools were useful for the entire project or if the tool became an inconvenience for the users.

Another potential limitation due to the time constraint is to conduct studies on Manuscript and our GUI with small teams rather than just individuals. We will prioritize our user studies on individuals, but if we manage to find the time and a willing team to conduct the studies on at the end of the project, we will attempt to do so.

REFERENCES

[1] M. Jørgensen, “What We Do and Don’t Know about Software Development Effort Estimation,” *IEEE Software*, vol. 31, no. 2, pp. 37–40, Mar. 2014.

[2] M. Jørgensen, “The effect of the time unit on software development effort estimates,” in *2015 9th International Conference on Software, Knowledge, Information Management and Applications (SKIMA)*, 2015, pp. 1–5.

[3] H. Barki, S. Rivard, and J. Talbot, “Toward an Assessment of Software Development Risk,” *Journal of Management Information Systems*, vol. 10, no. 2, pp. 203–225, Sep. 1993.

[4] I. Benbasat and I. Vessey, “Programmer and Analyst Time/Cost Estimation,” *MIS Quarterly*, vol. 4, no. 2, pp. 31–43, 1980.

[5] K. Srinivasan and D. Fisher, “Machine learning approaches to estimating software development effort,” *IEEE Transactions on Software Engineering*, vol. 21, no. 2, pp. 126–137, Feb. 1995.

[6] W. Humphrey, *The Personal Software Process (PSP)* (Technical Report CMU/SEI-2000-TR-022). Pittsburgh: Software Engineering Institute, Carnegie Mellon University. 2000.

[7] J. Spolsky, “Evidence Based Scheduling,” Oct. 2007

[8] “Manuscript - Project Management for Software Teams.” Manuscript - Project Management for Software Teams, www.manuscript.com/.

[9] “Introduction to ProcessPAIR.” ProcessPAIR, www.blogs.fe.up.pt/processpair/tutorials/intro/.

[10] “Functionality for Individuals.” The Software Process Dashboard Initiative, http://www.processdash.com/functionality-personal.

[11] Kay, Matthew, et al. “When(Ish) Is My Bus? User-Centered Visualizations of Uncertainty in Everyday, Mobile Predictive Systems.” UW Interactive Data Lab | Papers, ACM Human Factors in Computing Systems (CHI), 2016, idl.cs.washington.edu/papers/when-ish-is-my-bus/.

[12] “COCOMO II Model Definition Manual.” USC, http://csse.usc.edu/csse/research/cocomoii/cocomo2000.0/cii_modelman2000.0.pdf

[13] B. Boehm *et al.*, “COCOMO Suite Methodology and Evolution,” April 2005. http://csse.usc.edu/TECHRPTS/2005/usccse2005-509/usccse2005-509.pdf

[14] Hershfield, Hal. “Future self-continuity: How conceptions of the future self transform intertemporal choice. Annals of the New York Academy of Sciences.” 2011.

[15] J. Nielsen, "How Many Test Users in a Usability Study?", *Nielsen Norman Group*, 2018. [Online]. Available: https://www.nngroup.com/articles/how-many-test-users/. [Accessed: 27- Apr- 2018].

META

A. Hours Spent on Assignment:

```
    Leon Pan: 6 hours
  Haley Ruth: 6 hours
 Anita Leung: 6 hours
Josh Pollock: 6 hours
   Austin Ha: 6 hours
```