

# CS 207: Discrete Structures

## Abstract algebra and Number theory

Lecture 34  
Oct 12 2015

## Topic 3: Graph theory

### Some basic notions

- ▶ Basics: graphs, paths, cycles, walks, trails, ...
- ▶ Cliques and independent sets.
- ▶ Graph representations, isomorphisms and automorphisms.
- ▶ Matchings: perfect, maximal and maximum.
- ▶ Directed graphs, trees...

## Topic 3: Graph theory

### Some characterizations

1. Basics concepts and definitions.
2. **Eulerian graphs:** Using degrees of vertices.
3. **Bipartite graphs:** Using odd length cycles.
4. **Connected components:** Using cycles.
5. **Maximum matchings:** Using augmenting paths.
6. **Perfect matchings in bipartite graphs:** Using neighbour sets. – **Hall's theorem**
7. **Maximum matchings in bipartite graphs:** Minimum vertex covers. – **Konig-Egervary's theorem**
8. **Stable matchings** and the **Gale-Shapley algorithm**.

## Topic 4: Abstract algebra and number theory

Today onwards

Start of next topic: Abstract algebra and number theory.

## Topic 4: Abstract algebra and number theory

Today onwards

Start of next topic: Abstract algebra and number theory.

Some questions

## Topic 4: Abstract algebra and number theory

Today onwards

Start of next topic: Abstract algebra and number theory.

Some questions

- ▶ What is abstract algebra?

## Topic 4: Abstract algebra and number theory

Today onwards

Start of next topic: Abstract algebra and number theory.

Some questions

- ▶ What is abstract algebra?
- ▶ What is number theory?

## Topic 4: Abstract algebra and number theory

Today onwards

Start of next topic: Abstract algebra and number theory.

Some questions

- ▶ What is abstract algebra?
- ▶ What is number theory?
- ▶ What is the link?



## Topic 4: Abstract algebra and number theory

### Today onwards

Start of next topic: Abstract algebra and number theory.

### Some questions

- ▶ What is abstract algebra?
- ▶ What is number theory?
- ▶ What is the link?
- ▶ Why study either of these?

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$
  - ▶ Identity function is an automorphism.
  - ▶ Inverse of an automorphism is an automorphism.
  - ▶ Composition of two automorphisms is an automorphism
  - ▶ Composition of automorphisms satisfies associativity.

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$
  - ▶ Identity function is an automorphism.
  - ▶ Inverse of an automorphism is an automorphism.
  - ▶ Composition of two automorphisms is an automorphism
  - ▶ Composition of automorphisms satisfies associativity.
- ▶ The set of all automorphisms is called **the automorphism group**.

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$
  - ▶ Identity function is an automorphism.
  - ▶ Inverse of an automorphism is an automorphism.
  - ▶ Composition of two automorphisms is an automorphism
  - ▶ Composition of automorphisms satisfies associativity.
- ▶ The set of all automorphisms is called **the automorphism group**.
- ▶ Is this really a property of edge relation?
- ▶ What if we say  $(V, E')$  where  $E'$  is a set of ordered pairs?

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$
  - ▶ Identity function is an automorphism.
  - ▶ Inverse of an automorphism is an automorphism.
  - ▶ Composition of two automorphisms is an automorphism
  - ▶ Composition of automorphisms satisfies associativity.
- ▶ The set of all automorphisms is called **the automorphism group**.
- ▶ Is this really a property of edge relation?
- ▶ What if we say  $(V, E')$  where  $E'$  is a set of ordered pairs?
- ▶ What if we say  $(V, R)$  where  $R$  is set of paths of length 3?

# Some properties of discrete structures

Why not start with something we already know?

- ▶ Automorphisms of a graph:
  - ▶ An automorphism of a graph  $G = (V, E)$  is a bijection  $f : V \rightarrow V$  which preserves the edges, i.e.,
    - ▶  $uv \in E$  iff  $f(u)f(v) \in E$
  - ▶ Identity function is an automorphism.
  - ▶ Inverse of an automorphism is an automorphism.
  - ▶ Composition of two automorphisms is an automorphism
  - ▶ Composition of automorphisms satisfies associativity.
- ▶ The set of all automorphisms is called **the automorphism group**.
- ▶ Is this really a property of edge relation?
- ▶ What if we say  $(V, E')$  where  $E'$  is a set of ordered pairs?
- ▶ What if we say  $(V, R)$  where  $R$  is set of paths of length 3?
- ▶ Basically, we can have  $(V, R)$  where for any bijection  $g$  on  $V$ , there is a natural way of applying  $g$  on  $R$  **and**  $g(R) = (R)$ .

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$



## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!
- ▶ The group of all permutations is called the **symmetric group**.

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!
- ▶ The group of all permutations is called the **symmetric group**.
- ▶ What about a subset of the permutations? If it satisfies these properties it is called a **permutation group**.

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!
- ▶ The group of all permutations is called the **symmetric group**.
- ▶ What about a subset of the permutations? If it satisfies these properties it is called a **permutation group**.
- ▶ The set of automorphisms on any  $(V, R)$  (for a graph) satisfies all the properties.

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!
- ▶ The group of all permutations is called the **symmetric group**.
- ▶ What about a subset of the permutations? If it satisfies these properties it is called a **permutation group**.
- ▶ The set of automorphisms on any  $(V, R)$  (for a graph) satisfies all the properties.
- ▶ Which subsets of permutations satisfy can be determined as automorphisms of  $G = (V, E)$ ?

## Something even easier?

Consider the set of all bijections on  $X = \{1, \dots, n\}$  – i.e., permutations of  $X$

- ▶ What is an operation on  $X$ ?
- ▶ This satisfies all the properties mentioned above!
- ▶ The group of all permutations is called the **symmetric group**.
- ▶ What about a subset of the permutations? If it satisfies these properties it is called a **permutation group**.
- ▶ The set of automorphisms on any  $(V, R)$  (for a graph) satisfies all the properties.
- ▶ Which subsets of permutations satisfy can be determined as automorphisms of  $G = (V, E)$ ?

What is common about all these?

## Definition of a group

- ▶ What is common about all these definitions?



## Definition of a group

- ▶ What is common about all these definitions?
- ▶ There is a set

## Definition of a group

- ▶ What is common about all these definitions?
- ▶ There is a set
- ▶ There is a function... does it really matter?

## Definition of a group

- ▶ What is common about all these definitions?
- ▶ There is a set
- ▶ There is a function... does it really matter?
- ▶ There is a way to **compose** objects!

## Definition of a group

- ▶ What is common about all these definitions?
- ▶ There is a set
- ▶ There is a function... does it really matter?
- ▶ There is a way to **compose** objects!
- ▶ Can you think of such an example over numbers, say over integers?

# Definition of a group

- ▶ What is common about all these definitions?
- ▶ There is a set
- ▶ There is a function... does it really matter?
- ▶ There is a way to **compose** objects!
- ▶ Can you think of such an example over numbers, say over integers?

## Definition

A(n) **(abstract) group** is a set  $S$  along with an operator  $*$  such that the following conditions are satisfied:

- ▶ Closure:  $\forall a, b \in S, a * b \in S$ .
- ▶ Associativity:  $\forall a, b, c \in S, a * (b * c) = (a * b) * c$ .
- ▶ Identity:  $\exists e \in S$  s.t.,  $\forall a \in S, a * e = e * a = a$ .
- ▶ Inverse:  $\forall a \in S, \exists a' \in S$  s.t.,  $a * a' = a' * a = e$ .

## Examples of (abstract) groups

- ▶ Every permutation group is an abstract group.
- ▶ Every automorphism group is an abstract group.
- ▶  $(\mathbb{Z}, +)$  is a group.
- ▶ What about the following?
  1.  $(\mathbb{Z}, \times)$ .
  2.  $(\mathbb{Q}, \times)$
  3.  $(\mathbb{Q} \setminus 0, \times)$
  4.  $(\mathbb{Z}_n, +_n)$
  5.  $(\mathbb{Z}_n, \times_n)$
  6.  $(\mathbb{Z}_n \setminus 0, \times_n)$ .