

The World Wide Web (WWW): Cookies



Kameswari Chebrolu

All the figures used as part of the slides are either self created or from the public domain with either 'creative commons' or 'public domain dedication' licensing. The public sites from which some of the figures have been picked include:

<http://commons.wikimedia.org> (Wikipedia, Wikimedia and workbooks); <http://www.sxc.hu> and <http://www.pixabay.com>

Cookies

- HTTP is a stateless protocol, but servers like to maintain state specific to a user
 - E.g. shopping cart info; user's preference settings; browsing activity; state of user login
- Solution: Cookies
 - Server sends 'small amount of data (cookie)' to store at client ↳ amazon.com
 - Every time client contacts the server (same domain), browser sends cookie (of the domain) to server

Cookie Structure

300 - Total

20 - Per
domain

Browsers need to support at least 4KB cookie size

- Name of cookie
- Value of cookie
- Expiry of cookie
- Path the cookie is good for
- Domain of the cookie
- Type of connection needed

/accounts

amazon.com

Example

- Browser to Server

→ Post /users/info HTTP/1.1

[form contents which includes user identification]

- Server to Browser

HTTP/1.1 200 OK

Set-Cookie: Customer=“Pappu”

(Server also maintains an entry in backend database)

Example

- Browser to Server

GET /info.html HTTP/1.1

Cookie: Customer="Pappu"

[Server accesses backend to retrieve information logged and acts accordingly]

Privacy and Third-party Cookies

- A web page (a given domain) may contain objects (e.g. Ads) from other domains
- Cookies set when retrieving those objects are called third-party cookies
- Third party cookies can help track user browsing habits

Tracking

www.xyz.com

- Website A can have an AD object
<http://maliciousads.com/65438990.jpg>
- User visits A and contacts maliciousads.com to retrieve image
- maliciousads returns a cookie (first time user) containing id 11111 and notes against this id IP address and website A
 - 65438990 is associated with website A

- User visits website B with an AD object
<http://maliciousads.com/91538793.jpg>
↑
- When user requests above image, it also includes all cookies associated with the domain
 - Cookie: 11111
- Maliciousads now knows user 1111 visited website B
 - 91538793 is associated with website B

Browser Settings

- Can see and selectively delete current cookies
- Can disable third-party cookies
- Can disable cookies completely as well
- There also cookie-eating software you can install that give more fine grained control

Summary

- Cookies can provide useful features by enabling state maintenance via HTTP
- Cookies can also lead to privacy violations