Code Review

Music Player

```
<footer class = "footer">
  <audio controls>
    <source src="assets/Audio.mp3" type="audio/mp3">
  </audio>
</footer>
```

```
}
audio {
    border: black dashed 5px;
}
```

This is the original code for the music player on my website.

This is how that code is displayed on my website. I wanted to improve it by making it accessible always and not just in the footer of the page and I also wanted to make it more direct and simple so instead of the timer and all the additional options I want to just be a play, pause and reset button for the audio.

```
.footer {
    position:fixed;
    bottom: 0;
    width:100%;
}
.btn1, .btn2, .btn3 {
    color: white;
    background-color: #004369;
}
```

```
function playMusic1() {
    let audio = document.querySelector(".audio1");
    audio.play();
}
function pauseMusic1() {
    let audio = document.querySelector(".audio1");
    audio.pause();
}
function resetMusic1() {
    let audio = document.querySelector(".audio1");
    audio.pause();
    audio.currentTime = 0;
}
document.querySelector(".btn1").addEventListener("click", playMusic1);
document.querySelector(".btn2").addEventListener("click", pauseMusic1);
document.querySelector(".btn3").addEventListener("click", resetMusic1);
```

```
<footer class = "footer">
  <input type ="button" value ="play music" class ="btn1">
<input type ="button" value ="pause music" class ="btn2">
<input type ="button" value ="reset music" class ="btn3">
<audio class="audio1">
  <source src="assets/Audio.mp3" type="audio/mp3">
</audio>
```

This is the code that I implemented to try and achieve that goal.

This is what the audio player looks like on the website now.

Focus On Gallery

```
<section id = "buddy_profile">
  <h2>Buddy's Profile</h2>
  <img src="assets/buddy_1.jpg" alt="Buddy" width ="250" height = "300">
  <p>This is my dog Buddy. Buddy is a 3 year old toy poodle which I got a few weeks before the Covid pandemic started so he was a quarantine p
  <p>This affected his social skills as he had not met other people for around 7 months. He grew up to be extremely clingy to me (which I dont
  <p>I used this video below to help with that</p>
  <iframe width="420" height="315"
  src="https://www.youtube.com/embed/BmVSLqCh-RI">
  </iframe>
  <p>It was a little challenging but eventually he became super socialable and everyone could play with this little cute ball of energy.</p>
  <p>I would say that buddy is my favourite dog mainly because of how close we became during that quarantine period as he always stayed with m
  <p>Here is more information about <a href ="https://www.akc.org/dog-breeds/poodle-toy/">toy poodles!</a></p>
  </section>           <p>
```

```
.profile {
    display: grid;
    grid-template-columns: 100%;
    margin-right: 5%;
    margin-left: 5%;
    background-color: #01949a;
    margin-bottom: 5%;
    margin-top: 5%;
    padding: 20px 20px 20px 20px;
    border-radius: 25px;
    border: dashed white 3px;
    color: white;
    text-align: center;
}
.profile-ing {
    display: flex;
    justify-content: center;
}
.flex-container1{
    display: flex;
    justify-content: space-around;
}
```

```
#flex-cont2{
    display: flex;
    justify-content: center;
}
```

This is what the old code looked like for my pet profiles in the gallery section.

This is what it displayed on the website and it was good, however, I wanted to make the viewer be able to focus more on the pet it was reading about so I want to implement a blurring effect on the other pets as one of them is selected.

```
//improvement with js
let img1 = document.getElementById("img1");
function unfocusImg1() {
    let imagePet = document.getElementById("img1");
    imagePet.style.filter = 'blur(5px)';
}

img1.addEventListener("mouseout", unfocusImg1);
img1.addEventListener("load", unfocusImg1);

function focusImg1() {
    let imagePet = document.getElementById("img1");
    imagePet.style.filter = null;
}
img1.addEventListener("mouseover", focusImg1);
```

```
<div class ="profile-ing">
  <img id = "img1" src="assets/buddy_1.jpg" alt="Buddy" width ="250" height = "300">
</div>
```

This is the code that helps do this on the website.



This is what the website currently displays.