

A
CTD cadmium-related genes
n=138
n =23
GSE111016 sarcopenia DEGs
n=3342
B
BP
CC
MF
KEGG
-regulation of neuron apoptotic process
-neuron apoptotic process
-response to oxygen levels
-response to hypoxia
-response to decreased oxygen levels
-intrinsic apoptotic signaling pathway
-response to nutrient levels
-temperature homeostasis
-positive regulation of apoptotic process
-response to starvation
-RNA polymerase II transcription regulator complex
-transcription regulator complex
-protein-DNA complex
-euchromatin
-external side of apical plasma membrane
-ficolin-1-rich granule lumen
-death-inducing signaling complex
-SMAD protein complex
-Lewy body
-ficolin-1-rich granule
-DNA-binding transcription activator activity, RNA polymerase II-specific
-DNA-binding transcription activator activity
-RNA polymerase II-specific DNA-binding transcription factor binding
-chromatin DNA binding
-DNA-binding transcription factor binding
-ubiquitin protein ligase binding
-ubiquitin-like protein ligase binding
-cAMP response element binding protein binding
-leucine zipper domain binding
-transcription regulator activator activity
-Lipid and atherosclerosis
-Human cytomegalovirus infection
-Mitophagy - animal
-Kaposi sarcoma-associated herpesvirus infection
-Hepatitis B
-AGE-RAGE signaling pathway in diabetic complications
-Apoptosis
-Parkinson disease
-Longevity regulating pathway
-Apoptosis - multiple species
-log10(p.adjust)
GeneRatio
C
D
-log10(P)
Higher in Sarcopenia
Lower in Sarcopenia
E
Downregulated (n = 1571)
Not significant
Upregulated (n = 1771)
-log10(nominal P)
Log2FC
F
Sarcopenia
Row Z-score
G
VST expression