	12-4-KDP-1	Reporting_Limit	EPA MCLG	EPA MCL	MN Short-term	MN Chronic
Chloromethane (methyl chloride)	BRL	1.0				
Chloroethene (vinyl chloride)	BRL	1.0	0.0	2.0		10.0
Bromomethane (methyl bromide)	BRL	1.0				10.0
Chloroethane (ethyl chloride)	BRL	1.0				
Trichlorofluoromethane	BRL	1.0	150.0			2000.0
Diethyl ether	BRL	1.0				
1,1-Dichloroethene	BRL	1.0				
Acetone	4.9	1.8			9000.0	4000.0
lodomethane	BRL	1.0				
Carbon disulfide	BRL	1.0				700.0
3-Chloropropene (allyl chloride)	BRL	1.0				30.0
Methylene chloride (DCM)	BRL	1.0				
trans-1,2-Dichloroethene	BRL	1.0	100.0	100.0		9.0
Methyl tert-butyl ether (MTBE)	BRL	1.0	13.0		700.0	700.0
				F 0		
1,1-Dichloroethane	BRL	1.0	0.0	5.0	400.0	80.0
2,2-Dichloropropane	BRL	1.0	7.0	7.0		
cis-1,2-Dichloroethene	BRL	1.0	7.0	7.0	20.0	6.0
2-Butanone (MEK)	BRL	1.8				4000.0
Methyl acrylate	BRL	1.0				
Bromochloromethane	BRL	1.0				
Methacrylonitrile	BRL	1.0				
Tetrahydrofuran	BRL	1.0			600.0	600.0
Trichloromethane (chloroform)	31.1	1.0	70.0		20.0	20.0
	BRL	1.0	200.0	200.0	20.0	5000.0
1,1,1-Trichloroethane			200.0	200.0		5000.0
1-Chlorobutane (butyl chloride)	BRL	1.0				
Carbon tetrachloride	BRL	1.0	0.0	5.0	3.0	3.0
1,1-Dichloropropene	BRL	1.0				
Benzene	BRL	1.0	0.0	5.0	10.0	3.0
1,2-Dichloroethane	BRL	1.0	0.0	5.0	200.0	60.0
Trichloroethene	BRL	1.0				
1,2-Dichloropropane	BRL	1.0	0.0	5.0	20.0	20.0
Dibromomethane	BRL	1.0				
Methyl methacrylate	BRL	1.0			200	
Bromodichloromethane	5.1	1.0	0.0		30.0	30.0
2-Nitropropane	BRL	1.0				
cis-1,3-Dichloropropene	BRL	1.0				
4-Methyl-2-pentanone (MIBK)	BRL	1.8				
Toluene	BRL	1.0	1000.0	1000.0	70.0	70.0
trans-1,3-Dichloropropene	BRL	1.0	3.0	5.0		
Ethyl methacrylate	BRL	1.0				
1,1,2-Trichloroethane	BRL	1.0	3.0	5.0		3.0
			3.0	3.0		3.0
Tetrachloroethene	BRL	1.0				
1,3-Dichloropropane	BRL	1.0				
2-Hexanone	BRL	1.8				
Dibromochloromethane	1.5	1.0	60.0			10.0
1,2-Dibromoethane (EDB)	BRL	1.0			10.0	9.0
Chlorobenzene	BRL	1.0	100.0	100.0		100.0
1,1,1,2-Tetrachloroethane	BRL	1.0				70.0
Ethylbenzene	BRL	1.0	700.0	700.0	40.0	40.0
m/p-Xylene	BRL	1.0	10000.0	10000.0	300.0	300.0
o-Xylene Styrene	BRL	1.0	10000.0	10000.0	300.0	300.0
Styrene	BRL	1.0	100.0	100.0		
Bromoform	BRL	1.0	0.0			
Isopropylbenzene (cumene)	BRL	1.0				300.0
Bromobenzene	BRL	1.0				
1,1,2,2-Tetrachloroethane	BRL	1.0	1.0			
1,2,3-Trichloropropane (TCP)	BRL	1.0	0.005		7.0	7.0
trans-1,4-Dichloro-2-butene	BRL	1.0				
n-Propylbenzene	BRL	1.0				
2-Chlorotoluene	BRL	1.0				
					20.0	20.0
1,3,5-Trimethylbenzene	BRL	1.0			30.0	30.0
4-Chlorotoluene	BRL	1.0				
tert-Butylbenzene	BRL	1.0				
Pentachloroethane	BRL	1.0				
1,2,4-Trimethylbenzene	BRL	1.0			30.0	30.0
	BRL	1.0				
1-Methylpropylbenzene (sec-butylbenzene)		1.0				
1-Methylpropylbenzene (sec-butylbenzene)  1,3-Dichlorobenzene	BRL					
	BRL BRL	1.0				
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene)	BRL	1.0			50.0	50.0
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene	BRL BRL	1.0			50.0	50.0
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene	BRL BRL BRL	1.0 1.0 1.0			50.0	
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene	BRL BRL BRL BRL	1.0 1.0 1.0 1.0			50.0	
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene	BRL BRL BRL	1.0 1.0 1.0			50.0	
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene	BRL BRL BRL BRL	1.0 1.0 1.0 1.0	0.0	0.2	50.0	
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene Hexachloroethane	BRL BRL BRL BRL BRL	1.0 1.0 1.0 1.0 1.0	0.0	0.2	50.0	
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene Hexachloroethane 1,2-Dibromo-3-chloropropane (DBCP)	BRL BRL BRL BRL BRL BRL BRL	1.0 1.0 1.0 1.0 1.0 1.0	0.0	70.0	100.0	600.0
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene Hexachloroethane 1,2-Dibromo-3-chloropropane (DBCP) Nitrobenzene	BRL BRL BRL BRL BRL BRL BRL BRL	1.0 1.0 1.0 1.0 1.0 1.0				600.0
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene Hexachloroethane 1,2-Dibromo-3-chloropropane (DBCP) Nitrobenzene 1,2,4-Trichlorobenzene Hexachloro-1,3-butadiene	BRL	1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0			100.0	100.0
1,3-Dichlorobenzene 4-Isopropyltoluene (p-cymene) 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene Hexachloroethane 1,2-Dibromo-3-chloropropane (DBCP) Nitrobenzene 1,2,4-Trichlorobenzene	BRL	1.0 1.0 1.0 1.0 1.0 1.0 1.0				50.0 600.0 100.0 70.0

Reporting Limit = The smallest concentration (in ppb) we can report based on our calibration curve

BRL = Value detected is below the reporting limit

EPA MCLG = The EPA and HI DOH Maximum Contaminant Level Goal, or the California MCL

EPA MCL = The EPA and HI DOH regulatory Maximum Contaminant Level (legal limit)

Short-term = Short-term exposure health limit denoted by MN Dept. of Health

Chronic = Long-term exposure health limit denoted by MN Dept. of Health

Colors: RED is above EPA MCL, YELLOW is detectable above chronic health limit or EPA MCLG, ORANGE is above Short-term limit, GREEN is below all limits

Created on 2023-12-16 by CKS. Questions? email: infowrrc@hawaii.edu