

Package ‘org’

February 21, 2019

Title R functions for organising projects

Version 2019.02.21

Description R functions for organising projects.

Depends R (>= 3.5.0)

License GPL-3

Encoding UTF-8

LazyData true

Imports stringr, lubridate

Suggests testthat, rms, knitr, rmarkdown

Additional_repositories <https://raubreywhite.github.io/drat/>

RoxygenNote 6.0.1

VignetteBuilder knitr

NeedsCompilation no

Author Richard White [aut, cre]

Maintainer Richard White <w@rwhite.no>

R topics documented:

| | |
|--|----------|
| AllowFileManipulationFromInitialiseProject | 2 |
| CONFIG | 2 |
| InitialiseProject | 2 |
| PROJ | 3 |
| Index | 4 |

| |
|--|
| AllowFileManipulationFromInitialiseProject |
| <i>Allows for InitialiseProject to manipulate files on your system</i> |

Description

Allows for InitialiseProject to manipulate files on your system

Usage

AllowFileManipulationFromInitialiseProject()

| | |
|--------|---------------|
| CONFIG | <i>CONFIG</i> |
|--------|---------------|

Description

CONFIG

Usage

CONFIG

Format

An object of class environment of length 1.

| | |
|-------------------|----------------------------|
| InitialiseProject | <i>Initialises project</i> |
|-------------------|----------------------------|

Description

Initialises project

Usage

InitialiseProject(HOME = NULL, SHARED = NULL, ...)

Arguments

| | |
|--------|---|
| HOME | a |
| SHARED | a |
| ... | a |

| | |
|------|-------------|
| PROJ | <i>PROJ</i> |
|------|-------------|

Description

PROJ

Usage

PROJ

Format

An object of class environment of length 0.

Index

*Topic **datasets**

CONFIG, [2](#)

PROJ, [3](#)

AllowFileManipulationFromInitialiseProject,
[2](#)

CONFIG, [2](#)

InitialiseProject, [2](#)

PROJ, [3](#)