

Trauma Bay

Record ID _____

SCREENING

Patient meets inclusion criteria

- ☐ Yes
☐ No

Reason patient is excluded

- ☐ 16 years old or greater
☐ Pregnant
☐ Arrival to trauma bay > 6 hrs post injury
☐ CT of abdomen prior to arrival
☐ Penetrating/Puncture injury
☐ Burn injury
☐ Hanging
☐ Isolated head injury
☐ Isolated extremity injury
☐ Fall < 10 feet with no concern for abdominal trauma
☐ Near drowning
☐ Other

Other reason patient is excluded _____

DEMOGRAPHICS

Arrival time in ED _____

Age

- ☐ Less than 12 months
☐ 12 months or greater

Age in months _____

Age in years _____

Race

- ☐ American Indian or Alaska Native
☐ Asian
☐ Black or African American
☐ Native Hawaiian or other Pacific Islander
☐ White
☐ Unknown/not reported

Hispanic ethnicity

- ☐ Yes
☐ No
☐ Unknown/not reported

TRAUMA INFORMATION

Mechanism of injury

- ☐ Assault/struck
 - ☐ ATV injury
 - ☐ Bike crash
 - ☐ Bike struck by auto
 - ☐ Fall > 10 ft. height
 - ☐ Golf cart injury
 - ☐ Motorcycle/dirt bike crash
 - ☐ MVC
 - ☐ Pedestrian struck by auto
 - ☐ Other blunt mechanism
- (check all that apply)

If bike crash, landed on handle bar

- ☐ Yes
- ☐ No

MVC details

- ☐ >40 MPH
 - ☐ Ejection
 - ☐ Rollover
 - ☐ Prolonged extrication
 - ☐ Unrestrained
 - ☐ Death in vehicle
 - ☐ Not reported
- (check all that apply)

Other mechanism of injury

Alert level

- ☐ I
- ☐ II
- ☐ Consult

ASSESSMENT

Complaint of abdominal pain

- ☐ Yes
- ☐ No
- ☐ Non-verbal
- ☐ Incoherent
- ☐ Intubated

Emesis post injury

- ☐ Yes
- ☐ No

Intubated prior to arrival

- ☐ Yes
- ☐ No

Intubated during trauma resuscitation

- ☐ Yes
- ☐ No

Initial ED HR

Initial ED systolic BP

Initial GCS

Evidence of abdominal wall trauma

- ☐ None
 - ☐ Abrasion
 - ☐ Contusion
 - ☐ Seatbelt sign
- (check all that apply)

Evidence of thoracic trauma

- ☐ None
 - ☐ Abrasion
 - ☐ Contusion
 - ☐ Decreased breath sounds
 - ☐ SQ air
- (check all that apply)

Lower chest wall/costal margin tenderness to palpation

- ☐ None
☐ Yes on left
☐ Yes on right
☐ Limited exam secondary to intubation/sedation

Abdominal tenderness to palpation

- ☐ None
☐ Mild
☐ Moderate
☐ Severe
☐ Limited exam secondary to intubation/sedation

Abdominal distension

- ☐ Yes
☐ No

Pelvic bone tenderness or instability on palpation

- ☐ Yes
☐ No

Femur fracture

- ☐ Yes
☐ No

LABS/IMAGING

Hematocrit

- ☐ Enter result
☐ Not available
☐ Not ordered

Hematocrit result

Base deficit

- ☐ Enter result
☐ Not available
☐ Not ordered

Base deficit result

AST

- ☐ Enter result
☐ Not available
☐ Not ordered

AST result

Amylase

- ☐ Enter result
☐ Not available
☐ Not ordered

Amylase result

Lipase

- ☐ Enter result
☐ Not available
☐ Not ordered

Lipase result

Chest X-ray

- ☐ Normal
 - ☐ Hemothorax
 - ☐ Pneumothorax
 - ☐ Subcutaneous emphysema (without evident hemo/pneumo thorax)
 - ☐ Pulmonary contusion
 - ☐ Clavicle fracture
 - ☐ Scapula fracture
 - ☐ Rib fracture
 - ☐ Thoracic spine fracture
 - ☐ Mediastinal widening
 - ☐ Not ordered
- (check all that apply)

Pelvis X-ray

- ☐ Normal
- ☐ Pelvic fracture
- ☐ Not ordered

FAST

- ☐ Negative
 - ☐ + cardiac
 - ☐ + right
 - ☐ + left
 - ☐ + pelvis
 - ☐ Not performed
- (check all that apply)

CT abdomen/pelvis ordered from trauma bay

- ☐ Yes
- ☐ No

Time patient trauma alert concluded/ left trauma bay
(military time)

Disposition from trauma bay

- ☐ ED observation
- ☐ CT
- ☐ ICU
- ☐ IR
- ☐ OR
- ☐ Floor
- ☐ Death