MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
  - admin
  - config
  - fraud_detection_db
    - transactions
  - local
  - myDatabase
    - users

transactions | localhost:27017 | mongosh: localhost:27017 | myDatabase | mongosh: localhost:27017

>_MONGOSH

```
> use fraud_detection_db
< switched to db fraud_detection_db
> db.transactions.insertOne({
      transaction_id: 101,
      user_id: "U001",
      amount: 5000,
      location: "Chennai",
      fraud: false
  })
< {
    acknowledged: true,
    insertedId: ObjectId('69d7d2f8521725fcb322f57e')
  }
> db.transactions.insertMany([
      {
          transaction_id: 102,
          user_id: "U002",
          amount: 25000,
          location: "Mumbai",
          fraud: true
      },
      {
          transaction_id: 103,
          user_id: "U003",
          amount: 7000,
          location: "Delhi",
          fraud: false
      }
  ])
```

```
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69d7d301521725fcb322f57f'),
      '1': ObjectId('69d7d301521725fcb322f580')
    }
  }
> db.transactions.find()
< {
    _id: ObjectId('69d7b0c30f9742d8b21f81dc'),
    transaction_id: 1,
    user_id: 'U001',
    amount: 5000,
    location: 'Chennai',
    fraud: false
  }
  {
    _id: ObjectId('69d7b127e04b817e7b6155c0'),
    transaction_id: 2,
    user_id: 'U002',
    amount: 25000,
    location: 'Mumbai',
    transactions_last_min: 4,
    timestamp: '2026-04-09 19:31:11.905908',
    fraud: true,
    reasons: [
      'High transaction amount',
      'Too many transactions in 1 minute'
    ]
```

```
{
  _id: ObjectId('69d7b34bbe2641d484147a3e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 25000,
  location: 'Chennai',
  transactions_last_min: 4,
  timestamp: '2026-04-09 19:40:19.105400',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7b6675bb6a58f04eb84d5'),
  transaction_id: 101,
  user_id: 'U002',
  amount: 2000,
  location: 'Mumbai',
  transactions_last_min: 2,
  timestamp: '2026-04-09 19:53:35.494131',
  fraud: false
}
```

```
{
  _id: ObjectId('69d7b6a3c9e78f1000e742c9'),
  transaction_id: 102,
  user_id: 'U103',
  amount: 30000,
  location: 'Bombay',
  transactions_last_min: 5,
  timestamp: '2026-04-09 19:54:35.727556',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7d2f8521725fcb322f57e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 5000,
  location: 'Chennai',
  fraud: false
}
{
  _id: ObjectId('69d7d301521725fcb322f57f'),
  transaction_id: 102,
  user_id: 'U002',
  amount: 25000,
  location: 'Mumbai',
  fraud: true
```


Paste

```
> db.transactions.find().pretty()
< [
    _id: ObjectId('69d7b0c30f9742d8b21f81dc'),
    transaction_id: 1,
    user_id: 'U001',
    amount: 5000,
    location: 'Chennai',
    fraud: false
  }
  {
    _id: ObjectId('69d7b127e04b817e7b6155c0'),
    transaction_id: 2,
    user_id: 'U002',
    amount: 25000,
    location: 'Mumbai',
    transactions_last_min: 4,
    timestamp: '2026-04-09 19:31:11.905908',
    fraud: true,
    reasons: [
      'High transaction amount',
      'Too many transactions in 1 minute'
    ]
  }
```

```
{
  _id: ObjectId('69d7b34bbe2641d484147a3e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 25000,
  location: 'Chennai',
  transactions_last_min: 4,
  timestamp: '2026-04-09 19:40:19.105400',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7b6675bb6a58f04eb84d5'),
  transaction_id: 101,
  user_id: 'U002',
  amount: 2000,
  location: 'Mumbai',
  transactions_last_min: 2,
  timestamp: '2026-04-09 19:53:35.494131',
  fraud: false
}
```

```
{
  _id: ObjectId('69d7b6a3c9e78f1000e742c9'),
  transaction_id: 102,
  user_id: 'U103',
  amount: 30000,
  location: 'Bombay',
  transactions_last_min: 5,
  timestamp: '2026-04-09 19:54:35.727556',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7d2f8521725fcb322f57e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 5000,
  location: 'Chennai',
  fraud: false
}
```

```
{
  _id: ObjectId('69d7d301521725fcb322f57f'),
  transaction_id: 102,
  user_id: 'U002',
  amount: 25000,
  location: 'Mumbai',
  fraud: true
}
{
  _id: ObjectId('69d7d301521725fcb322f580'),
  transaction_id: 103,
  user_id: 'U003',
  amount: 7000,
  location: 'Delhi',
  fraud: false
}
```

```
> db.transactions.find({
    transaction_id: 101
  })
< {
    _id: ObjectId('69d7b34bbe2641d484147a3e'),
    transaction_id: 101,
    user_id: 'U001',
    amount: 25000,
    location: 'Chennai',
    transactions_last_min: 4,
    timestamp: '2026-04-09 19:40:19.105400',
    fraud: true,
    reasons: [
      'High transaction amount',
      'Too many transactions in 1 minute'
    ]
  }
  {
    _id: ObjectId('69d7b6675bb6a58f04eb84d5'),
    transaction_id: 101,
    user_id: 'U002',
    amount: 2000,
    location: 'Mumbai',
    transactions_last_min: 2,
    timestamp: '2026-04-09 19:53:35.494131',
    fraud: false
  }
```

```
{
  _id: ObjectId('69d7d2f8521725fcb322f57e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 5000,
  location: 'Chennai',
  fraud: false
}
> db.transactions.find({
    fraud: true
})
< {
  _id: ObjectId('69d7b127e04b817e7b6155c0'),
  transaction_id: 2,
  user_id: 'U002',
  amount: 25000,
  location: 'Mumbai',
  transactions_last_min: 4,
  timestamp: '2026-04-09 19:31:11.905908',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
```

```
{
  _id: ObjectId('69d7b34bbe2641d484147a3e'),
  transaction_id: 101,
  user_id: 'U001',
  amount: 25000,
  location: 'Chennai',
  transactions_last_min: 4,
  timestamp: '2026-04-09 19:40:19.105400',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7b6a3c9e78f1000e742c9'),
  transaction_id: 102,
  user_id: 'U103',
  amount: 30000,
  location: 'Bombay',
  transactions_last_min: 5,
  timestamp: '2026-04-09 19:54:35.727556',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
```

```
{
  _id: ObjectId('69d7b6a3c9e78f1000e742c9'),
  transaction_id: 102,
  user_id: 'U103',
  amount: 30000,
  location: 'Bombay',
  transactions_last_min: 5,
  timestamp: '2026-04-09 19:54:35.727556',
  fraud: true,
  reasons: [
    'High transaction amount',
    'Too many transactions in 1 minute'
  ]
}
{
  _id: ObjectId('69d7d301521725fcb322f57f'),
  transaction_id: 102,
  user_id: 'U002',
  amount: 25000,
  location: 'Mumbai',
  fraud: true
}
```

```
> db.transactions.updateOne(
    { transaction_id: 101 },
    { $set: { amount: 12000 } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
> db.transactions.updateOne(
    { transaction_id: 101 },
    { $set: { fraud: true } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 0,
    upsertedCount: 0
  }
```

```
> db.transactions.updateMany(
      { location: "Chennai" },
      { $set: { location: "Chennai, TN" } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 3,
    modifiedCount: 3,
    upsertedCount: 0
  }
> db.transactions.deleteOne({
      transaction_id: 103
  })
< {
    acknowledged: true,
    deletedCount: 1
  }
> db.transactions.countDocuments()
< 7
> db.transactions.countDocuments({
      fraud: true
  })
< 4
fraud_detection_db>
```

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
  - admin
  - config
  - fraud_detection_db
    - transactions
  - local
  - myDatabase
    - users

transactions | localhost:27017 | mongosh: localhost:27017 | myDatabase | mongosh: localhost:27017

>_MONGOSH

```
    matchedCount: 1,
    modifiedCount: 0,
    upsertedCount: 0
  }
> db.transactions.updateMany(
      { location: "Chennai" },
      { $set: { location: "Chennai, TN" } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 3,
    modifiedCount: 3,
    upsertedCount: 0
  }
> db.transactions.deleteOne({
      transaction_id: 103
  })
< {
    acknowledged: true,
    deletedCount: 1
  }
> db.transactions.countDocuments()
< 7
> db.transactions.countDocuments({
      fraud: true
  })
< 4
fraud_detection_db>
```