Cucumber Report

Start : Feb 01, 11:49:29.590 am	*End : Feb 01, 11:49:48.172 am*	*Duration : 18.582 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Orange	18.582 s	1	1	0	0	6	6	0	0

#	Feature Name	T	P	F	S	Duration
1	Orange	1	1	0	0	18.582 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange	Forgot password -001	6	6	0	0	18.574 s

Orange

| PASSED	DURATION - 18.582 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:49:29.590 am // 11:49:48.172 am /			1		6

Forgot password -001

PASSED	DURATION - 18.574 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:49:29.598 am // 11:49:48.172 am /				6
Orange				

#	Step / Hook Details	Status	Duration
1	Given user on orange login page	PASSED	10.914 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	0.193 s
	Screenshot		
2	When user click the forgot password button	PASSED	1.657 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	0.154 s
	Screenshot		

#	Step / Hook Details	Status	Duration
3	Then site should redirect user to reset password page	PASSED	0.321 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	0.195 s
	Screenshot		
4	When user provide his valid username	PASSED	0.122 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	0.194 s
	Screenshot		
5	And click the reset password button	PASSED	0.061 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	1.156 s
	Screenshot		
6	Then site should redirect user to "send password to mail" page	PASSED	0.289 s
	AFTER_STEP - ORANGE.StepDefenition_Orange.afterstep(io.cucumber.java.Scenario)	PASSED	0.161 s
	Screenshot		
	AFTER - ORANGE.StepDefenition_Orange.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	STATUS: PASSED		