

Powder Coating services

7 Materials

.048"- .750" Thick

+3-5 days

Production Time

GET INSTANT PRICING
([HTTPS://APP.SENDCUTSEND.COM/CUSTOMER](https://app.sendcutsend.com/customer))

BENEFITS MATERIALS COLORS GUIDELINES WHAT TO EXPECT

Powder Coating sizing and options

PART SIZES

(<https://sendcutsend.com>)



A. 1" x 3"

Min part size

B. 30" x 36"

Max part size

C. .063" min diameter

Required Hole

7 MATERIALS, .048" - .750"

5052 H32 Aluminum 6061 T6 Aluminum 7075 T6 Aluminum 4130 Chromoly Mild Steel
304 Stainless Steel 316 Stainless Steel

15 AVAILABLE COLORS


☐ Gloss Black ☐ Matte Black ☐ Textured Black ☐ Wrinkle Black ☐ Gloss Gray
☐ Metallic Gray ☐ Textured Gray ☐ Gloss White ☐ Matte White ☐ Gloss Blue
☐ Bronze ☐ Gloss Green ☐ Safety Orange ☐ Gloss Red ☐ Gloss Yellow

Why use SendCutSend for powder coating?

One step to a finished part

Built to take abuse

Quick turn-around



Available materials for Powder Coating

One step to a finished part
Built to take abuse
Looks as good as it performs

5052 H32 Aluminum 10 thicknesses: .063" – .500"	(https://sendcutsend.com/materials/5052-aluminum/) →
6061 T6 Aluminum 11 thicknesses: .063" – .750"	(https://sendcutsend.com/materials/6061-aluminum/) →
7075 T6 Aluminum 3 thicknesses: .125" – .250"	(https://sendcutsend.com/materials/7075-aluminum/) →
4130 Chromoly 5 thicknesses: .050" – .250"	(https://sendcutsend.com/materials/4130-chromoly/) →
Mild Steel 11 thicknesses: .048" – .500"	(https://sendcutsend.com/materials/mild-steel/) →
304 Stainless Steel 9 thicknesses: .048" – .500"	(https://sendcutsend.com/materials/stainless-steel/) →
316 Stainless Steel 4 thicknesses: .060" – .250"	(https://sendcutsend.com/materials/stainless-steel-316/) →

**Hot Rolled A36 Mild Steel is the least favorable material to powder coat. It has a mill scale which is not completely removed in the blasting process, so it is visible after powder is completed.*

Added durability in a variety of colors and finishes

MOST POPULAR



(<https://sendcutsend.com/wp-content/uploads/2025/08/bk01-sample.jpg>)

Textured Black

Tiger Drylac SD
Black Super Tex 059/81073
50% Gloss

(<https://sendcutsend.com>)



(<https://sendcutsend.com/wp-content/uploads/2025/03/gloss-black.jpg>)

Gloss Black

Tiger Drylac Wet Black
049/80036
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/matte-black.jpg>)

Matte Black

Tiger Drylac Solar Black Flat Matte
044/80060
0-9% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/wrinkle-black.jpg>)

Wrinkle Black

Cardinal C081
BK176 Semi Gloss
10% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/metallic-gray.jpg>)

Metallic Gray

Tiger Drylac
149/95726 RAL 9007
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-Gray.jpg>)

Gloss Gray

Tiger Drylac
138/70046 RAL 7040
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2026/08/gray.png>)

Textured Gray

Tiger Drylac Tuscan Silver
138/90030

(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-White1.png>)

Gloss White

Tiger Drylac Bengal White
149/1111 RAL 9003
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2026/08/matte-white.jpg>)

Matte White

Cardinal T002
WH08
20% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-Blue.jpg>)

Gloss Blue

Tiger Drylac
149/42280 RAL 5010
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2026/08/bronze.png>)

Bronze

Tiger Drylac Medium Bronze
061/68002
25% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-Green.jpg>)

Gloss Green

Tiger Drylac
149/52900 RAL 6001
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2026/08/orange.png>)

Safety Orange

Tiger Drylac Safety Orange
139/20010
90% Gloss

(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-Red-1.jpg>)

Gloss Red

Cardinal T009-RD03
RAL 3002
90% Gloss



(<https://sendcutsend.com/wp-content/uploads/2025/03/Gloss-Yellow-2.jpg>)

Gloss Yellow

Cardinal T009-TL01
RAL 1018
90% Gloss

**We do not offer custom colors for powder coating*

Upload now for instant pricing

Powder coating adds **3-5 days to production**. For the fastest lead time, order powder coated parts separately.

GET STARTED
([HTTPS://APP.SENDCUTSEND.COM/CUSTOMER](https://app.sendcutsend.com/customer))

Affordable pricing. Up to 80% off in bulk.



5052 Aluminum .187"

3.5 × 2.5 in

Laser cutting, deburring, powder coating


QTY 1:

QTY 100:

(<https://sendcutsend.com>)

\$20.69/ea

\$3.31/ea



Cold Rolled Steel .119"

6.5 x 7.5 in

Laser cutting, bending, deburring, dimple forming, hardware insertion, tapping, powder coating

QTY 1:

\$73.26/ea

QTY 100:

\$17.57/ea



5052 Aluminum .080"

4.8 x 5.8 in

Laser cutting, bending, deburring, hardware insertion, powder coating

QTY 1:

\$48.44/ea

QTY 100:

\$16.04/ea

Design guidelines for powder coated parts

Sizing & hole requirements

Sizing limits apply to flat parts **before bending** (<https://sendcutsend.com/services/cnc-bending/>)

Min part size (flat)	1" x 3" (≥ 3 in ² surface area)
Max part size (flat)	30" x 36"
Required hanging hole	≥ .063" (1.60 mm)

Min hole / cutout size (https://sendcutsend.com)	≥ .040" (1.02 mm)
Min hole (laser cut)	≈ 50% of material thickness

- Holes smaller than .040" may fill during coating
- Tapped holes are not plugged before coating; expect to chase threads after
- Verify min hole sizes for your material in the [Material Catalog \(https://sendcutsend.com/materials/\)](https://sendcutsend.com/materials/)
- Need to check sizes for other services? See our [Processing Min/Max Size Charts \(https://sendcutsend.com/materials/processing-min-max/\)](https://sendcutsend.com/materials/processing-min-max/)

What to expect with powder coated parts

- **Coating thickness:** Adds .002"–.005" per side (.004"–.010" total (<https://sendcutsend.com/faq/what-are-the-thicknesses-for-your-finishes/>)). Account for this in areas with tight clearances or small holes.
- **Tabs / micro joints:** Not removed prior to coating. Visible through powder coat. Typically .015"–.030" wide, ~.010" tall.
- **Etching** — **Single line etching** (<https://sendcutsend.com/faq/how-to-set-up-my-file-for-laser-etching/>) will not be visible. Powder coat fully covers etched lines.
- **Surface prep** — Parts may be media blasted prior to coating.
- **Fingerprints** — Most colors will show fingerprints. **Wrinkle black** (<https://sendcutsend.com/faq/is-your-powder-coating-fingerprint-resistant/>) is the exception.
- **Colors** — Standard colors only. No custom color matching.

Additional powder coating resources

If you're designing parts for powder coating, these resources may help:

- [Processing min/max part sizes \(https://sendcutsend.com/materials/processing-min-max/\)](https://sendcutsend.com/materials/processing-min-max/)
- [Material min/max part sizes \(https://sendcutsend.com/materials/processing-min-max/\)](https://sendcutsend.com/materials/processing-min-max/)
- [Nesting guidelines \(https://sendcutsend.com/guidelines/nesting/\)](https://sendcutsend.com/guidelines/nesting/)

Pre-flight checklist

- ✓ File is in a format that we accept (2D: .dxf, .dwg, .ai, .eps; 3D: .step or .stp)
- ✓ All holes and cutouts are at least 50% material thickness for laser cut parts
- ✓ All holes and cutouts are no less than 0.070" for most waterjet cut parts
- ✓ All holes and cutouts are no less than 0.125" for all CNC routed parts
- ✓ File is built at a 1:1 scale, preferably in inch or mm units
- ✓ 2D files: all objects on the same layer, text converted to outlines, no open contours, all shapes united or merged, floating interiors bridged or stencilized
- ✓ 3D files: single solid sheet metal body, uniform thickness with a face at every edge, modeled at stock thickness with matching bend specs
- ✓ All stray points, duplicate lines, empty objects and text areas have been removed

SendCutSend reviews

Customers love getting their sheet metal parts from us

(https://www.google.com/search?SCA_ESV=5CF68B8F0ED15ED3&SXSrf=ANBL-N4DD3YZIZINWBQ2BOVYM7F05ME0YQ:17700CRRVM1KEBESDXLFQEHLIJHHMDDYRAUKQGKVP7PC7DIOGG2_IJPGCLLHQN27YSSPWQHSYLMVMV8WZ6WODX0KLOIY5KDWWVIL0KFKB1VEMK1DERKN9HIMWLCM6DWHKRV63BR9NDKA5V_FEPUVV2AOJ_IG3S-OAZXKAD9H1DISRPXQKO_D_MJGVLPTVBGONXC4156AKM9YPPSR23RK1)

Powder coating FAQs

Why can't I add finishing to my part? (<https://sendcutsend.com/faq/why-cant-i-add-finishing/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/FAQ/WHY-CANT-I-ADD-FINISHING/](https://sendcutsend.com/faq/why-cant-i-add-finishing/))

Why can't I add a service to my part? (<https://sendcutsend.com/faq/why-cant-i-add-a-service-to-my-part/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/FAQ/WHY-CANT-I-ADD-A-SERVICE-TO-MY-PART/](https://sendcutsend.com/faq/why-cant-i-add-a-service-to-my-part/))

What metal colors do you offer? (<https://sendcutsend.com/faq/what-metal-colors-do-you-offer/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/FAQ/WHAT-METAL-COLORS-DO-YOU-OFFER/](https://sendcutsend.com/faq/what-metal-colors-do-you-offer/))

Is your powder coating fingerprint resistant? (<https://sendcutsend.com/faq/is-your-powder-coating-fingerprint-resistant/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/FAQ/IS-YOUR-POWDER-COATING-FINGERPRINT-RESISTANT/](https://sendcutsend.com/faq/is-your-powder-coating-fingerprint-resistant/))

Will other services be performed before or after finishing? (<https://sendcutsend.com/faq/will-other-services-be-performed-before-or-after-finishing/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/FAQ/WILL-OTHER-SERVICES-BE-PERFORMED-BEFORE-OR-AFTER-FINISHING/](https://sendcutsend.com/faq/will-other-services-be-performed-before-or-after-finishing/))

MORE FAQs →
([HTTPS://SENDCUTSEND.COM/FAQ-CATEGORY/POWDER-COATING/](https://sendcutsend.com/faq-category/powder-coating/))

Powder coating posts

(<https://sendcutsend.com>)



(<https://sendcutsend.com/blog/testing-powder-coating-durability/>)

6 Tests to Show How Powder Coating Increases Sheet Metal Part Durability

(<https://sendcutsend.com/blog/testing-powder-coating-durability/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/BLOG/TESTING-POWDER-COATING-DURABILITY/](https://sendcutsend.com/blog/testing-powder-coating-durability/))




(<https://sendcutsend.com/blog/how-to-increase-abrasion-resistance-with-sendcutsend-finishing-services/>)

How to Increase Abrasion Resistance with SendCutSend Finishing Services

(<https://sendcutsend.com/blog/how-to-increase-abrasion-resistance-with-sendcutsend-finishing-services/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/BLOG/HOW-TO-INCREASE-ABRASION-RESISTANCE-WITH-SENDCUTSEND-FINISHING-SERVICES/](https://sendcutsend.com/blog/how-to-increase-abrasion-resistance-with-sendcutsend-finishing-services/))

(<https://sendcutsend.com>)



(<https://sendcutsend.com/blog/strongest-vs-weakest-materials/>)

Strongest vs Weakest Materials for Sheet Metal Manufacturing

(<https://sendcutsend.com/blog/strongest-vs-weakest-materials/>)

READ MORE » ([HTTPS://SENDCUTSEND.COM/BLOG/STRONGEST-VS-WEAKEST-MATERIALS/](https://sendcutsend.com/blog/strongest-vs-weakest-materials/))



([HTTPS://SENDCUTSEND.COM/BLOG/CATEGORY/POWDER-COATING/](https://sendcutsend.com/blog/category/powder-coating/))

(<https://sendcutsend.com/blog/aluminum-alloy-comparison/>)

Aluminum Alloy Comparisons: 5052 vs 6061 vs 7075 ([https://sendcutsend.com/blog/aluminum-](https://sendcutsend.com/blog/aluminum-alloy-comparison/)

[alloy-comparison/](https://sendcutsend.com/blog/aluminum-alloy-comparison/))

Start your first SendCutSend project today!

READ MORE » ([HTTPS://SENDCUTSEND.COM/BLOG/ALUMINUM-ALLOY-COMPARISON/](https://sendcutsend.com/blog/aluminum-alloy-comparison/))

Upload your CAD design, or try one of our customizable part templates to get **instant pricing** on your custom laser cut parts. All delivered to your door in a matter of days.

(https://www.youtube.com/channel/UCQ0t_nK_Cvu_gSH_WYd1HbNW)


(<https://www.facebook.com/sendcutsend/>)


(<https://www.instagram.com/sendcutsend/>)

(<https://www.tiktok.com/@sendcutsend>)

Partner with us!


Calling all YouTubers/Instagramers/TikTokers. Get big ad count credits + special discount codes to give to your audience





Join our mailing list to be notified of sales, special offers, and more!
We promise we won't spam you. Thanks!

Proudly made in
Reno, NV | Paris, KY | Arlington, TX



ABOUT

SERVICES

RESOURCES



Accolades and Certifications

Inc.
5000



500™

Technology **Fast 500**
2024 NORTH AMERICA
30 YEARS OF INNOVATION
Deloitte.

CAGE
97DK6

Dun & Bradstreet
D-U-N-S® Number
076773502



© Send Cut Send Inc., USA :: 4855 Longley Ln, Reno NV, 89502 :: support@sendcutsend.com (mailto:support@sendcutsend.com)

(http://ins.tagram.com/sendcutsend)

(http://www.facebook.com/ucqotnkCvuqshWYYd1HbNw)

(http://www.facebook.com/sendcutsend)

(http://www.tiktok.com/sendcutsend)