```
Inductive day : Type :=
 | monday : day
 | tuesday : day
 | wednesday : day
 | thursday : day
 | friday : day
 | saturday : day
```

| sunday : day.

```
Definition next weekday (d:day) : day :=
match d with
| monday => tuesday
| tuesday => wednesday
| wednesday => thursday
| thursday => friday
| friday => monday
 saturday => monday
```

| sunday => monday

Example test_next_weekday:
(next_weekday (next_weekday saturday)) = tuesday.

Proof. simpl. reflexivity. Qed.

```
Inductive bool : Type :=
 | true : bool
 | false : bool.
```

```
Definition negb (b:bool) : bool :=
match b with
| true => false
| false => true
```

```
Definition andb (b1:bool) (b2:bool) : bool :=
match b1 with
| true => b2
| false => false
```

```
Definition orb (b1:bool) (b2:bool) : bool :=
match b1 with
| true => true
| false => b2
```

Definition admit {T: Type} : T. Admitted.

Definition nandb (b1:bool) (b2:bool) : bool := negb (andb b1 b2).

Inductive nat : Type :=
 | 0 : nat
 | S : nat -> nat.

```
Definition pred (n:nat) : nat :=
match n with
| O => O
```

| S n' => n'

 $\mid S (S n') => n'$

| S (S n') => evenb n'

Definition oddb (n:nat) : bool := negb (evenb n).

Fixpoint plus (n:nat) (m:nat) : nat :=
match n with
| O => m

| S n' => S (plus n' m)

```
Fixpoint mult (n m:nat) : nat :=
match n with
| O => O
| S n' => plus m (mult n' m)
```

```
Fixpoint minus (n m:nat) : nat :=
match n, m with
| O , _ => 0
| S _ , O => n
| S n', S m' => minus n' m'
end.
```