



Getting started with the Model Asset Exchange and the Data Asset Exchange

In this lab, you will explore the Model Asset Exchange (MAX) and the Data Asset Exchange (DAX), which are two open source Data Science resources on IBM Developer.

Objective of Exercise 1:

- Find open data sets on IBM Developer.
- Explore the data sets.

Objective of Exercise 2:


- Find ready-to-use deep learning models on the Model Asset Exchange.
- Explore the deep learning model trained to detect objects in an image.

It will take you approximately 15 minutes to complete the lab. Only a web browser is required to complete the tasks.

Exercise 1: Explore deep learning datasets


The Data Asset Exchange is a curated collection of open datasets from IBM Research and third-parties that you can use to train models.

1. Open <https://developer.ibm.com/> in your web browser.
2. From the main menu select **Open Source at IBM > Data Asset eXchange**. The DAX home page is displayed.



The collection includes datasets from the Debater project (<https://www.research.ibm.com/artificial-intelligence/project-debater/>), datasets that can be used to train models to perform document layout analysis, natural language processing, time series analysis, and more.

3. Open the NOAA Weather Data dataset (<https://developer.ibm.com/exchanges/data/all/jfk-weather-data/>), which contains data from a weather station at the John F. Kennedy Airport in New York spanning eight years. This dataset was used to train the weather forecaster model on MAX (<https://developer.ibm.com/exchanges/models/all/max-weather-forecaster/>).




You can download the dataset using the **Get this dataset** link. Datasets are stored as compressed archives, which you can extract using any utility that supports the targz format. If you are not familiar with this file format, take a look at this short open source tutorial <https://opensource.com/article/17/7/how-unzip-targz-file>.

4. Inspect the dataset's metadata.


This dataset is stored as tabular data and formatted as a comma separated value (CSV) file, which is a very popular basic data exchange format. The dataset was published under the data science friendly CDLA-Sharing license (<https://cdla.io/>). The dataset contains time-series data and can be used to predict weather trends.

5. Most datasets are complemented by Python notebooks that you can use to explore, pre-process, and analyze the data. You can access the notebook (or notebooks) by clicking the **Run dataset notebooks**:



The notebooks are hosted on Watson Studio, IBM's Data Science platform. Later in this course, you'll learn more about Watson Studio notebooks and how to run them.

6. [Optional] If you are already familiar with notebooks and Watson Studio, feel free to open the link and import the project or notebook. The following example depicts the weather dataset project assets, which include the raw data file and two notebooks.




This concludes Exercise 1 of this lab, which introduced the Data Asset Exchange.

Exercise 2 - Explore deep learning models

The Model Asset Exchange is a curated repository of open source deep learning models for a variety of domains, such as text, image, audio, and video processing.

1. Open <http://ml-exchange.org/models> in your web browser.
2. The MAX home page is displayed. *In this introductory lab exercise, we are going to focus on a few MAX key features.*



Machine Learning eXchange

AI & DATA

- Home
- Datasets
- Models**
- Pipelines
- Components
- Notebooks

Join the Conversation

Models

Machine learning models that can be used in your pipelines.

[GITHUB](#)

CodeNet Language Classification

A convolutional deep neural network to classify snippets of code.

Code Classification

Human Pose Estimator

IBM Model Asset eXchange(MAX) model that detects humans in an image and estimate the pose for each person.

Human Pose Estimation

Image Caption Generator

IBM Model Asset eXchange(MAX) model that generates captions from a fixed vocabulary describing the contents of images in the COCO dataset.

Image-To-Text Translation

Image Resolution Enhancer

IBM Model Asset eXchange(MAX) model that upscales an image by a factor of 4, while generating photo-realistic details.

Super-Resolution

Named Entity Tagger

IBM Model Asset eXchange(MAX) model that locates and tags named entities in text.

Natural Language Processing

Object Detector

IBM Model Asset eXchange(MAX) model that localizes and identifies multiple objects in a single image.

Object detection in images

Optical Character Recognition

IBM Model Asset eXchange(MAX) model that identifies text in an image.

Optical Character Recognition

Question Answering

IBM Model Asset eXchange(MAX) model that answers questions on a given corpus of text.

Question and Answer


3. Select the **Object Detector** model from the list of available options.

The screenshot shows the Machine Learning eXchange (MLX) website. The header features the MLX logo and the text "Machine Learning eXchange". Below the header, there is a navigation bar with links to "Home", "Datasets", "Models", "Pipelines", "Components", and "Notebooks". The main content area displays a grid of machine learning models. The "Object Detector" model is highlighted with a red border. The models listed are:

- CodeNet Language Classification**: A convolutional deep neural network to classify snippets of code. (Tag: Code Classification)
- Human Pose Estimator**: IBM Model Asset eXchange(MAX) model that detects humans in an image and estimate the pose for each person. (Tag: Human Pose Estimation)
- Image Caption Generator**: IBM Model Asset eXchange(MAX) model that generates captions from a fixed vocabulary describing the contents of images in the COCO dataset. (Tag: Image-To-Text Translation)
- Image Resolution Enhancer**: IBM Model Asset eXchange(MAX) model that upscales an image by a factor of 4, while generating photo-realistic details. (Tag: Super-Resolution)
- Named Entity Tagger**: IBM Model Asset eXchange(MAX) model that locates and tags named entities in text. (Tag: Natural Language Processing)
- Object Detector**: IBM Model Asset eXchange(MAX) model that localizes and identifies multiple objects in a single image. (Tag: Object detection in images)
- Optical Character Recognition**: IBM Model Asset eXchange(MAX) model that identifies text in an image. (Tag: Optical Character Recognition)
- Question Answering**: IBM Model Asset eXchange(MAX) model that answers questions on a given corpus of text. (Tag: Question and Answer)

This model recognizes the objects present in an image. The model consists of a deep convolutional net base model for image feature extraction, together with additional convolutional layers specialized for the task of object detection, trained on the COCO data set. The input to the model is an image, and the output are extracted objects from the image, appropriately labeled.

4. Scroll down and in **Test the model in CodePen** click **CodePen** hyperlink as highlighted below:



Machine Learning eXchange

AI & DATA

Home

Datasets

Models

Pipelines

Components

Notebooks

Object Detector

IBM Model Asset eXchange(MAX) model that localizes and identifies multiple objects in a single image.

← MODELS

DOWNLOAD

DESCRIPTION

YAML DEFINITION

SAMPLE SERVING CODE

Complete the [node-red-contrib-model-asset-exchange](#) module setup instructions and import the object-detector getting started flow.

Test the model in CodePen

Learn how to send an image to the model and how to render the results in [CodePen](#).

Test the model in a serverless app


You can utilize this model in a serverless application by following the instructions in the [Leverage deep learning in IBM Cloud Functions](#) tutorial.

Links

- [MAX Object Detector Web App](#): a demo application providing interactive visualization of the bounding boxes and their related labels returned by the model.

CodePen is a social development environment. At its heart, it allows you to write code in the browser and see the results of it as you build. It is a useful and liberating online code editor for developers of any skill and is particularly empowering for people learning to code.

Some of the models are already built for you to test. Let's test one of the models. Click **MAX TFJS models**.




TRY OUR ONLINE EDITOR

Start Coding

Search Pens
Challenges
Spark


CodePen **PRO**







MAKE IT WITH ADOBE STOCK.
Get 10 free images >

Limited time offer: Get 10 free Adobe Stock images.
(ads via Carbon)

Q Search CodePen...

 **max-playground**
CODAIT [+ Follow](#)

GRID   LIST SORT BY **Order** 

 **MAX TFJS Models**


Using MAX tfjs models and visualizing the prediction

Model
Image Segmenter


URL
<https://cdn.jsdelivr.net/npm/@codeit/max-image>

Webcam
☐ Off

Select an image...

 **MAX TFJS models**
CODAIT

...

 **MAX Demo**


Sending a new file to a MAX audio model

Model Endpoint
<https://max-audio-classifier.codepen.io/41158b71a9ba131120ba7ad>

Filter
Enter comma separated list of labels to filter (e.g., _Engine,Car,Alarm)

See how to host a MAX audio file to the MAX [Audio Classifier](#)
The Filter input accepts a list of comma separated labels to filter the response (e.g., Bird,Thunderstorm,Blind). View the [AudioSet ontology](#) for list of some of the available labels.
Note: The filter labels are case sensitive and subject to change depending on the model version.

[Select an audio file](#) [Get Prediction](#)

 **Send audio clip to MAX**
CODAIT

...

5. Upload an image. You may choose images with a person, dog, cat, truck, car, and so on, which are labels the model has been trained on.

► [Click here](#) for all the labels the model is trained on

MAX TFJS models
CODAIT [+ Follow](#)

♥

↻ Run

⚙ Settings

📁

Sign Up

Log In

HTML

```
1 <header class="max-header" role="banner"
  aria-label="CODAIT MAX">
2 <a class="max-skip" href="#max-main-
  content" tabindex="0">Skip to main
  content</a>
3 <span class="max-header-logo">
4 <svg focusable="false"
  preserveAspectRatio="xMidYMid meet"
  style="will-change: transform;"
  xmlns="http://www.w3.org/2000/svg">
```

CSS

```
1 .max-subheader .max-field {
2   display: flex;
3   flex-flow: column;
4   margin-right: 1.5rem;
5 }
6 .max-subheader .max-field.endpoint-field {
7   display: flex;
8   flex-grow: 1;
9   flex-flow: column;
10 }
```

JS

```
16 const trjsmodel = {
17   imageSegmenter:
18     'https://cdn.jsdelivr.net/npm/@codait/max-
19     image-segmenter'
20 }
21 const selectModelChanged = function () {
22   if (webcamStream) {
23     pauseVideo()
24   }
25 }
```

MAX TFJS Models

Using MAX tfjs models and visualizing the prediction

📘

Model

Image Segmenter

URL

https://cdn.jsdelivr.net/npm/@codait/max-image-segmenter


Webcam

Off


Select an image...

Here we are using **Image Segmenter**, which divides an image into regions or categories that correspond to different objects or parts of objects. Every pixel in an image is allocated to one of a number of these categories.

6. Click the icon **Extract prediction** as shown below:



You will now be able to see the output of the prediction on the basis of the image you upload.



Here the background and the dog image are separated, showing two different parts of the image. **You can also try the webcam option, which will show the real-time prediction by the toggle-on webcam option.**

This concludes Exercise 2 of this lab, which introduced the Model Asset Exchange.

Optionally you can watch a demo of the Object detector model [here](#).

Author(s)

Joseph Santarcangelo

Other Contributor(s)

Lavanya

Changelog

Date	Version	Changed by	Change Description
2022-01-04	2.6	Steve Hord	Final QA pass
2022-12-27	2.5	Steve Hord	QA pass with edits
2022-04-19	2.4	Malika	Updated the screenshot
2022-03-14	2.3	Malika	Updated the screenshot
2022-01-08	2.2	Malika	Added exercise CodePen
2022-01-07	2.1	Malika	Removed exercise 1
2020-08-25	2.0	Lavanya	Migrated Lab to Markdown and added to course repo in GitLab

© IBM Corporation 2020. All rights reserved.