

## **Comp 324/424 - Client-side Web Design - Slides**

---

Fall Semester 2017 - Week 3

Dr Nick Hayward

# Contents

---

- HTML intro
- DOM basics
- HTML basics
- HTML5 - part I

# HTML - Doctype - HTML5

---

- DOCTYPE is a special instruction to the web browser
  - *concerning the required processing mode for rendering the document's HTML*
- doctype is a required part of the HTML document
- first part of our HTML document
- should always be included at the top of a HTML document, e.g.

```
<!DOCTYPE html>
```

or

```
<!doctype html>
```

- doctype we add for HTML5 rendering
- not a HTML element, simply tells the browser required HTML version for rendering

# HTML - Character encoding - part I

---

- element text, and attribute values, must consist of defined **Unicode** characters
  - *The Unicode Consortium*
  - *Unicode Information*
    - Unicode examples - many, many examples...
- as with most things, there are some exceptions
- for example, attribute values must not contain U+0000 characters

```
U+0000 (NULL)
U+0022 (QUOTATION MARK, ")
U+0027 (APOSTROPHE, ')
U+003E (GREATER THAN, >)
U+002F (FORWARD SLASH, /)
U+003D (EQUALS, =)
```

- e.g W3C recommendations - 8.1.2.3
  - *must not contain permanently undefined Unicode characters*
  - *must not contain control characters other than space characters*
    - Space - U+0020
    - Tab - U+0009
    - Line feed - U+000A
    - Form feed - U+000C
    - Carriage return - U+000D

## HTML - Character encoding - part 2

---


Basically, we use the following definable types of text for content etc.

- normal character data
  - *this includes standard text and character references*
  - *cannot include non-escaped < characters*
- replaceable character data
  - *includes elements for `title` and `textarea`*
  - *allows text, including non-escaped < characters*
  - *character references*
    - a form of markup for representing single characters
    - e.g. a dagger represented as `&dagger;` or `&#8224;` or `&#x2020;`
    - e.g. copyright symbol as `&#169`
    - lots of examples, [W3 - Character Ref.](#)

# DOM Basics - intro

---

## A brief introduction to the document object model (DOM)




- Source - W3Schools - JS HTML DOM

## DOM Basics - what is DOM?

---

- **DOM** is a platform and language independent way
  - *to access and manipulate underlying structure of HTML document*
- structured as a representation of a tree data structure
  - *its manipulation follows this same, standard principle*
- DOM tree is constructed using a set of nodes
  - *tree is designed as a hierarchical representation of the underlying document*
- each node on our tree is an element within our HTML document
- inherent hierarchical order originates with the **root** element
  - **root** sits at the top of our **tree**
  - *descends down following lineage from node to node*
- each node is a child to its parent
  - *we can find many siblings per node as well*
- root at the top of the tree...

## Image - HTML DOM



HTML DOM



## DOM Basics - useful elements

element tag	usage & description
<html>	container element for a HTML document
<head>	contains metadata and document information
<body>	contains main content rendered as the HTML document
<header>	page header...
<nav>	navigation, stores and defines a set of links for internal or external navigation
<main>	defined primary content area of document
<footer>	page footer...
<section>	a section of a page or document
<article>	suitable for organising and containing independent content
<aside>	defines content aside from the content which contains this element
<figure>	logical grouping of image and caption
<img>	image - can be local or remote using url in src attribute
<figcaption>	image caption
<h1>, <h2>...	headings from 1 to 6 (1 = largest)
<a>	anchor - link to another anchor, document, site...
<p>	paragraph
<ul>, <ol>, <dl>	unordered, ordered, definition lists
<li>	list item, used with <ul>, <ol>...
<dt>	definition term, used with <dl>
<dd>	definition description, used with <dl>
<table>	standard table with rows, columns...
<tr> >	table row, used with <table>
<th>	table heading, used with <table> and child to <tr>
<td>	table cell, used with <table> and child to <tr>
<div>	non-semantic container for content, similar concept to <section>
<span>	group inline elements in a HTML document
<canvas>	HTML5 element for drawing on the HTML page
<video>	HTML5 element for embedding video playback
<audio>	HTML5 element for embedding audio playback

**NB:** <div> and <span> can be used as identifiers when there is no other suitable element to define parts of a HTML5 document. e.g. if there is no defined or significant semantic meaning...

# DOM Basics - sample

---

```
<!DOCTYPE html>
<html>
  <head>
    <base href="media/images/">
    <meta charset="UTF-8">
    <!-- week 3 - demo 1 -->
    <title>Week 3 - Demo 1</title>
  </head>
  <body>
    <header>
      <h1>Ancient Egypt</h1>
    </header>
    <nav>...</nav>
    <main>
      <section>
        <p>
          Welcome to the Ancient Egypt information site.
        </p>
        <figure>
          
          <figcaption>Ptolemaic temple at Philae, Egypt</figcaption>
        </figure>
      </section>
      <aside>
        Temple at Philae in Egypt is Ptolemaic era of Egyptian history.
      </aside>
    </main>
    <footer>
      foot of the page...
    </footer>
  </body>
</html>
```

- Demo - DOM Basics - Sample

# DOM Basics - index.html page

---

## index.html usage and structure

- basic index.html page for loading web apps
- app will start with the index.html document
  - *html pages saved as .html or .htm*
  - *.html more common...*
- index.html acts as a kickstart
  - *for loading and rendering the app*
  - *loads other app resources - CSS, JS...*
- consistent elements in the HTML DOM
  - *<html>, <head>, and <body>*
- HTML5 apps will add
  - *<header>, <main>, and <footer> (when required)*
  - *many other elements for building the app...*

## HTML Basics - <head> element

---

- part of a HTML document's metadata
- allows us to set metadata for a HTML page
- customised just for that page or replicated as a site-wide implementation
- we can add numerous additional elements to <head>
- add similar links and code for JavaScript
  - use the <script> element & attributes such as *type* and *src*
  - HTML4 requires *type* and *src*
  - HTML5 requires *src*

```
<!-- HTML4 and XHTML -->
<script type="text/javascript" src="script.js"></script>
<!-- HTML5 -->
<script src="script.js"></script>
```

- add a <title> element with text added as the element content
- set a default base address for all relative URLs in links within our HTML

```
<base href="/media/images/" target="_blank">
```

- links now simply use the base URL or override with full URL

```

<a href="http://www.flickr.com">Flickr</a>
```

# HTML - <head> element example

---

```
<head>
  <meta charset="utf-8">

  <title>Sample...</title>
  <meta name="description" content="sample metadata">
  <meta name="author" content="COMP424">

  <link href="style.css" rel="stylesheet">
  <script src="script.js"></script>

</head>
```

# HTML Basics - <body> - part I

---

## intro

- to define the main body of the web page we use the <body> element
- headings can be created using variants of
  - <h1>, <h2>.....<h6>
- we can now add some simple text in a <p> element

```
<p>...</p>
```

- add a line break using the <br> element
  - <br /> for strict XHTML void
- <hr> element adds a horizontal line
  - <hr /> for strict XHTML void
  - implies rendering division
  - instead of defined structural divide...
- comments can also be added through our HTML

```
<!-- comment... -->
```

## HTML Basics - <body> - part 2

---

### linking

- linking is an inevitable part of web design and HTML usage
- can be considered within three different contexts
  - *linking to an external site*
  - *linking to another page within the same site*
  - *linking different parts of the same page*
- add links to text and images within the HTML
- <a> element for links plus required attributes, e.g.

```
<!-- external link -->
<a href="http://www.google.com/">Google</a>
<!-- email link -->
<a href="mailto:name@email.com">Email</a>
<!-- internal page link -->
<a href="another_page.html">another page</a>
<!-- define internal anchor - using name attribute -->
<a name="anchor">Internal anchor</a>
<!-- define internal anchor - using ID attribute -->
<a id="anchor">Anchor</a>
<!-- internal anchor link -->
<a href="#anchor">Visit internal anchor</a>
<!-- internal anchor link on another page -->
<a href="/another_page.html#anchor">Visit internal anchor</a>
<!-- internal anchor link on a page on an external site -->
<a href="https://www.test.com/test.html#anchor">Visit internal anchor on external site</a>
```

- Demo - HTML - Internal Anchor

## HTML Basics - <body> - part 3

---

### linking - cont'd

- standard attributes supported by <a> element include
  - *class, id, lang, style, title...*
- optional attributes are available for <a> element including
  - *target, href, name...*
- target attribute specifies where the link will be opened relative to the current browser window
- possible attribute values include

```
_blank  
_self  
_parent  
_top
```



## HTML Basics - <body> - part 4

---

### images

- <img> allows us to embed an image within a web page
- <img> element requires a minimum *src* attribute

```


```

- other optional attributes include
  - *class, id, alt, title, width, height...*
- use images as links
- image maps

```
<map name="textmap">
  <area shape="rect" coords="..." alt="Quote 1" href="notes1.html" />
</map>
```

## HTML Basics - <body> - part 5

---

### tables

- organise data within a table starting with the <table> element
- three primary child elements include
  - *table row, table header, table data*
  - <tr>, <th>, <td>

```
<table>
  <caption>424 - basic test table</caption>
  <tr>
    <th>heading 1</th>
    <th>heading 2</th>
  </tr>
  <tr>
    <td>row 1, cell 1</td>
    <td>row 2, cell 2</td>
  </tr>
</table>
```

- also add a <caption>
- span multiple columns using the colspan attribute
- span multiple rows using the rowspan attribute

## HTML Basics - <body> - part 6

---

### lists

- unordered list <ul>, ordered list <ol>, definition list <dl>
- <ul> and <ol> contains list items <li>

```
<ul>  
  <li>...</li>  
</ul>
```

```
<ol>  
  <li></li>  
</ol>
```

- definition list uses <dt> for the item, and <dd> for the definition

```
<dl>  
  <dt>Game 1</dt>  
  <dd>our definition</dd>  
</dl>
```

## HTML Basics - <body> - part 7

---

### forms

- used to capture data input by a user, which can then be processed by the server
- <form> element acts as the parent wrapper for a form
- <input> element for user input includes options using the *type* attribute
  - *text, password, radio, checkbox, submit*

```
<form>
  Text field: <input type="text" name="textfield" />
</form>
```

- process forms using
  - e.g. *JavaScript...*

## HTML5 - intro

---

- finally became a standard in October 2014
- introduces many new features to HTML standard
- additional features include, e.g.
  - *new canvas element for drawing*
  - *video and audio support*
  - *support for local offline storage*
  - *content specific elements*
  - *including article, footer, header, nav, section*
  - *form controls such as*
  - *calendar, date, time, email, url, search*
- new input type attribute values
  - *assigned to provide better input control*
- Check browser compatibility using [HTML5 Test](#)

# HTML5 - basic template

---

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title></title>
  </head>
  <body>

  </body>
</html>
```

## HTML5 - Elements - part I

---

- often known simply as **tags**
- elements allow us to add a form of metadata to our HTML page
- for example, we might add

```
<!-- a paragraph element -->  
<p>add some paragraph content...</p>  
<!-- a first heading element -->  
<h1>our first heading</h1>
```

- this metadata used to apply structure to a page's content

## HTML5 - Elements - part 2

---

- we can now add additional structure to our basic template

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <!-- title for the web page appears in the window, tab heading... -->
    <title>Demo 1</title>
  </head>
  <body>
    <h1>Our first web page</h1>
    <p>
      As we build our web apps, more elements and content will be added...
    </p>
  </body>
</html>
```

- Demo - Our first web page



## HTML5 - Comments

---

- comments are simple and easy to add to HTML
- add to HTML code as follows,

```
<!-- a comment in html -->
```

- comment not explicitly visible to the user in the rendered page
- comment appears in the code for reference...

## Image - HTML5 sample rendering I

---

### **Our first web page**

As we build our web apps, more elements and content will be added to this template.

HTML - sample rendering of demo I

Source - Demo I

# HTML5 - semantic elements - part I

---

- new semantic elements added for HTML5
- known as **block-level** elements
  - *includes the following elements,*

```
<article>
<aside>
<details>
<figure>
<figcaption>
<footer>
<header>
<main>
<nav>
<section>
```

- better structure underlying documents
  - *add clear semantic divisions*

## HTML5 - semantic elements - part 2

---

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <!-- our second demo with lots of new elements -->
    <title>Demo 2</title>
  </head>
  <body>
    <header>
      <h1>Our first web page</h1>
    </header>
    <!-- primary navigation elements, links... -->
    <nav>Option 1</nav>
    <!-- main content -->
    <main>
      <section>
        <p>
          As we build our web apps, more elements and content will be added...
        </p>
        <figure>
          
        </figure>
      </section>
      <aside>
        Temple at Philae in Egypt is Ptolemaic era of Egyptian history...
      </aside>
    </main>
    <footer>
      foot of the page...
    </footer>
  </body>
</html>
```

- Demo - New elements added

## Image - html5 sample rendering 2

---

### Our first web page

Option 1

As we build our web apps, more elements and content will be added to this template.



Temple at Philae in Egypt is Ptolemaic era of Egyptian history. Similar temples include Edfu...  
foot of the page...

[HTML - sample rendering of demo 2](#)

Source - Demo - New elements added

## HTML5 - semantic elements - part 3

---

- element tag `article` not used in previous demo
- `article` and `section` tag can both cause some confusion
- not as widely used as expected
- `div` element still widely seen in development
- HTML5 is supposed to have relegated `div`
  - *sectioning element of last resort...*
- `article` and `section`
  - *good analogy with a standard newspaper*
  - *different sections such as headlines, politics, health...*
  - *each section will also contain articles*
- HTML specification also states that an `article` element

*represents a self-contained composition in a document, page, application, or site and that is, in principle, independently distributable or reusable, e.g. in syndication.*

## HTML5 - semantic elements and structure - intro

---

- perceived issue or concern with HTML5 semantic elements
  - *how and when to add them to our document*
  - *where and when do we add them to our page?*
- non-semantic elements often considered simpler to apply
  - *generalised application and context for usage*

# HTML5 - semantic elements and structure

---

## header and nav

- `<header>`
  - *used to collect and contain introductory content*
  - *semantically appropriate for the head or top of a page*
  - *technically feasible and acceptable to include multiple `<header>` elements*
  - *e.g. `<header>` within main content, sidebar content, an article, a section...*
- `<nav>`
  - *short for navigation*
  - *stores and defines a set of links for internal or external navigation*
  - *not meant to define all page navigation links*
  - *often considered suitable for primary site links*
  - *additional links can be placed in*
  - *sidebar, footer, main content...*
  - *no need to consider a `<nav>` element for these links...*



# HTML5 - Semantic elements and structure

---

## main

- this element tag defines our **main** content
- traditionally the central content area of our page or document
- HTML4 often used a `<div>` element
  - *plus a class or id to define central content*
  - e.g.

```
<!-- e.g. HTML4 main content -->
<div id="main">
  ...
</div>
```

- HTML5 semantically defines and marks content as `<main>`
- `<main>` should not include any page features such as
  - *nav links, headers etc, that are repeated across multiple pages*
- cannot add multiple `<main>` elements to a single page
- must not be structured as a child element to
  - `<article>`, `<aside>`, `<footer>`, `<header>`, or `<nav>`

# HTML5 - Semantic elements and structure

---

## section, article, aside - part I

### ■ <section>

- defines a section of a page or document
- W3C Documentation defines as follows,

*a section is a thematic grouping of content. The theme of each section should be identified, typically by including a heading as a child of the section element.*

### ■ a site can be sub-divided into multiple <section> groupings

- e.g. as we might consider a chapter or section break in a book...

### ■ <article>

- suitable for organising and containing independent content
- include multiple <article> elements within a page
- use to establish logical, individual groups of content
- again, newspaper analogy is useful to remember
- e.g. a blog post, story, news report...might be a useful article
- key to using this element is often whether content can be used in isolation

### ■ <aside>

- used to define some content aside from containing parent content
- normally used to help define or relate material to surrounding content
- effectively acts as supporting, contextual material

## HTML5 - Semantic elements and structure

---

### section, article, aside - part 2

- MDN Documentation suggests,

*if it makes sense to separately syndicate the content of a `<section>` element, use an `<article>` element instead*

and

*do not use the `<section>` element as a generic container; this is what `<div>` is for, especially when the sectioning is only for styling purposes. A rule of thumb is that a section should logically appear in the outline of a document.*

# HTML5 - Semantic elements and structure

---

## figure, figcaption

- `<figure>` & `<figcaption>`
  - as with print media, we can logically group image and caption
  - `<figure>` acts as parent for image grouping
  - child elements include
  - `<img>` and `<figcaption>`

```
<figure>

<figcaption>Ptolemaic temple at Philae, Egypt</figcaption>
</figure>
```

- updated demo with figure grouping - Demo - Semantic structuring

# HTML5 - Semantic elements and structure

---


## footer

- `<footer>`
  - *usually contains information about its containing element*
- example 1 - in a footer for an article
  - *might use this element to define and record*
  - *author of the article*
  - *publication date*
  - *suitable tags or metadata*
  - *associated documents...*
- example 2 - a footer simply placed at the **foot** of a page
  - *record copyright information*
  - *contextual links*
  - *contact information*
  - *small logos...*
- example 2 considered standard usage for `<footer>`
  - *continues from HTML4 and earlier generic usage...*

# Image - HTML5 page structure - part I


---

semantic elements



# Image - HTML5 page structure - part 2

## semantic elements



## HTML5 page structure - part 3

---

- not included `<html>` and `<body>` tags in diagrams
  - *required for all HTML documents*
- divided the page into four logical, semantic divisions
  - *header*
  - *nav*
  - *main*
  - *footer*
- we could also add a sidebar etc for further division of content



# HTML5 - extra elements

---

## intro

- many other interesting and useful new HTML5 elements
  - *in addition to semantic elements*
- some struggle for browser compatibility
- useful new elements such as
  - *graphics and media*
- HTML5 APIs introduced as well, including
  - *App Cache*
  - *Drag/Drop*
  - *Geolocation*
  - *Local Storage*
  - ...
- again, check browser support and compatibility

## Browser check

- Can I Use\_\_\_\_\_?
  - e.g. *Can I Use Drag and Drop?*

# HTML5 - Extra elements - media - part I

---

## video

### <video> element

- until HTML5, video playback reliant on plugins
  - e.g. *Adobe Flash*
- embed video using element tag <video>
- add attributes for
  - *height, width, controls...*
- not all web browsers support all video codecs
- option to specify multiple video sources
- best supported codecs include
  - *MP4 (or H.264), WebM, OGG...*
- good general support for <video> element
- check browser support for <video> element
  - *Can I use\_\_\_\_\_video?*

## HTML5 - Extra elements - media - part 2

---

### video example

<video> - a quick example might be as follows,

```
<video width="300" height="240" controls>
  <source src="media/video/movie.mp4" type="video/mp4">
  <source src="media/video/movie.webm" type="video/webm">
  Your browser does not support the video tag.
</video>
```

- Demo - HTML5 Video playback

## HTML5 - Extra elements - media - part 3

---

### audio

### <audio> element

- HTML5 also supports standardised element for embedded audio
- supported codecs for <audio> playback include
  - *MP3 and mp4*
  - *WAV*
  - *OGG Vorbis*
  - *3GP*
  - *m4a*
- again, check browser support and compatibility
  - *Can I use\_\_\_\_\_audio?*
- fun test of codecs
  - *HTML5 Audio*

## HTML5 - Extra elements - media - part 4

---

### audio example

<audio> - a quick example might be as follows,

```
<audio controls>
  <source src="media/audio/audio.mp3" type="audio/mpeg">
  Your browser does not support the audio tag.
</audio>
```

- Demo - HTML5 Audio playback

## Demos - DOM & HTML

---

- Demo - DOM Basics - Sample
- Demo - HTML - Internal Anchor
- Demo - Our first web page
- Demo - New elements added
- Demo - Semantic structuring

## Demos - DOM & HTML5

---

- Demo - HTML5 Video playback
- Demo - HTML5 Audio playback

## References

---

- **HTML5 Test**
- **MDN**
  - *HTML developer guide*
  - *Block-level elements*
  - *Content categories*
  - *Inline elements*
- **Unicode**
  - *The Unicode Consortium*
  - *Unicode Information*
  - *Unicode examples*
- **W3C**
  - *HTML Attribute Syntax*
  - *HTML5 Documentation*
- **W3 Schools**
  - *W3Schools - DOM Image*
  - *W3 Schools - HTML Block and Inline Elements*
  - *W3Schools - HTML5 Semantic Elements*