

PRODUCT	EXOKER -SPRAY
CATEGORY	DERMOCOSMETIC Fluid emulsion based on sulfur and crotamiton, adjuvants in the treatment and prevention of scabies (skin infection by the mite <i>sarcoptes scabiei</i>. Thanks to the presence of dimethicone, this lotion creates a film that hinders the colonization of the skin by the parasite while ensuring hydration and alleviating irritation and itching.
ANTIPARASITIC ACTION	
Crotamiton 10%	Active ingredient used effectively in the treatment of skin itching and scabies mite infestations. Despite its well-characterized clinical efficacy, its mechanism of action remains unclear, evidently linked to its chemical-physical properties, most likely responsible for a cooling and soothing action on the skin subjected to irritation as well as antikinetic action against the scabies mite.
Sulfur 0,5%	Sulfur has antiparasitic and antimicrobial properties, and has traditionally been used to treat scabies. It works by killing parasites, such as scabies mites, and by promoting skin sloughing, helping to eliminate eggs and adult mites.
Salicylic acid 1%	Salicylic acid is used in cosmetics and dermatology for its keratolytic and smoothing properties. When applied to the skin, in fact, it has a powerful keratolytic action, since it is able to selectively break the protein chain of keratin, abundantly present in corneocytes, thus decreasing the cohesive forces that unite these cells to each other. In this way, the desquamation of keratinocytes is promoted, favoring the penetration of the active ingredients towards the parasite.
eucalyptus o.e 0.1%	Eucalyptus essential oil has antiseptic properties. Eucalyptus oil also has a disinfectant and germicidal action useful in treating the symptoms of scabies. It is also used to treat lice.
o.e cloves 0.05%	Cloves are known for their antimicrobial and anti-inflammatory properties.
Neem Oil 0,05%	The reason why Neem Oil is effective in fighting parasites and insects is due to the presence of a set of substances of which the most important active ingredient is the limonoid Azadirachtin A. These substances act by blocking the development of insects in their juvenile stages, but it is also effective on adult insects and parasites.
ANTIITCHING ACTION	
Polidocanol 3%	For this ingredient, also used at a pharmacological level, it has been hypothesized that the antipruritic effect is due to a mild local anesthetic action.

HYDRATING-EMOLLIENT-FILMING ACTION	
Shea butter 0.5%	Its wide use in modern dermatology and cosmetology is due to its healing, emollient, elasticizing, antioxidant, soothing and re-epithelizing properties. What makes it most precious is the very high content of unsaponifiables, substances essential for maintaining the natural elasticity of the skin since they intervene in the formation of collagen and elastin.
Dimethicone 10%	Dimethicone is used to treat or prevent dry skin, itching, and minor skin irritation. It acts as a film-forming and emollient, forming a barrier on the skin that prevents water loss.
Betaine anhydrous 1%	Anhydrous betaine is an amphoteric compound derived from sugar beet. Its applications in cosmetics concern its hydrating function thanks to the molecule's ability to retain water, combined with a marked soothing action.
Panthenol 0,5%	Active ingredient with regenerating and soothing action on the skin
How to use	After a warm bath and dry skin, apply the lotion to the entire body surface, except the face and scalp, rubbing lightly, 2-3 times a day (1 time for children). The lotion should be applied especially in the areas where the mite is most likely to be found: interdigital spaces, wrists, armpits, genitals. The treatment should be continued for a period of 3-5 days depending on the therapeutic result. Change bed linen and underwear. After completing the treatment, take a bath to wash the body. SHAKE WELL BEFORE USE KEEP AT A TEMPERATURE BETWEEN 10 AND 25 °C

STUDIES CONDUCTED AND CLINICAL EFFICACY

CROTAMITON AND IVERMECTIN IN THE TREATMENT OF SCABIES

Cutan Ocul Toxicol. 2013 Feb 25. [Epub ahead of print]

Comparison of oral ivermectin versus crotamiton 10% cream in the treatment of scabies.

Goldust M, Rezaee E, Raghifar R.

Interesting study that demonstrates how Crotamiton can be as effective as Ivermectin in the treatment of Scabies, despite there being some stages of the biological cycle of the parasite that are naturally resistant to therapy.

CROTAMITON AND ITCH CONTROL

Exp Dermatol. 2012 Mar;21(3):201-4. doi: 10.1111/j.1600-0625.2011.01433.x.

Anti-pruritic effects of topical crotamiton, capsaicin, and a corticosteroid on pruritogen-induced scratching behavior.

Sekine R, Satoh T, Takaoka A, Saeki K, Yokozeki H.

A study demonstrating the efficacy of Crotamiton in reducing pruritus induced by various pruritic elements such as histamine, substance P, and PAR2 receptor agonists, thus highlighting the extensive clinical efficacy of the active ingredient.